

SPORTS TURF MANAGER

... for safe, natural Sports Turf

AUTUMN 2002

VOLUME 15 • ISSUE 3

Reaching for the Gold

STA'S 15TH ANNUAL FIELD DAY RECEIVED STELLAR REVIEWS FROM PARTICIPANTS

Your Sports Turf Association's 15th Annual Field Day was a rousing success! It was held in Oakville at the River Oaks Recreation Centre. This is a fairly new facility and an excellent venue with several baseball/softball diamonds and soccer fields – all close by for on field demonstrations and equipment displays. Over 100 people registered for the day in addition to 19 suppliers and nine STA board members.

Bob McFarland, Director of Parks, Oakville, began the day with welcoming remarks and thanks for the contributions of board members Jane Arnett-Rivers and Chris Mark as well as work done by staff to get the facility ready for the field day. He concluded by stressing the importance of educational events such as the field day saying that these functions were beneficial for those present to obtain the latest in technological information in order to do their jobs that much better.

Chair and STA President Paul Turner then presented two STA scholarships to Craig Hirschberger and John Peek, both of whom were in attendance. These scholarships give the winner a one year membership in the Association plus an award of \$200. Next, Jane Arnett-Rivers read a list of sponsor suppliers who had contrib-

uted and continue to contribute to the success of these field days and thanked them individually.

Intelligent Irrigation

Gregory Snaith, first speaker of the day, talked about *Intelligent Irrigation*. He immediately put participants to work by having them answer a multiple choice exam based on Dr. Bob Sheard's book *Under-*

standing Turf Management (a book of which he said all turf people should have a copy ... and we didn't pay him for that endorsement!).

Questions on the exam related to soil/water/plant relationships; soil; sand, silt and clay; soil structure, density and porosity; soil air and water; movement of water in soil; efficient irrigation scheduling; and pest management. The last few questions were simple mathematic problems for intelligent irrigation management.

Intelligent irrigation is about applying the right amount of water at the right time

based on plant water requirements. Over irrigation can be just as detrimental to the health of the grass plant as under irrigation. Snaith's presentation was about what's new, available technology, and how that technology can be used to simplify the challenges of irrigation scheduling which the turf manager faces throughout a changing season.

Greg then outlined many ways in which to use your irrigation water wisely and the savings which may be realized. He will be writing an in-depth article on this timely subject in a future issue of the *Sports Turf Manager*. **continued on page 7**



From left to right: Field Day speakers Julie Dionne, Gregory Snaith, Olympian Becky Kellar and Mel Lanford pose with the gold medal.

In this 24 page issue of Sports Turf Manager, you'll find ...

Bringing you the latest from the Sports Turf Industry ...

3 President's Message 4 Industry News 5 Coming Events 6 Organic Lawn Care

7 Field Day Coverage 11 Pesticides Part II 19 New Members 20 Mechanics Corner 22 Press Releases

Keep Your Facilities in Top Shape

Irrigation System Design and Planning
Rotors, Valves, Central Control • Parts and Fittings • Landscape Supplies



Keep your parks and sports fields safe and playable with irrigation and landscape supplies from your local John Deere Landscapes branch. We offer irrigation system design and planning, and can assist with system upgrades or renovations.

All John Deere Landscapes branches are fully stocked with the parts you need – and our technical staff can help you solve any site challenge. We can also recommend qualified professional contractors in your area for installations. Give us a call today – we're ready to assist you.

Call 800-347-4272

More Than 220 Branches Nationwide

In Canada

Concord, 905-881-4794 Burlington, 905-639-7980
Tecumseh, 519-737-1921



JOHN DEERE
LANDSCAPES

www.JohnDeereLandscapes.com

Free Irrigation Catalog: 800-347-4272

www.rittenhouse.ca

- ◆ New & Used equipment
- ◆ Thousands of exploded parts breakdowns
- ◆ On-line specials
- ◆ Much more than just a website

Rittenhouse
Since 1914

R.R. #3, 1402 Fourth Avenue, St. Catharines,
Ontario, Canada, L2R 6P9

Toll Free: 1-800-461-1041

Phone: (905) 684-8122 • Fax: (905) 684-1382
E-mail: sales@rittenhouse.ca



Call for a free
copy of our
**2002
BUYER'S
GUIDE**



EQUIPMENT LTD.
ISO 9002 REGISTERED

Paul Turner

Sales Representative

Cellular: (416) 566-0211

1184 PLAINS ROAD EAST, BURLINGTON, ON L7S 1W6
Burlington (905) 637-5216 Toronto (905) 338-2404
1-800-883-0761 • Fax: (905) 637-2009 • www.gcduke.com

ZANDER
SOD CO. LIMITED

**SUPPLIERS OF TOP QUALITY
BENT AND BLUE GRASSES**

(416) 364-5700

TOLL FREE 1-877-727-2100

www.zandersod.com

NATURE SAFE®

Natural and Organic Fertilizers
Truly Different for Natural Reasons

Distributed in Canada by:
UAP Canada, Dorchester, Ontario

1-800-265-4624

is the official publication of the
SPORTS TURF ASSOCIATION OF ONTARIO
328 Victoria Road South, Guelph, ON N1H 6H8
Tel: (519) 763-9431, Fax: (519) 766-1704
E-mail: sta@gti.uoguelph.ca
Web: www.sportsturfassociation.com

2002 BOARD OF DIRECTORS**PRESIDENT**

Paul Turner

PAST PRESIDENT

Jane Arnett-Rivers

VICE PRESIDENT

Andrew Gaydon

TREASURER

Rick Lane

SECRETARY

Bob Sheard

EXECUTIVE MANAGER

Lee Huether

DIRECTORS

Michael Bladon, Bill Campbell, Gordon Dol,
Roy Forfar, Chris Mark, Stephen Tolley

SPORTS TURF MANAGER

is published quarterly by the STA for free
distribution to its membership. An annual
subscription may be obtained for \$25/year.

Please direct advertising inquiries to
Lee Huether at the STA office.

EDITOR

Michael Bladon

PUBLISHER

New Paradigm Communications
R.R. #8, Owen Sound, ON N4K 5W4
Tel. (519) 371-6818, Fax: (519) 371-5789
E-mail: joy@npc-solutions.com

**CANADA POST PUBLICATIONS MAIL
SALES AGREEMENT No. 1461370**

Postmaster: Please return undeliverable
copies to the STA at 328 Victoria Rd. South,
Guelph, ON N1H 6H8.

STA OFFICE HOURS

Lee Huether is in the office from 9:00 a.m. to
2:00 p.m. Tuesday through Friday. The office phone
number is (519) 763-9431. At other times, a
message may be left on the voice mail system.
Please include the vital information of name,
telephone number with area code, and time of
calling. The office may be reached at any time by
faxing (519) 766-1704 or via e-mail.



Hello to our members.

Wow! Was that a summer! This year seemed to be even hotter than last year and who thought that was possible. The weather gurus say that

it was the hottest summer since records were kept and it sure felt like it.

We lost more days to the dreaded smog this year than any other and that trend might continue. Our equipment must become more multi-tasking than strictly being grass cutters, as pretty soon there might not be a lot of it growing in the summer months.

September Field Day

The 15th Annual Field Day was a resounding success! A great big thank you to all who attended this year's event in Oakville. Without membership/supplier support, events like these would be a thing of the past.

Special thanks to all the sponsors and exhibitors who carried the bulk of the costs for the day. It is with your participation that we can bring in quality speakers to make the day a success. You also allow us to keep the costs extremely low so that it is affordable to all.

I would like to single out several companies in particular for their outstanding sponsorship contributions:

- Ron Craig and Jamie Worden of Turf Care Products of Canada
- Brian Rosenberg of Nu-Gro Corporation
- Andrew Gaydon of Vanden Bussche Irrigation in association with Hunter Industries and Rain Bird International
- Paul Gillen and Matt Lindner and their respective companies AerWay and DiamondPro

To all our other great sponsors, thank you again and we look forward to your participation in 2003. Without you this day simply wouldn't happen.

New Website Coming

At the time of writing this message, our new web site is not functional; however, we would like you to bookmark the new address for the Association, www.sportsturfassociation.com. We are currently seeking ideas on topics that you, our members, would like to have available. If you have suggestions, we welcome them. We are accepting sponsorship proposals from industry suppliers to help our Association with on-going costs of the site.

Get Involved! Directors Needed

The Nominating Committee is searching for nominees for the position of director for the 2003/2004 term. There will be several positions available as some of our long-term directors are moving on to enjoy other ventures and hobbies. We are looking for new faces to guide our Association in these changing times. I realize that time is a problem for most people; however, we try to arrange our meetings at times of the year that are convenient and keep them punctual so we can all make the kids' soccer games! If you are interested, please call myself or another board member. It is a great opportunity to mix and mingle with fellow friends and gather some helpful knowledge which can be carried forward in our daily lives.

Still Room to Register

There is a joint ORFA/STA educational workshop October 23rd in Halton Hills (see page 21 for more information). Please contact the STA office for more details.

I hope you had a great summer and enjoy what looks to be a great fall! ♦

Please Note: Opinions expressed in articles published in *Sports Turf Manager* are those of the author and not necessarily those of the STA, unless otherwise indicated.

Kudos to Industry Professionals

CONGRATULATIONS ON A JOB WELL DONE!

Water Right Book Leads to Environmental Communicator Award

The STA congratulates Doug Fender, recipient of the 2002 Environmental Communicator of the Year Award. The book and brochure focus attention on the world's landscape water concerns, *Water Right – Conserving Our Water, Preserving Our Environment* and *Share the Water*, earned the title for the Executive Director of Turf Producers International.

The 64-page *Water Right* book, which provides a world-wide background on the growing water crisis and presents case study-based solutions, can be downloaded (free of charge) from the TPI website at www.TurfGrassSod.org. Hardcopies of the full-colour book are available for a \$5 USD handling fee by contacting the association at 1855-A Hicks Road, Rolling Meadows, IL 60008.



Doug Fender (left) receives the Turf and Ornamental Communicators Association 2002 Environmental Communicator of the Year Award in San Antonio from ProSource One representative Daney Kepple along with TOCA's Executive Director Den Gardner.

FIFA World Championships

Congratulations to STA member Larry Noon, Turf Manager of Edmonton's Commonwealth Stadium, on a superb job looking after the fields/facilities for the FIFA Under 19 Women's World Championships. Well done!



Craig Hinschberger (right), recipient of the 2002 STA scholarship for the Ontario Diploma in Horticulture is congratulated by STA Director Bob Sheard at the Graduation Awards & Donor Appreciation Luncheon held on June 11, 2002 in Guelph, Ontario.

STA Scholarship Winners

Craig Hinschberger is the 2002 winner of the Sports Turf Association of Ontario's award for excellence in turf management studies toward a Diploma in Horticulture from the University of Guelph. Craig also received the Nursery Sod Growers award. Craig is employed as the Assistant Superintendent of the Doon Valley Golf Course in Kitchener, Ontario. Doon Valley is a public course which is a division of the Parks Department of the City of Kitchener.

Craig showed determination and enthusiasm by obtaining his diploma through independent study, that is by correspondence courses, while employed by Doon Valley. He considers turf management a challenging occupation which is coupled with the enjoyment of spending much time outside in beautiful surroundings.

MEMBERSHIP PLAQUES

Now available! Sports Turf Association Display Membership Plaque in executive engraved walnut. Just \$50 plus S&H. Contact Lee Huether at the STA office to order.

The 2002 recipient of the Sports Turf Association scholarship for the University of Guelph's Turf Managers' Short Course is John Peek. John has been employed by the City of Mississauga Parks Department for twenty years and looks after major sports facilities as well as all horticultural functions in a specific district. John found the Turf Managers' Short Course very informative and it challenged him to apply the information he learned in the field.



STA President Paul Turner (right) congratulates John Peek, recipient of the 2002 STA Scholarship for the University of Guelph's Turf Managers' Short Course at the Association's Field Day September 12, 2002 in Oakville, Ontario.

Odds and Ends

Quotes of the Month

As We Are. Each of us tends to think we see things as they are, that we are objective. But this is not the case. We see the world not as it is, but as we are – as we are conditioned to see it.

Sharpen the Saw. The single most important investment we can make in life is investment in ourselves, in the only instrument we have with which to deal with life and to contribute. Never be too busy sawing to take time to sharpen the saw.

Winter 2002 Submissions

If you have something you'd like to submit for the next issue, please forward it to the STA office by October 25.

Coming Events

MARK YOUR CALENDAR NOW!

FALL 2002

October 17-18

Landscape Ontario Horticultural
Trades Association *Garden Expo*
Toronto, ON
Information: (905) 875-1805

STA HIGHLIGHT

October 23

STA/ORFA Educational Workshop
*IPM Cultural Practices and Equip-
ment*, Mold-Masters SportsPlex
Halton Hills, ON
Information:
(416) 426-7062 (ORFA)
or (519) 763-9431 (STA)

October 24-26

Irrigation Association
*International Irrigation Show &
Conference*, New Orleans, LA
Information: (703) 536-7080
www.irrigation.org

WINTER 2003

January 6-10

Cornell University
Turfgrass Management Short Course
Ithaca, NY
Information: (607) 255-1792

January 15-17

Landscape Ontario Horticultural
Trades Association
Congress 2003
Toronto, ON
Information: (905) 875-1805

STA HIGHLIGHT

January 21-23

Ontario Turfgrass Symposium
Regal Constellation Hotel
Toronto, ON
Information: (519) 767-5000

January 22 (at the OTS)

STA Annual General Meeting
Information: (519) 763-9431

February 3-28

University of Guelph
Turf Managers' Short Course
Guelph, ON
Information: (519) 767-5000

February 18, 25 & March 4

Guelph Turfgrass Institute
*Pesticide Applicators Preparation
Course*, Guelph, ON
Information: (519) 824-4120 x 2501

February 25-28

Turfgrass Producers International
*Mid-Winter Conference and Exhibi-
tion*, Birmingham, England
Information: (847) 705-9898
www.TurfGrassSod.org

GET ON THE LIST!

Contact the STA if you have an event
you'd like to advertise in the next issue
of the *Sports Turf Manager*.



*Red and grey clay
products designed for
baseball, cricket and tennis,
along with groundskeeping
tools and accessories.*

MAR-CO CLAY PRODUCTS INC.

Tel. 519-684-7591 Fax: 519-684-7457
www.marcoclay.on.ca



Brian Rosenberg

Technical Sales Representative
Tel: 519-757-0077
Cell: 519-574-2013
Fax: 519-632-9376
E-mail: brosenberg@nu-gro.ca

Nu-Gro Professional

10 Craig Street
Brantford, ON N3R 7J1
Product Info Line: 1-800-268-2806

PICKSEED®

good things growing ...

PICKSEED Canada Inc.
Box 304
Lindsay, ON K9V 4S3
1-800-661-4769
FAX (705) 878-9249

Doug MacMillan
Lindsay, ON
Cell: 705-878-6426

Larry White
London, ON
Cell: 519-649-8777

Jason Lehman
Kingston, ON
Cell: 613-328-1628



PLANT PRODUCTS turf

- Turface MVP, Moundmaster
- Turf & Tree Fertilizers
- Pest Control Products

Plant Products Co. Ltd.
Brampton, Ontario
905-793-7000 or 1-800-387-2449
Fax 905-793-9632 • plantprod.com

Organic Lawn Care

DOUG SMITH DISCUSSES THE NEED FOR STANDARDS AND CERTIFICATION

The term “organic” has by and large been accepted by our society. Education, especially by interest groups, has sent a strong “organic” message. The message has been picked up by the public, who have now created a demand for organic consumer goods and services.

The lawn care service industry has taken particular notice of this trend. As well as their conventional programs, some lawn care companies now also offer their customers organic programs to varying degrees. A select number of companies provide only organic programs and have noticed an increase in business.

At the same time as the lawn care industry is experiencing a growth in demand for organic lawn care, the real possibility exists that environmental legislation will ultimately prohibit the application of conventional chemical pesticides and fertilizers. It is therefore important that all lawn care companies accept there are forces beyond their control that will drive an even increasing demand for organic lawn care. It just makes sense that lawn care companies should give their customers a full range of options when it comes to lawn care, options that include both conventional and organic programs. It is time for

the lawn care industry as a whole to take advantage of the clear business opportunity that exists and decide to become proactive by adhering to a set of standards for organic lawn care and becoming certified organic lawn care providers.

The Need for Standards

Standards for organic lawn care are important because they will “set the bar” for both the consumer and the lawn care provider. A clear set of standards will provide direction on the principles, processes and products involved in organic lawn care. Standards that lead to certification will then create a level playing field for both the consumer and the lawn care provider. The provider is certified and able to deliver an organic program, while the consumer is in a much better position to compare those lawn care companies that are certified and provide organic lawn care programs.

With standards, there will be no basis for descriptive terms such as, “environmentally friendly,” “natural” or “organic-based.” Each lawn care business that chooses to provide organic lawn care can be measured against a common denominator: either you are organic by an accepted set of standards or you are not. There will be no more gray areas of confusion. In general, criteria for a functional set of standards include:

- they must be comprehensive
- they need to be dynamic so they can evolve over time
- they must be user-friendly to the lawn care service provider
- they must avoid semantics
- they must lead to certification
- they must be beyond reproach by all groups involved in furthering the implementation of organic lawn care

The Great Pesticide Debate

With the current and rather heated battle over the pesticide issue, it is this last

criteria that is especially significant, and which requires elaboration. In the pesticide issue, there are the two camps – those who utilize conventional chemical pesticides and fertilizers and those who oppose their use. It is important to accept that there will always be points of disparity between the two camps. It is time to go on with business and begin to focus and expand upon the common ground that exists between the two camps – the common ground that encompasses organic lawn care.

To this end, a viable set of organic lawn care standards should transcend the emotional politics that have become an obstacle in the delivery of organic lawn care to the consumer. The delivery of organic lawn care to the consumer is the common ground and an area that will become reinforced and expanded through a set of organic lawn care standards, which will ultimately lead to certification for the lawn care provider.

The common ground is where we all speak the same language, a language that is based upon fundamental soil science, agronomic and overall plant health care and not on emotionalism. Organic standards can convey the value of organic management within this system of soil/plant health. A lawn care service provider that comes to understand this value will more likely be motivated to offer organic programs and become certified. ♦

— Reprinted with permission from *Landscape Trades*, Volume 24, Number 4, May, 2002

Doug Smith is the technical director of Organic Turf Management, a company involved in the development and distribution of organic turf products. He participated on the Panel Discussion on Organics at the 2002 Ontario Turfgrass Symposium. Doug has also developed a set of organic lawn care standards and certification process for lawn care providers. He may be contacted via email at organicturf@idirect.com.



Cover Story Continued ... STA Annual Field Day

THANKS TO ALL SPONSORS AND EXHIBITORS FOR MAKING THE EVENT A GREAT AND AFFORDABLE SUCCESS!



Becky Kellar (left) with session Chair Jane Arnett-Rivers.

Winning the Gold

The speaker following refreshments was Becky Kellar, a member of Canada's gold medal winning Olympic hockey team. Becky received a big ovation as she stood up with her gold medal for all to see. She began her presentation on *The Olympic Experience* by playing a videotape of the last two minutes of the final game at Salt Lake against the American team (which Canada won 3-2). There was another round of loud applause at the end of the tape.

Becky talked about the extensive training leading up to the Olympics, first with a stint in Calgary and shortly after being told to report with hockey equipment and bicycles to the army base at Valcartier, Quebec. The latter were necessary because

team members had to use bikes as their sole means of transportation.

While in Quebec, they were given extensive fitness tests and some extremely challenging tasks to check their stamina. One of which entailed riding a stationary bicycle for a full minute at a level five – a feat their trainer thought no one would accomplish. They were screaming after 30 seconds, but all passed the test!

Prior to the Olympics, they played some exhibition games across Canada, in Finland, and eight games against the American team. The first games against the Americans were lost by big scores and team meetings were held to see what could be done. The Americans were bigger, faster and were scoring goals. The Canadian team had to improve their passing,

EVERGREEN™
The Turf Blanket the World Relies on

- Earlier spring green-up
- Faster seed germination
- Deeper root development
- Delays dormancy in fall
- Ideal winter blanket
- Best for quick turf repairs
- Available in any size
- 3 or 7 year warranty covers

UNCOVERED... COVERED...

EVERGREEN IS GREAT FOR BASEBALL FIELDS

Copyright ©2002, Covermaster Inc.


COVERMASTER™
COVERMASTER™
COVERMASTER™
MASTERS IN THE ART OF SPORTS SURFACE COVERS

MEMBER: **SPORTS ASSOCIATION TURF**
Sports Turf Managers Association

TO FIND OUT MORE,
CALL TOLL FREE
1-800-387-5808

www.covermaster.com
E-MAIL: info@covermaster.com

COVERMASTER INC., 100 WESTMORE DR, 11-D, REXDALE, ON, M9V 5C3 TEL 416-745-1811 FAX 416-742-6837



start scoring goals, and generally work much better as a team. The next two games were one goal games so their confidence as a team was beginning to build.

Like most people, the Olympic experience for Becky was a dream come true. Marching into the stadium not as a hockey team, but united with ice skaters, skiers and toboganners as Team Canada, was an unforgettable event.

Becky has been with the Canadian team for five years. She was a member of the silver medal team at Nagano, Japan in 1998 and played in three world championships winning three gold medals in 1999, 2000 and 2001. She still gets butterflies before a big game and goes through the business of *what if as a defenseman I let in the deciding goal?* or *What if I do not score, or score the winning goal?* Luckily, once on the ice, all troubling thoughts go away.

She ended her talk discussing the semi final game against Finland where they were behind 4-3 at the end of the second

period. It was stressful with all the parents and fans in the stands who had already purchased \$300-500 tickets for the final. Luckily, they pulled off a big win. In the gold medal game, there were 13 penalties and the stars were on the bench. As penalties were killed, each person pulled their weight. It was the terrific team effort and desire to win that pulled them through. Lastly, Becky took questions from the crowd and then walked around so people could admire the gold medal.

Turf Covers Examined

Dr. Julie Dionne of the University of Guelph and the Turfgrass Institute concluded the morning sessions with a talk on turf covers. She stressed that most of the research has been done on golf greens (golf courses started using turf covers in the 1970s) so there is much to be done on sports fields.

Covers can be used in different situations. 1) for rain protection to drain the field without soaking it before a game and

2) to protect parts of the field where players stand (bench tarps) and where players come onto the field from the dressing rooms.

3) They are also used to prevent winter desiccation caused by the drying atmosphere, high winds and low humidity. Ice is a poor insulator and is in fact a conductor, and thus interferes with air exchange. Grass plants under ice for extended periods do not survive. Extreme winter temperatures and rapid decreases in temperatures can quickly cause winter injury.

4) Covers can enhance and stimulate seed growth, establishment and renovation and provide an early spring green up allowing play two to three weeks earlier than normal. (They ensure that heat in the soil is not lost from the day temperature.) Dionne also stressed that monitoring for diseases in the spring when soil temperatures rise is very important. With Kentucky bluegrass and the bentgrasses, temperature for germination is between 15-30C,

and with perennial rye and tall fescue, 20-30C is required.


5) Covers also prevent erosion and seed movement.

She concluded her talk by saying that more research is needed on sports fields to develop a set of recommendations for Ontario. Following this presentation, session Chair Chris Mark from the Town of Oakville mentioned that tarps are very expensive but more importantly, they are labour intensive and heavy. With warm spring temperatures, tarps have to be removed for mowing and then replaced to keep the soil warm to aid in establishment.

Travellin' Man Mel Lanford

After lunch, delegates spent some time with the outdoor exhibitors prior to the last session featuring speaker Mel Lanford, a 30 year veteran of the groundskeeping industry and host and creator of the Ace of Diamonds Tour.

Mel gave an extremely informative hands-on talk on the ball diamond including reasons as to why maintenance is so important from a liability standpoint. He



also brought into play his many years of experience as to how to solve problems on the diamond.

Simply identifying the problems we all have is not good enough. Come September, every facility has "lips," and everyone knows how to remove them. The trick is preventative maintenance and not allowing them to form in the first place. This, of course, takes time.

"If I didn't have 12 diamonds to maintain, I wouldn't have lips," Mel stated. He's convinced that creativity is the way

to go. Mel has invented many types of drag mats with varying degrees of success.

"Let the person who does the work invent new alternatives – your staff know what works best. In conjunction, ask for what you need and explain why you need it. Don't just assume there are not funds for equipment, especially if it means the liability of the facility is decreased."

We then moved to the mound where he explained in great detail how to construct a pitching mound, the most important part of the diamond, from a pitcher's standpoint. When talking about the "table top" of the mound, comfort for the pitcher is optimum. The player should be focused on the throw, not falling off the mound. Don't be afraid to increase the table! Mel also showed us how, using amendments, to do a quick repair to the landing area of a mound. This is particularly important as many diamonds are used by two or three age groups during the season.



In closing, Mel stressed the importance of surface grading and of not being afraid of moisture on the infield. He was flattered to be asked to come, and thanked the STA and sponsors for making it possible. Mel also expressed a desire to stay more involved with the STA and that we partner further with our American counterparts at the Sports Turf Managers Association (STMA).

All speakers received *Trans Canada Trail: the 16,000 Kilometre Dream* in recognition of their efforts to contributing to the success of our 15th Annual Field Day. We hope to see everyone again next year. ♦

— Michael Bladon

many thanks

for your support!



Our Sponsors

- AerWay
- Bannerman
- DiamondPro
- Dol Turf Restoration Ltd.
- G.C. Duke Equipment Ltd.
- Maple Farm Supply Ltd.
- Nu-Gro Corporation Professional Products
- Town of Oakville
- Turf Care Products Canada Limited
- Vanden Bussche Irrigation & Equipment Limited *in association with Hunter Industries and Rain Bird International*

Our Exhibitors

- Allie's Wholesale Garden Supplies Ltd.
- Baker Manufacturing
- Bannerman
- Covermaster Inc.
- Dol Turf Restoration Ltd.
- G.C. Duke Equipment Ltd.
- Hermanns Contracting Ltd.
- Hy-Grade Precast Concrete
- Maple Farm Supply Ltd.
- Mar-Co Clay Products Inc.
- Master's Turf Supply Ltd.
- Nu-Gro Corporation Professional Products
- OMAFRA
- Organic Express
- Plant Products Co. Ltd.
- Reist Welding (Elmira) Ltd.
- Speare Seeds
- Turf Care Products Canada Limited
- Vanden Bussche Irrigation & Equipment Ltd.

more field day coverage ... see you next year!



Pesticide Exposure and Human Health (Part 2)

DONNA L. HOUGHTON, Ph.D., SYNGENTA CROP PROTECTION CAN. INC.

In this article, we will address the concept of risk and the allegation that pesticide exposure is responsible for an increase in cancer incidence. Readers are encouraged to review Part One, which appeared in the June 2002 issue, for background information prior to reading this article. Part Three, which will appear in the next issue, will address the subjects of pesticide exposure and asthma, neurological affects in children, and endocrine disruption. Please note that references for the complete three part series are footnoted in the text and a detailed listing is available from the Sports Turf Association.

The Concept of Risk/Hazard

Unfortunately, a large portion of the problem we are facing today with cries from the general public for a ban on the use of pesticides for urban uses is related to misconceptions about risk. All activities in which we participate carry a certain element of risk. However, the public's perception of risk is distorted because people haven't been taught about risk. Risk perception has more to do with a combination of the frequency with which the risk is taken (familiarity with the activity), the level of control a person has over the risky situation, how much pleasure they derive from it, and an unconscious decision to accept certain risks because the benefit incurred outweighs the risk, than it does

the magnitude of the risk. For example, many people feel perfectly safe driving a car but unsafe when flying; when in reality, the risk of being seriously or fatally injured in a car accident is far greater than being injured or dying in a plane crash.

Most of you reading this article probably drink coffee, drive cars, ride bicycles periodically, and enjoy the occasional alcoholic beverage. Some of you are smokers. Many of you enjoy being out in the sun and don't always wear sunscreen, and many have used a cell phone while driving. The purpose of presenting this lengthy list of activities is to point out that people take risks everyday, whether they are driving to work, crossing the street, riding a bike, smoking a cigarette or consuming alcoholic beverages. Each of these activities has a significant level of risk associated with it, and each bears a much greater health risk than you will ever incur from exposure to pesticides used on turf. Unfortunately, academia and the chemical industry have not effectively communicated the concept of risk to the general public. Putting risk into perspective is critical for the public to understand that pesticides can be used safely with minimal risk to human health.

In 1982, *Scientific American* published a paper that ranked various activities according to their annual contribution to the number of deaths in the US¹. A listing of the top ten, in order of the most hazard-



ous activities to the least hazardous, conveys just how distorted the public's perception of risk truly is. The most hazardous activity that a person can partake in is smoking. More people die of tobacco-related illnesses than any other cause. The remaining top 10 in order are: use of alcoholic beverages, motor vehicles, handguns, electrical power, motorcycles, swimming, surgery, x-rays and railroads. Cycling ranked 13th, fire fighting and police work ranked 16th and 17th respectively, use of contraceptives 18th, vaccinations 25th, and "pesticides" ranked 28th.

Certainly, each time a pesticide is handled there is some level of risk. "Risk" is

Make
the
Switch
to
Quality



Since 1956
1-877-856-7333
or 905-856-7333
8400 Huntington Rd.
R.R.1, Woodbridge, ON

Quality Seeds
for Sod Growers.
Golf Courses,
Sports Facilities,
Municipalities
and Landscape
Contractors

John Konecny
Eastern Wholesale
Division Manager
Cell: 905-342-7044

Peter Coon
Western Wholesale
Division Manager
Cell: 705-715-3760



Box 171
Harriston, Ontario
N0G 1Z0
Phone (519) 338-3840
Fax (519) 338-2510

J. Robert Dippel

SEEDS

a function of the inherent toxicity of a substance and the exposure one has to it.

Risk = Toxicity x Exposure

Looking at this simple math equation, if the value for exposure is zero (no exposure), what happens to risk? It becomes zero. The most toxic substances known to human beings can be handled safely, with minimal risk, if there is *little or no exposure*. Alternatively, there can be considerable risk involved in handling a compound that *isn't very toxic* if exposure is high enough. By keeping one, or both, of these factors as close to zero as possible, the risk involved in handling and using pesticides can be minimized. Pesticide label directions are designed to do just that.

Occupational and Bystander Exposure

Scientists measure "exposure" and determine the amount of pesticide that is absorbed into the body, because this represents the internal dose. This internal dose is then compared to doses used in the animal studies discussed in Part One of this article. There are three main routes of exposure into the body:

- Ingestion (oral exposure)
- Contact (dermal exposure)
- Inhalation (respiratory exposure, what is breathed in)

Most occupational and bystander exposures to turf pesticides are a result of exposure through the skin (dermal exposure) or lungs (respiratory exposure).

In 1992, Harris and Solomon investigated exposure to bystanders entering areas where the turf had been treated with the commonly used herbicide 2,4-D². Exposure was measured by analyzing urine for residues of 2,4-D. Exposures occurring 1 hour after herbicide application were well below health protection guidelines and 24 hours after spraying, no chemical exposures were measurable. Dislodgeable residues from the treated turf fell from 8% to 1% during that period. The "rule of thumb" is that if treated surfaces are dry, exposure is reduced and is minimal. No detectable residues were found

in the urine of 20 volunteers with the exception of 3 people who were barefoot, wearing shorts and contacted turf within one hour of application (which is against label directions). *No detectable residues were found in the urine of volunteers exposed to treated turf 24 hours after application.* At recommended application rates, exposure to turf sprayed with 2,4-D should present little risk to humans. Children should never contact treated turf until it is dry, and should never be in the vicinity during application.

A second study by the same lead authors examined exposure of homeowners making their own applications of 2,4-D, and exposure of household bystanders³. Residues were not detected in the urine of the bystanders. The only homeowner applicators that had 2,4-D in their urine were those who failed to wear protective gear and had experienced spills of the liquid concentrate or had excessive contact with the diluted mixture (residues ranged from non-detectable to 0.0071 mg/kg bodyweight, which is very low).

In 2001, Stephenson et al. measured homeowner applicator and bystander exposure to liquid and granular (plus fertilizer) formulations of chlorpyrifos (Dursban) applied to turf⁴. Urine was collected over a 96 hour period beginning immediately after application. Of 40 bystander study participants, only 4 had trace levels of chemical metabolites detected in their urine and only 1 had residues above the lowest quantifiable concentration (25 ug/L). (Note: The term "trace" means the metabolite was detected but the quantity was so low that an accurate measurement could not be obtained.) This was expected given the chemical properties of chlorpyrifos and the fact that only 1.5 to 3% of the chlorpyrifos applied is dislodgeable immediately after application and less than 0.1% is dislodgeable 1 day after application^{5,6}.

Only 1 of 10 applicators who wore personal protective equipment (PPE) had trace levels of metabolites in his urine following application of the granular formulation, while 3 of 10 applicators who did not wear PPE had detectable residues in their urine (1 trace and 2 quantifiable). Of 11 volunteers wearing PPE and applying

the liquid formulation, 2 had trace residues and 3 had quantifiable residues in their urine. Certainly the use of protective clothing reduced the extent of exposure. (Note: Dursban is no longer registered for domestic home and garden uses, the reasons for which are beyond the scope of this article; however, commercial formulations are available for use on golf courses, industrial sites, sod farms, ornamental plantings and highway medians.)

Many people are concerned about their pets contacting treated turf. In 1991, a widely publicized study suggested a relationship between canine malignant lymphoma (CML) and exposure to 2,4-D^{7,8}. The study was highly criticized by experts for its design, as well as its analysis and interpretation of the data. Unfortunately, once incorrect information is released to the media, it is very difficult to refute or correct. The study data was reanalyzed by researchers at Michigan State Veterinary College who demonstrated that the data did not confirm a dose-response relationship between 2,4-D use and CML, or even a significant association between the two⁹. Studies are not available for all pesticides used on turf; therefore, owners should keep their pets indoors during pesticide application and until the turf is dry. As can be seen from the studies discussed, very little pesticide is dislodged from treated turf, particularly 24 hours after application.

Pesticides and Cancer

There has been a growing concern that exposure to pesticides, either through food residues or when applied to home interiors, turf and gardens, may be a major cause of various types of cancer. Concern has been fuelled by some epidemiology studies of pesticide manufacturers, applicators and farmers who have had high exposures and that are suggestive of an association with certain types of cancers such as prostate cancer and Non-Hodgkin's Lymphoma (NHL).

There are many studies suggesting pesticide exposure increases cancer risk in these populations and many indicating no effect. These studies have been plagued by small sample sizes (small numbers of

study participants) which reduces the statistical power of a study, and flaws inherent in using *questionnaires* to obtain exposure data rather than actual sample analysis because the studies are “retrospective” in nature; in other words, study participants who have already been diagnosed with cancer are asked to *recall what they were exposed to 15 to 20 years earlier*. The reason that exposures 15 to 20 years earlier are important is that there is a latency period between the time the causal exposure occurs and development of the disease. For many cancers, the latency period is close to 20 years. Obtaining accurate responses on a questionnaire is extremely difficult, if not impossible. In addition, few epidemiology studies have accounted for confounding exposures to other compounds, including medications, diesel fuel, etc.

Prior to discussing the results of epidemiology studies on pesticide exposure and cancer, it is critical for the reader to understand what causes cancer and to become familiar with cancer incidence rates.

Basically, cancer is caused by the failure of the body’s immune system to repair mutations (damage or errors) in our DNA that in turn cause processes in the body’s cells to go awry. DNA is the molecule we have in each of our cells that carries our own unique genetic code and also is responsible for cell division.


In a healthy individual, cells continually die and are replaced. Every time a cell divides and reproduces itself, there is an opportunity for an error to be made when the DNA duplicates. Every day, our bodies repair millions of mutations, most of which are naturally occurring. This is one of the roles of our amazing immune system. As we age, our DNA repair mechanisms start to falter and mutations that can lead to the growth of a tumour go uncorrected. Consequently, the *annual number of newly diagnosed cancer cases increases as the population ages*.

Cancer can also be caused as a result of exposure to an external stimulus that is extremely toxic to cells. If many cells are killed, the body increases the rate of cell

division of the remaining cells to try and compensate for the loss. With an increase in the rate of cell division, comes an increased risk that an error will be made when duplicating the DNA. In the end, it all comes down to a failure of our immune system to repair damage to DNA, whether the mutations are caused by a chemical, UV radiation from the sun, exposure to cigarette smoke or cancer causing viruses etc.

If pesticide exposure is contributing to an increase in cancer, this should be reflected in age-adjusted cancer incidence rates over time. The graphs and data presented in this article are from “Canadian Cancer Statistics 2001” produced by the Canadian Cancer Society, the National Cancer Institute of Canada, Statistics Canada, Provincial/Territorial Cancer Registries and Health Canada¹⁶. You can review this information and more at www.cancer.ca. On entering the website, select Research and Statistics, then Statistics, Canadian Cancer Statistics 2001 report. (Note, the 2002 report was recently

Update Your Facility



Preserve Our **Resources**
Hunter[®]
 The Irrigation Innovators

Resource management plays an increasingly critical role in sports field planning. Water, labor and energy-efficiency all impact the design of these sites. At Hunter Industries we feature an expanded line of rotors, sprays, valves and central control systems with technically-superior enhancements for improved water management.

For more information on an efficient Hunter system, contact us for your free copy of the Hunter Water Management Kit with ideas on how you can incorporate new water-saving techniques into your sports field plans.

At Hunter Water Management is Our Mission.

Authorized Hunter Distributor



Vanden Bussche Irrigation


Ontario

Milton, 7856 5th Line So, 800-263-4112


King City, 12800 Keele St, 866-703-5464

Scarborough, 16-921 Progress Ave, 416-289-3635

Graphs 1 and 2. New cases and age-standardized incidence rates (ASIR) for all cancers, 1972-2001, males and females separately.



Graphs 5 and 6. Average annual percent change (AAPC) in age-standardized incidence (1989-1996) and mortality (1989-1996) rates for selected cancer sites, males and females separately.



added to the website; however, the summary in this article pertains to the 2001 report). More specific data was obtained from Cancer Surveillance On-Line <http://cythera.ic.gc.ca/dsol/cancer/>¹⁷ (except where noted, see references provided).

Canadian demographics are changing. The Canadian population is increasing and so is the average age of the population. As a result, the overall number of newly diagnosed cases is increasing because there are more people around to develop cancer and because the disease is more prevalent in older people.

In order to remove aging and population increases as confounding factors in cancer statistics, all cancer data is standardized for age and presented as the number of new cases (incidence), or deaths (mortality), per 100,000 of the population. This allows data to be compared from year to year without population increases and average age of the population complicating the issue. **Graphs 1 and 2** depict the effect of standardizing for age on the incidence numbers per 100,000 of the population in males and


in females, respectively. These graphs also demonstrate that the age standardized incidence rate (ASIR) for all cancers combined has been relatively flat over the years.

While the data presented are from 1972 to 1996, the data prior to 1984 are not entirely accurate due to changing diagnostic criteria and inconsistencies in cancer registry reporting. Inclusion of these data gives the impression that cancer incidence was increasing during this time, which may not be true. The data from 1984 to 1996 are much more reliable. The data from 1997 to 2001 are estimated values as the actual numbers have not yet been published.

If we look at the age standardized incidence rates of various types of cancers individually (**Graphs 3 and 4**), we can see that, for most cancers, the incidence has been flat or decreasing since 1983. The only cancers for which increases appear to be occurring are thyroid (not shown on graph), lung, NHL and breast cancer in women, and NHL, thyroid (not shown on graph), and prostate cancer in men. (The


increase in melanoma among older men and women will not be specifically addressed here as this is believed to be due to UV exposure.) These trends are also apparent in the average annual percent change in cancer incidence and mortality (1989 – 1996) for men and women

Graph 3. Age-standardized incidence rates (ASIR) for selected cancer sites, males, 1972-2001.



(Graphs 5 and 6). One trend not apparent from these graphs is the increase in the incidence of testicular cancer in men aged 20–49 years. Looking at these specific cancers individually, several comments can be made. (Note: Lung cancer in women will not be specifically addressed as it is widely acknowledged that tobacco use is responsible for the increased incidence of this disease.)

Graph 4. Age-standardized incidence rates (ASIR) for selected cancer sites, females, 1972-2001.



Thyroid Cancer

Thyroid cancer is more prevalent in women than men. An increased incidence of thyroid cancer between 1984 and 1998 has indeed been observed in women 20–49 years of age. The magnitude of this increase has not, however, been observed in males of similar age; the increase in males has been small during the same time period.

It is interesting to note that the incidence of this type of cancer took a jump between 1991 and 1995 in both sexes and most age groups suggesting improved detection of this type of lesion; however, this does not explain the dramatic increase among women compared to men.

In the early 1990s, the increased use of fine-needle aspiration biopsy may account for a portion of this increase. Incidence of thyroid cancer rises slowly with age. Many studies have linked exposure to radiotherapy directed to the neck region during childhood with a significantly

increased risk of thyroid cancer. External exposure during adulthood and internal exposure to therapeutic or diagnostic doses of radioactive iodine, however, do not appear to increase risk. Changes in iodine intake may increase the incidence of some types of thyroid cancer and decrease the incidence of others. Diet may play a role, with consumption of vegetables (e.g. cruciferous) conveying some level of protection. Due to the difference in incidence between men and women, hormonal factors may be responsible. While studies have been conducted to assess a possible relationship between thyroid and breast cancers, the associations demonstrated have been weak, study sample sizes small and the conclusions not always consistent.

Non-Hodgkin's lymphoma (NHL)

The incidence of non-Hodgkin's lymphoma (NHL) has increased in both sexes of the 20–49 year old age group between 1984 and 1998, with the incidence, as well as the percentage increase, being greater in males than females.

The risk of NHL increases with age. Patients treated with radiation therapy for other cancers are at increased risk of developing NHL, and those treated with both radiation and chemotherapy are at even greater risk. Epstein-Barr virus has been associated with some uncommon types of NHL. HIV is a risk factor for NHL and the incidence among AIDs patients is much higher than in the general public; consequently, any increase in the incidence of HIV and AIDS will result in a concomitant increase in the incidence of NHL. Since the incidence of HIV and AIDS is rising more rapidly among men than women, it would be expected that a greater increase in the incidence of NHL in men would be observed.

Several epidemiology studies have concluded associations between exposure to phenoxy herbicides such as 2,4-D and MCPA, which are commonly used in agriculture and on turf, and the development of NHL^{18, 19, 20, 21}. The majority of these studies have not measured exposure directly and failed to account for concomitant exposures to potential carcinogens (e.g. diesel fuel, prescription drugs) and

exposure to oncogenic viruses found or suspected to play a role. In some studies, associations were found with certain occupations only; however, more research is required on this subject because definitive conclusions cannot be drawn from the epidemiology studies currently available.

Breast Cancer

The increased incidence of breast cancer in women may be due to lifetime exposure to estrogen which stimulates both normal and abnormal breast cell development²². Lifestyle changes such as having fewer children, giving birth at a later age and a reduction in the duration of breastfeeding or not breast-feeding at all, increase lifetime exposure to endogenous estrogen. High fat diets and genetics (BRCA1 and BRCA2 genes) also play a role. The use of oral contraceptives and hormone replacement therapy have been implicated as causal factors; the former by allowing women to delay pregnancy until a later age and the extent of the latter being dependent on the duration of treatment in addition to other factors. A portion, but not all, of the increase in incidence can be attributed to improved diagnostic techniques (the increased use of mammography).

Apparent from Graph 4, is that the increase in the incidence of breast cancer seems to be paralleling an increase in the incidence of lung cancer in women suggesting an association between the two diseases. While the incidence of lung cancer in males has declined due to a reduction in smoking among men, the incidence of lung cancer in women is still on the rise. The number of smokers in the female population has not declined to the same extent as among males, which would explain this statistic.

Prostate Cancer

The incidence of prostate cancer among men rose very slowly from 1984 to 1988. The dramatic increase in the incidence of this cancer between 1989 and 1993 can be explained by improved diagnostic techniques—primarily the use of Prostate Specific Antigen (PSA) testing. The increase in incidence occurred just after this new technique was introduced.

There has been a subsequent decline in incidence since 1993, as existing cases were diagnosed. This is truly indicative of an increase due to improved diagnostics. Risk factors include a family history of prostate cancer, high fat diet and vitamin D deficiency. Findings in epidemiology studies of occupation and prostate cancer risk have suggested a slightly increased risk among farmers, athletes, power plant workers, firefighters, workers in leather processing industries and soap/perfume manufacturing; however, the casual risk factors have not been confirmed^{23, 24, 25}.

Testicular Cancer

The incidence of testicular cancer has increased steadily in men aged 20 – 49 from approximately 6 cases per 100,000 of the population in 1984 to 8.5 cases in 1998. Incidence among men aged 50 and over has been flat to slightly declining (actual number of cases is low at approximately 1 – 2 per 100,000 each year).

The main risk factors for testicular cancer are cryptorchidism or undescended testicle(s) and a family history of the disease, suggesting a genetic component. Approximately 14% of the diagnosed cases occur in men with cryptorchidism. There is an increased incidence among men with white collar or professional occupations as opposed to those who would be involved in manufacturing or spraying pesticides. This observation suggests socioeconomic status or lifestyle may be associated with the disease. It does not suggest that pesticide exposure is responsible. Exposure to “endocrine-disrupting chemicals” has been suggested as a possible contributing factor; however, it has not yet been demonstrated that the level of exposure the average public incurs to such chemicals originating from a variety of sources, including those that are natural, is sufficient to cause such a response.


Childhood Cancers

There has been a great deal of publicity suggesting that the incidence of childhood leukemia is increasing and that pesticides are responsible. Actually, the *incidence of leukemia in children is not increasing in Canada* or in the US. Inci-

dence of leukemia in Canadian boys has remained relatively flat around a mean of 4.6 cases per 100,000 during the period from 1984 to 1998. Incidence has also been relatively stable among girls (approximately 3.9 cases per 100,000) during the same period. The incidence of leukemia peaks in children 1 to 4 years of age at approximately 8 cases per 100,000 and declines afterwards to approximately 2.5 cases per 100,000 in children 10 to 14 years of age.

Epidemiology studies suggesting an association between pesticide exposure and childhood leukemia are flawed due to small sample sizes and lack of statistical power, recall bias (asking a mother after her child has been diagnosed with cancer to remember what she was exposed to during her pregnancy and what her baby was exposed to after birth), failure to quantitatively measure exposure to pesticides and the identity of those pesticides, estimating exposure from birth certificate data or parental occupational title instead of actual sample measurements, and failure to control for confounding factors such as other exposures, just to name a few.

In 1998, Hoar Zahm and Ward of the US National Cancer Institute published a review paper summarizing data in the literature on pesticide exposure and cancer risk in children²⁶. Their paper states that, while the studies reviewed were limited by a lack of pesticide exposure information, small sample sizes and the risk of recall bias (plagued by memory and other complicating factors), the risks reported were greater than those reported for pesticide exposed adults suggesting that children may be more sensitive to the carcinogenic effects of pesticides. (Note:



More research is required; however, in the meantime, we should reduce the exposure of children to pesticides, not reduce the use of pesticides. The leading cause of death among Canadian children is not cancer – it's injuries.

The results could also indicate that parents more readily implicate pesticides when questioned about their child's exposure, compared to their response regarding their own exposure.)

The authors concluded that future research must include better methods for quantifying exposure to pesticides, investigation of the possibility of genetic-environmental interactions, etc. These are reasonable suggestions. The authors also concluded that reducing or eliminating pesticide exposure has the potential to prevent at least some childhood cancers. This is one conclusion that many scientists believe is a “leap” considering the weaknesses of the studies cited.

A year later, 5 researchers from the same institution published a review paper that concluded that increases in childhood cancer can be explained by improved diagnostic techniques²⁷. Linet et al. examined incidence and mortality patterns among 14,540 children under the age of 15 years that were diagnosed with cancer from 1975 to 1995. They concluded that

there was no substantial change in incidence for the major pediatric cancers and rates have remained relatively stable since the mid-1980s. The modest increases that were observed for brain/central nervous system (CNS) cancers, leukemia and infant neuroblastoma, were confined to the mid-1980s. This pattern suggests that increases likely reflect diagnostic improvements or reporting changes that occurred during that time.

The subject of pesticide exposure and children's cancer risk is an emotional one and determining whether or not a relationship exists is quite complicated²⁸. Even researchers from the US National Cancer Institute have differing opinions on the subject; however, those who believe that there is a connection concede that exposure has not been well defined and that the available studies investigating pesticide use and the development of pediatric cancers have many additional flaws including small sample sizes and case-control bias.

More research is required; however, in the meantime we should reduce the exposure of children to pesticides, not reduce the use of pesticides. As was seen from the Harris and Solomon (1992), and Stephenson et al. (2001) data, applying the correct application rate of a turf pesticide, and restricting contact with treated turf for a 24 hour period will result in non-detectable residues among bystanders, which translates to no detectable exposure to individuals contacting treated turf²⁴.

(Note: The leading cause of death among Canadian children is not cancer – it is injuries²⁹. Many of these “accidental” deaths are preventable. Injury mortality statistics include deaths due to unintentional injuries such as motor vehicle accidents and falls, in addition to deaths due to suicide and assault (including child abuse). In 1996, 16 deaths per 100,000 occurred in people under age 20 due to injuries. This is equivalent to 30.5% of all deaths in this age group.)

Conclusions of Scientific Review Panels and Authors of Review Papers on the Subject of Pesticides and Cancer

In 1997, the National Cancer Institute of Canada's Advisory Committee on Cancer Control (ACOCC) addressed the issue of public exposure to pest control products to determine whether a significant level of risk existed that would necessitate the Canadian Cancer Society changing its priorities which are currently focused on tobacco control strategies. ACOCC established an Ad Hoc panel on pesticides and cancer³⁰. While the Ad Hoc panel concerned itself primarily with pesticides used in the agricultural scenario, the published conclusions of this panel were that: no association was found between pesticide use and cancer and several factors may reduce cancer rates including:

- Reduction in smoking
- Increased consumption of fruits and vegetables
- Control of infections
- Avoiding intense exposure to sunlight
- Increasing physical activity
- Reducing alcohol consumption

The following year, world-renowned epidemiologist, Sir Richard Doll reviewed the published literature on potential causes

of cancer and drew conclusions very similar to those of the Ad Hoc panel³¹. He concluded that smoking, alcohol, pharmaceutical products, infection, electromagnetic radiation (ionizing, UV, lower frequency), occupation, industrial products, pollution (air, water, food), physical inactivity, reproductive hormones and dietary factors (not pesticide related) were all causes of cancer.

Smoking and dietary factors are the most important, responsible for approximately 30%, and 20 to 50% of fatal cancers, respectively. Occupation, industrial products and pollution (including pesticides) combined, were thought to be responsible for a total of 3 to 4% of all fatal cancers.



In addition to other benefits, increased consumption of fruits and vegetables may reduce cancer rates.

Doll stated that there is no sound, scientific evidence to suggest that pollution from all sources, including pesticides, is a significant cause of cancer. The 9th Report on Carcinogens, published in 2000 by the US Dept. of Health and Human Services/National Toxicology Program, listed over 50 compounds *known to be human carcinogens*³². Not one pesticide was included on this list. The criteria used to define “known” were that “there is sufficient evidence of carcinogenicity from studies in humans which indicates a causal relationship between exposure to the agent, substance or mixture and human cancer....”

Table 1. HERP Percentage Values for Common Substances

Daily Exposure	Carcinogenic Component	HERP %
Beer (257 g)	Ethyl alcohol	2.8
Coffee (13.3 g)	Caffeic acid	0.1
Bacon (100 g)	Diethylnitrosamine	0.003
Lindane, daily dietary intake	Lindane	0.000001
Chlorothalonil (Daconil), daily dietary intake	Chlorothalonil	0.00000001

On the list are items such as aflatoxins produced by a fungus that grows on nuts, alcohol, asbestos, arsenic, coal tar, diethylstilbesterol (DES), tobacco smoking, environmental tobacco smoke, smokeless tobacco, exposure to UV light from solar radiation, sun lamps and tanning booths, crystalline silica and tamoxifen. Tamoxifen is a drug used very successfully to combat breast cancers that grow in response to estrogen. Tamoxifen also increases the risk of endometrial cancer, a form of uterine cancer, which is why it is listed; however, the risk of developing endometrial cancer is so small in comparison to the benefit gained among women with breast cancer that the drug is widely used and will not be banned. Things come full circle to risk versus benefit. The major causes of cancer listed in the "9th Report" were:

- Smoking
- Dietary imbalances (insufficiency of many micronutrients, insufficient consumption of fruits and vegetables)

- Hormonal factors, primarily influenced by lifestyle
- Chronic infections, mostly in developing nations
- Inflammation
- Genetic factors

In 1987, Ames et al. developed a ranking of carcinogenic substances to provide insight into the real risks that threaten our quality and length of life³³. Often the threat to our health is not from rigorously tested products like pesticides, but from other substances to which we have unconsciously accepted the risks involved for the benefits obtained.

Table 1 (on the previous page) lists a few of the substances Dr. Ames has ranked using his Human Exposure/Rodent Potency (HERP) Index.

We test carcinogens on animals not humans and measurements are expressed as the rodent carcinogenic potency. To relate a product's carcinogenic potential in rodents to its carcinogenic potential in humans, the Rodent Carcinogenic Potency

values are converted to HERP values. The higher the HERP % the greater the carcinogenic risk to humans. As you can see, the carcinogenic potential of beer and coffee are far greater than that of Lindane, an organochlorine insecticide or chlorothalonil, a fungicide that is commonly used on turf.

Conclusions

Reviews of sound, scientific, peer-reviewed data, indicate that allegations suggesting occupational and bystander exposure to pesticides is associated with increased cancer incidence, is currently *unfounded*. Unfortunately, the media's presentation of possible associations has created an irrational fear about pesticides among the general public.

As mentioned in Part One of this article, any pesticide ban approved by a municipality is a political decision based on emotion and not one based on sound science. This fact should be clearly communicated to the constituents of the municipalities involved. ♦



Supreme-Green™ TURF COVER

The **multi-purpose** turf cover ideal for natural turf environments such as baseball, soccer and football fields, etc.

BENEFITS

- accelerated seed germination • encourages root development • early spring green-up
- delays dormancy in fall • winter protection: reduces frost and ice damage • turf repairs
- available in any size

Coverttech
Fabricating Inc.

Buy Direct From the Manufacturer!

Call 1-800-837-8961

www.coverttechfab.com • sales@coverttechfab.com