Editor's Note: As a service to our readers, Turf Grass Trends is including this cumulative subject index for 1992.


A

Able 1 Kentucky bluegrass, June 1992: 5 acidic soil, Nov/Dec 1992: 1, Nov/Dec 1992: 5 actinomycetes, defined, Nov/Dec 1992: 10 Acylanines, systemic fungicide, Premier 1992: 5 Adelphi Kentucky bluegrass, June 1992: 5 aerification, defined, June 1992: 8 aggregation defined, Nov/Dec 1992: 10 process, Nov/Dec 1992: 6 Agriculture, U.S. Dept. of, Beltsville Agricultural Research Center and NTEP, Sept/ Oct 1992: 1 Aliette™ systemic fungicide for Pythium Blight, August 1992: 11 for Pythium root rot,, Premier 1992: 3, Premier 1992: 4 for turfgrass disease control, Premier 1992: 5 alkaline materials, defined, Nov/Dec 1992: 10 alkaline soil, Nov/Dec 1992: 1, Nov/Dec 1992: 5 America Kentucky bluegrass, June 1992: 5 ammonia volatilization, Premier 1992: 9 Anilazine contact fungicide, Premier 1992: 5 anion, defined, Nov/Dec 1992: 10 annual bluegrass diseases of, June 1992: 1 Aqua Mulcher, Premier 1992: 16 AquaGro S soil wetting agent, Premier 1992: 16 Aqua-Tel sensor, July 1992: 11 asymptomatic, defined, June 1992: 8

B

Banff Kentucky bluegrass, June 1992: 5 Banner™ systemic fungicide, Premier 1992: 5, June 1992: 3 BanolTM systemic fungicide for Pythium Blight, August 1992: 11 for Pythium root rot,, Premier 1992: 3, Premier 1992: 4 for turfgrass disease control, Premier 1992: 5 Baron Kentucky bluegrass, June 1992: 5 BayletonTM systemic fungicide for Summer Patch, June 1992: 3 tumors in laboratory mice, August 1992: 11 for turfgrass disease control,, Premier 1992: 5 Beltsville Agricultural Research Center and NTEP, Sept/Oct 1992: 1 Bendiocarb restricted-use pesticide, July 1992: 5 Benomyl systemic fungicide for Summer Patch, June 1992: 3 for turfgrass disease control, Premier 1992: 5 bentgrass and Curvularia Blight, August 1992: 4 and evaluation programs, Sept/Oct 1992: 1 and Rhizoctonia zeae pathogen, August 1992: 2 bentgrass/annual bluegrass putting greens, Premier 1992: 1 Benzimidazoles, systemic fungicide, Premier 1992: 5 bermudagrass, and billbugs, July 1992: 10 billbugs and bluegrass, July 1992: 10

and fine fescues, July 1992: 10 New Jersey study on feeding habits, July 1992: 6 species in New Jersey, July 1992: 10 study in eastern Nebraska, July 1992: 10 biological pest control, Premier 1992: 13 biomass, defined, June 1992: 8 bio-pesticides, Sept/Oct 1992: 11 Bipolaris spore, August 1992: 3 bluegrass (Poa annua and P. pratensis), Premier 1992: 1 Boron (B) available forms and ion charges, Nov/Dec 1992: 1 and soil pH. Nov/Dec 1992: 4 Bristol Kentucky bluegrass, June 1992: 5 Brown Patch causes, August 1992: 1-3 and excessive rates of nitrogen, August 1992: 2 and fungicides, August 1992: 2-3 and management practices, August 1992: 2 Brown Patch Pythium Blight, Premier 1992: 7 buffer pH, Nov/Dec 1992: 6 defined, Nov/Dec 1992: 7, Nov/Dec 1992: 10. See also soil, pH conditions buying decisions, grass seed, Sept/Oct 1992: 1, Sept/Oct 1992: 3, Sept/Oct 1992: 6



Teasel


C

calcareous materials, defined, Nov/Dec 1992: 10
calcitic limestone, Nov/Dec 1992: 8
Calcium (Ca)
available forms and ion charges, Nov/Dec 1992: 1
deficiency and Pythium (cottony) Blight, August 1992: 6
and Percent (%) Base Saturation (P.B.S.), Nov/Dec 1992: 8
and soil pH, Nov/Dec 1992: 4, Nov/Dec 1992: 7
California
ruling on Material Safety Data Sheets (MSDS), July 1992: 9
theft of pesticide, Sept/Oct 1992: 11
Canadian study on balanced fertilizers, Sept/Oct 1992: 11

Carbamates, systemic fungicide, Premier 1992: 5

Carbaryl insecticide, July 1992: 5 Carbon (C), in soil, Nov/Dec 1992: 1 carbonic acid, Nov/Dec 1992: 5 carcinogens, and pesticide products, August 1992: 11 cation, defined, Nov/Dec 1992: 10 Cation exchange capacity (C.E.C.) defined, Nov/Dec 1992: 10, Nov/Dec 1992: 11 in soil sampling, Nov/Dec 1992: 2 in soil test report, Nov/Dec 1992: 7 Challenger Kentucky bluegrass, June 1992: 5 checklist, hazardous waste water, July 1992: 8 Chemical Manufacturers Association standards for Material Safety Data Sheets (MSDS), July 1992: 9 chinchbugs and fine fescues, July 1992: 10 reducing with dethatching, July 1992: 10 Chipco 26019™ systemic fungicide, Premier 1992: 5 chlordane defined, July 1992: 7 for grub control, July 1992: 4 Chlorine (Cl), available forms and ion charges, Nov/Dec 1992: 1 Chloroneb fungicide, Premier 1992: 4, August 1992: 11 Chlorothalonil contact fungicide, Premier 1992: 5, June 1992: 7 Chlorphryfos insecticide, July 1992: 5 classic disease infection triangle, Premier 1992: 6 clay loam, Nov/Dec 1992: 11 Clean Water Act, Premier 1992: 11 Cleary 3336™ systemic fungicide, Premier 1992: 5 Cochliobolus sativus (=Bipolaris sorokiniana) control strategies, August 1992: 4 factors, August 1992: 3 and Kentucky bluegrass, August 1992: 3 and ryegrass, August 1992: 3 symptoms, August 1992: 3 Columbia Kentucky bluegrass, June 1992: 5 compaction. See also soil, compaction defined, June 1992: 8 Patch disease co-factor, Premier 1992: 8 compost-amended topdressings, August 1992: 2 conidia and Cochliobolus sativus, August 1992: 3 and Curvularia Blight, August 1992: 4 defined, June 1992: 8 Connecticut survey of natural predators, July 1992: 5 contact fungicides,, Premier 1992: 4-5 Control™ fungicide, Premier 1992: 4 Copper (Cu) available forms and ion charges, Nov/Dec 1992: 1 and soil pH, Nov/Dec 1992: 4 Core Sample Observation Form, soil, Nov/Dec 1992: 9 cottony blight. See Pythium (cottony) Blight crown infections, August 1992: 6 crown rot damage, Premier 1992: 1-2 defined, Premier 1992: 4 infections, June 1992: 1 Curvularia Blight biology and symptoms, August 1992: 4 causes, August 1992: 4 control strategies, August 1992: 4-5

symptoms, August 1992: 4 Curvularia geniculata, August 1992: 4 Curvularia inaequalis, August 1992: 4 Curvularia intermedia, August 1992: 4 Curvularia lunata, August 1992: 4 Curvularia protuberata, August 1992: 4 Curvularia spore, August 1992: 4 Curvularia trivolii, August 1992: 4



Goosegrass, silver crabgrass

D

Daconil 2787TM contact fungicide, Premier 1992: 5, June 1992: 7 decomposition, Nov/Dec 1992: 11-12 Degree Day modeling defined, July 1992: 7 and life cycles of turf-damaging insects, July 1992: 6-7 dethatching expense of, August 1992: 10 to reduce chinchbug problems, July 1992: 10 Diazinon insecticide, for grub control, July 1992: 4, July 1992: 6-7 Dicaboxides systemic fungicide, Premier 1992: 5 Dollar Spot infection and symptom relationships, Premier 1992: 7 patches, Premier 1992: 2 ratings of Kentucky bluegrass cultivars, Sept/Oct 1992: 6 dormancy, defined, Premier 1992: 4 drift control agents, Premier 1992: 13 drought stress contributing conditions, August 1992: 7, August 1992: 8, August 1992: 9 control strategies, August 1992: 10 identification form, August 1992: 9 and management practices, August 1992: 7 materials to reduce water needs, August 1992: 7

and soil environment, August 1992: 7

dry encapsulation, Premier 1992: 13


Dylox insecticide
for grub control, July 1992: 4—5, July 1992: 6—7
tumors in laboratory mice, August 1992: 11

Dyrene™ contact fungicide, Premier 1992: 5

E

earthworms
effect of pesticides on, July 1992: 10
and thatch layer samples, July 1992: 10

Eclipse Columbia Kentucky bluegrass, June 1992: 5 endophyte, defined, July 1992: 7 Enmundi Columbia Kentucky bluegrass, June 1992: 5 Entotech, Inc. vs. Mycogen, Inc. lawsuit, Sept/Oct 1992: 10 environmental issues, July 1992: 11 Environmental Protection Agency (E.P.A.) and granular formulation of Triumph, Sept/Oct 1992: 10 investigation of granular pesticides, August 1992: 11 pesticide information hotline, August 1992: 11 Storm Water Hotline, Premier 1992: 11 suit against Miles, Inc., August 1992: 11 epidemiology, defined, Premier 1992: 4 epsom salts applications, Nov/Dec 1992: 8 Estate Columbia Kentucky bluegrass, June 1992: 5 Ethazole fungicide, Premier 1992: 4, August 1992: 11 Ethoprop restricted-use pesticide, July 1992: 5 Ethyl Phosphonates, systemic fungicide, Premier 1992: 5 Etridiazole contact fungicide, Premier 1992: 5



Black medic

F

Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) support of posting, July 1992: 9
Fenarimol systemic fungicide for Summer Patch, June 1992: 3 for turfgrass disease control, Premier 1992: 5 fertilizer, Premier 1992: 9
Canadian study, Sept/Oct 1992: 11 improving efficiency of, July 1992: 10 and Pythium-infected turf, Premier 1992: 2

and regulatory issues, Premier 1992: 11 and Summer Patch, June 1992: 4, June 1992: 7 field performance tables, turfgrass, Sept/Oct 1992: 5 fine fescue diseases of, June 1992: 1 and drought stress, August 1992: 8 and evaluation programs, Sept/Oct 1992: 1 high maintenance impact on, July 1992: 10 and Rhizoctonia zeae pathogen, August 1992: 2 flocculation, Nov/Dec 1992: 6 foliar disease and air temperatures, August 1992: 3 and fungicides, Premier 1992: 5 linear relationship between infection and symptoms, Premier 1992: 6 on residential, commercial, and golf course turf, August 1992: 1 foliar mycelium defined, Premier 1992: 4 evidence of, Premier 1992: 2 and Pythium Blight, August 1992: 6 foliar Pythium. See Pythium (cottony) Blight Fore™ contact fungicide, Premier 1992: 4, Premier 1992: 5 Fosetyl Al systemic fungicide, August 1992: 11 for control of Pythium root rot diseases, Premier 1992: 4 for turfgrass disease control, Premier 1992: 5 fungal pathogens, and scarab grubs, July 1992: 3 fungi and alternatives to pesticides, July 1992: 5 causing leaf-blighting symptoms, August 1992: 1 Fungicide II™, Premier 1992: 4 fungicides choosing, Premier 1992: 3 contact,, Premier 1992: 4-5 for the control of root-rotting Pythium diseases of turfgrasses, Premier 1992: 4 for controlling Summer Patch, June 1992: 3 and Pythium Blight, August 1992: 11 resistance to, Premier 1992: 5 and Summer Patch, June 1992: 7 systemic,, Premier 1992: 4-5 used for turfgrass disease, Premier 1992: 5 Fungo 50™ systemic fungicide, Premier 1992: 5 Fungo fungicide, June 1992: 3 Fusarium Blight affecting cool season turfgrasses, June 1992: 1 and Patch diseases, Premier 1992: 8 Fusarium Roseum, Premier 1992: 8 G genetic color mean rates, Sept/Oct 1992: 9 ratings of Kentucky bluegrass cultivars, Sept/Oct 1992: 5 genetically engineered bacteria, Sept/Oct 1992: 11 Glade Columbia Kentucky bluegrass, June 1992: 5 golf course disease effects, Premier 1992: 1 and foliar disease, August 1992: 1

and isofenphos, July 1992: 4

granular pesticides, August 1992: 11

poisoning of geese, Long Island, July 1992: 4

grass seed buying decisions, Sept/Oct 1992: 1, Sept/Oct

1992: 3, Sept/Oct 1992: 6 grease spot. See Pythium (cottony) Blight Great Western Seed Co. vs. Oregon Dept. of Agriculture and Oregon State University, August 1992: 11 control strategies, July 1992: 4, July 1992: 7 insect predators and parasites, July 1992: 2-3 and insecticide use, July 1992: 1 locating and controlling, July 1992: 1-2 gypsum applications, Nov/Dec 1992: 8 hazardous materials, transporting, July 1992: 9 hazardous waste generators, Premier 1992: 11 regulations, July 1992: 9 hazardous waste water checklist, July 1992: 8 Helminthosporium leaf spots and blights, August 1992: 3 herbicide exposure, Premier 1992: 9 Heterorhadditis bacteriophora nematodes, July 1992: 3 high-endophyte grass varieties, July 1992: 7 home lawn, Premier 1992: 9 and chinchbug infestation, July 1992: 10 disease effects, Premier 1992: 1 and foliar disease, August 1992: 1 humic acid defined, Nov/Dec 1992: 10 and flocculation, Nov/Dec 1992: 6 humus, defined, Nov/Dec 1992: 11 hybrids, turfgrass, Sept/Oct 1992: 9 hydrated lime applications, Nov/Dec 1992: 8 Hydrogen (H) and Percent (%) Base Saturation (P.B.S.), Nov/Dec 1992: 8 in soil, Nov/Dec 1992: 1 hydrogen ions, and soil pH, Nov/Dec 1992: 6 hydroxylions, in high soil pH levels, Nov/Dec 1992: 6 I infection and symptom relationships, Premier 1992: 7 infection period, defined, Premier 1992: 4 Infrared or Radio Data-Lynx computerized telemetry system, July 1992: 11 inoculate, defined, June 1992: 8 inoculum, defined, Premier 1992: 4 insecticide effect of sunlight (UV) on, July 1992: 3 for grubs, July 1992: 1 ion exchange sites, defined, Nov/Dec 1992: 10 and soil pH, Nov/Dec 1992: 4 ions, defined, Nov/Dec 1992: 10 Iprodion systemic fungicide, Premier 1992: 5 available forms and ion charges, Nov/Dec 1992: 1 and soil pH, Nov/Dec 1992: 4 irrigation and drought stress, August 1992: 7-8, August 1992: 10 and soil pH, Nov/Dec 1992: 5 Isazophos restricted-use pesticide, July 1992: 5 Isofenphos insecticide defined, July 1992: 7

for grub control, July 1992: 4, July 1992: 6 isolates, defined, June 1992: 8 Israeli scientists, stucy on nitrogen uptake, Sept/Oct 1992: 11

J

Japanese beetles
bacteria for infecting, July 1992: 6
and Degree Day modeling,, July 1992: 6—7
eating and egg-laying habits, July 1992: 6
feeding sites, July 1992: 1
and high-endophyte grass varieties, July 1992: 7
insect predators and parasites,, July 1992: 2—3
life cycle,, July 1992: 1—2
management of,, July 1992: 1—3
monitoring adult populations, July 1992: 7
and pathogenic nematodes,, July 1992: 5—6
Pheromone (sex hormone) traps for, July 1992: 3
populations and soil temperatures, July 1992: 3
reducing adult populations of, July 1992: 3
treating in late summer, July 1992: 2




Annual bluegrass

K

Kentucky bluegrass
and billbugs, July 1992: 10
and Brown Patch, August 1992: 1
and Curvularia Blight, August 1992: 4
diseases of, June 1992: 1
Dollar Spot ratings, Sept/Oct 1992: 6
and evaluation programs, Sept/Oct 1992: 1
Leaf Spot ratings, Sept/Oct 1992: 6
and leaf spots from *C. sativus* infections, August 1992: 3
lesions, August 1992: 3
and Nigrospora Blight, August 1992: 5
ratings, Sept/Oct 1992: 5
resistance to *Cochliobolus sativus* (=Bipolaris sorokiniana),
August 1992: 3
resistance to Summer Patch, June 1992: 5

Koban™ contact fungicide, August 1992: 11 for Phythium root rot, Premier 1992: 3, Premier 1992: 4 for turfgrass disease control, Premier 1992: 5 L larvae. See grubs lawncare business, Premier 1992: 14 layering (soil interface), Premier 1992: 7, Premier 1992: 8 defined, July 1992: 7 restricted use of, July 1992: 5 leaf blight biology and symptoms, August 1992: 1-6 in summer months, August 1992: 1 leaf diseases, Premier 1992: 7 Leaf Spot causes, August 1992: 1 and Cochliobolus diseases, August 1992: 3 and Curvularia Blight, August 1992: 4 and fine fescues, July 1992: 10 infection and symptom relationships, Premier 1992: 7 on Kentucky bluegrass, August 1992: 1 and leaf blights, August 1992: 1-6 mean rates, Sept/Oct 1992: 9 ratings of Kentucky bluegrass cultivars, Sept/Oct 1992: 6 leaf texture ratings of Kentucky bluegrass cultivars, Sept/Oct 1992: 5 least significant difference (LSD) value for statistical analysis, Sept/Oct 1992: 3 Lesca Mancozeb DG™ fungicide, Premier 1992: 4 Lesco 4™ fungicide, Premier 1992: 4 appearance, August 1992: 2 and Kentucky bluegrass, August 1992: 3 Nigrospora Blight, August 1992: 5 limestone, Premier 1992: 9 calcitic, Nov/Dec 1992: 8 carbonate forms, Nov/Dec 1992: 6 loam, defined, Nov/Dec 1992: 11 LSD (least significant difference) value, Sept/Oct 1992: 3 macronutrients, in soil, Nov/Dec 1992: 1, Nov/Dec 1992: 3 Magenporthe poae fungi growth rates and root damage, June 1992: 4 laboratory tests, June 1992: 4 and Summer Patch, June 1992: 2 Magnesium (Mg) available forms and ion charges, Nov/Dec 1992: 1 level in soil, August 1992: 10 and Percent (%) Base Saturation (P.B.S.), Nov/Dec 1992: 8 and soil pH, Nov/Dec 1992: 4, Nov/Dec 1992: 7 Mancozeb contact fungicide, Premier 1992: 5, August 1992: 11 (+mancozeb) fungicide, Premier 1992: 4 Manganese (Mn) available forms and ion charges, Nov/Dec 1992: 1 and soil pH, Nov/Dec 1992: 4 Material Safety Data Sheets (MSDS) ruling in California, July 1992: 9 standards, July 1992: 9 mechanical soil compaction, Premier 1992: 7 Metalaxyl systemic fungicide

for Pythium Blight, August 1992: 11 for Pythium root rot, Premier 1992: 4 for turfgrass disease control, Premier 1992: 5 methyline urea, June 1992: 4 Michigan study on chinchbug populations, July 1992: 10 microarthropods, defined, Nov/Dec 1992: 10 Microdochium nivale (Pink Snow Mold), Premier 1992: 2 micronutrients, in soil, Nov/Dec 1992: 1, Nov/Dec 1992: 3 microspordium, defined, July 1992: 7 Midnight Columbia Kentucky bluegrass, June 1992: 5 Milky Spore disease alternative for grub control, July 1992: 5 defined, July 1992: 7 produced by the Ringer Corporation, July 1992: 7 and scarab grubs, July 1992: 3 Milorganite fertilizer, Premier 1992: 16 mineral components, of soil, Nov/Dec 1992: 11 Mocap restricted-use pesticide, July 1992: 5 mole crickets, defined, July 1992: 7 Molybdenum (Ma), available forms and ion charges, Nov/ Dec 1992: 1 Monsanto, dry herbicide, Premier 1992: 13 Monzate 200™ fungicide, Premier 1992: 4 multiple layering, Premier 1992: 7 mycelium and conidia, August 1992: 3 and Curvularia Blight, August 1992: 4 Nigrospora Blight, August 1992: 5 of Pythium and Nigrospora, appearance, August 1992: 6 and Rhizoctonia solani pathogen, August 1992: 1 Mycogen, Inc. lawsuit, Sept/Oct 1992: 10 Mystic Columbia Kentucky bluegrass, June 1992: 5



N Nassau Kentucky bluegrass, June 1992: 5 National Survey of Pesticides in Drinking Water Wells, Pre-

mier 1992: 11

National Turfgrass Evaluation Program (NTEP) average ratings, Sept/Oct 1992: 6 benefits of using, Sept/Oct 1992: 7-8 data tables and LSD value, Sept/Oct 1992: 3 disease resistance tables, Sept/Oct 1992: 6 evaluation programs, Sept/Oct 1992: 1 field performance tables, Sept/Oct 1992: 5 genetic color mean rates, Sept/Oct 1992: 9 Leaf Spot mean rates, Sept/Oct 1992: 9 progress reports, Sept/Oct 1992: 3 Pythium mean rates, Sept/Oct 1992: 9 quality ratings tables, Sept/Oct 1992: 4 report contents, Sept/Oct 1992: 2 results, identifying, Sept/Oct 1992: 4 test data, Sept/Oct 1992: 1 turfgrass quality, Sept/Oct 1992: 9 visual characteristics tables, Sept/Oct 1992: 5 National Turfgrass Federation, Inc. and NTEP, Sept/Oct 1992: 1 natural alternatives for grub control, July 1992: 5 research, July 1992: 7 Nature Safe organic fertilizer, Premier 1992: 16 Nebraska, study on billbugs, July 1992: 10 Necrotic Ring Spot and cool season turfgrasses, June 1992: 1 and drought stress, August 1992: 10 infection and symptom relationships, Premier 1992: 2 symptoms, Premier 1992: 2, June 1992: 1 nematodes and alternatives to pesticides, July 1992: 5 defined, July 1992: 7 parasitic, July 1992: 3 pathogenic, July 1992: 6 New Jersey species of billbugs, July 1992: 10 study on feeding habits of billbugs, July 1992: 6 Nigrospora Blight biology and symptoms, August 1992: 5 on bluegrass sod, August 1992: 6 control strategies, August 1992: 5 diagnostic clues, August 1992: 5 and Kentucky bluegrass, August 1992: 5 lesions, August 1992: 5 Nigrospora sphaerica, August 1992: 5 1991 Progress Report of the National Kentucky Bluegrass Test, Sept/Oct 1992: 3 Nitrogen (N) available forms and ion charges, Nov/Dec 1992: 1 fertilization and Pythium (cottony) Blight, August 1992: 6 and soil pH, Nov/Dec 1992: 4 nitrogen uptake, studies by Israeli scientists, Sept/Oct 1992: 11 nitrous oxide laser-based sensing system for measuring emissions, July 1992: 10 Notification Control and Application Act of 1991, August 1992: 11 NTEP. See National Turfgrass Evaluation Program nutrient availability, Nov/Dec 1992: 4 nutrient ions in soil, Nov/Dec 1992: 1 and soil test reports, Nov/Dec 1992: 3

O


Occupational Safety and Health Administration (OSHA), regulatory issues, Sept/Oct 1992: 10
Oftanol insecticide

for grub control, July 1992: 4, July 1992: 5 Ohio State University studies of isofenphos, July 1992: 4 Ohio Supreme Court fuling on carcinogen labeling, July 1992: 9

oospores

defined, Premier 1992: 4 and diagnosis of Pythium-infected root tip, Premier 1992: 2 environmental conditions, Premier 1992: 2 and fungicidal treatments, Premier 1992: 3 and Pythium Blight, August 1992: 6

Oregon Dept. of Agriculture and Oregon State University vs.
Great Western Seed Co., August 1992: 11
overseeding, defined, June 1992: 8
oviposition, defined, July 1992: 7
Oxygen (O), in soil, Nov/Dec 1992: 1



Moneywort

P


P. aphanidermatum, Premier 1992: 3, August 1992: 6 P. aristosporum, Premier 1992: 3 P. arrhenomanes, Premier 1992: 3, August 1992: 6 P. graminicola, August 1992: 6 P. graminocola, Premier 1992: 3 P. myriotylum, Premier 1992: 3, August 1992: 6 P. periplocum, Premier 1992: 3 P. pratensis bluegrass, Premier 1992: 1 P. torulosum, Premier 1992: 3, August 1992: 6 P. ultimum, August 1992: 6 P. vanterpoolii, Premier 1992: 3, August 1992: 6 Pace™ fungicide, Premier 1992: 4 parasites, for grub control, July 1992: 4-6 parasitic nematodes, July 1992: 3 particle flocculation, Nov/Dec 1992: 6 Patch disease affecting cool season turfgrasses, June 1992: 1 co-factors,, Premier 1992: 6-7 defined, Premier 1992: 8

pathogenic, Premier 1992: 7

and soil compaction, Premier 1992: 7 symptoms, Premier 1992: 6 pathogen, defined, Premier 1992: 4 pathogenic, defined, Premier 1992: 4 pathogenic co-factors, Premier 1992: 8 pathogenic nematodes, July 1992: 6 pathogenic protozoas, July 1992: 5 Percent (%) Base Saturation (P.B.S.) defined, Nov/Dec 1992: 10 and elements in soil, Nov/Dec 1992: 8 percolation, defined, June 1992: 8 pesticides alternatives, July 1992: 5 effect on earthworm population, July 1992: 10 genetically engineered bacteria, Sept/Oct 1992: 11 granular, August 1992: 11 for grub control, July 1992: 4-5 information hotline, August 1992: 11 log, restricted use, Premier 1992: 10 national survey, Premier 1992: 11 and non-target applications, July 1992: 9 pollution from containers, Sept/Oct 1992: 11 and posting warning signs, July 1992: 8 residues in landfills, Sept/Oct 1992: 11 restricted use, Premier 1992: 10, July 1992: 5 thefts in California, Sept/Oct 1992: 11 and volatility, Premier 1992: 10 pH conditions, Premier 1992: 9 Pheromone (sex hormone) traps, for Japanese beetles, July 1992: 3 Phosphorus (P) available forms and ion charges, Nov/Dec 1992: 1 and soil pH, Nov/Dec 1992: 4, Nov/Dec 1992: 7 Phytophora, Premier 1992: 8 Pink Snow Mold (Microdochium nivale), Premier 1992: 2 plant available nutrients, defined, Nov/Dec 1992: 10 plant nutrients, Premier 1992: 9, Nov/Dec 1992: 1 Poa annua bluegrass, Premier 1992: 1 pollution, from pesticide containers, Sept/Oct 1992: 11 posting organizations supporting, July 1992: 8-9 warning signs for pesticides, July 1992: 8 Potassium (K) available forms and ion charges, Nov/Dec 1992: 1 importance to growth, Premier 1992: 9 and Percent (%) Base Saturation (P.B.S.), Nov/Dec 1992: 8 and soil pH, Nov/Dec 1992: 4, Nov/Dec 1992: 7 Princeton Kentucky bluegrass, June 1992: 5 products Aqua Mulcher, Premier 1992: 16 AquaGro S soil wetting agent, Premier 1992: 16 Aqua-Tel sensor, July 1992: 11 Infrared or Radio Data-Lynx computerized telemetry system, July 1992: 11 Milorganite fertilizer, Premier 1992: 16 Nature Safe organic fertilizer, Premier 1992: 16 Reinco mulch trailer, Model TM7-30 Power Mulcher, July 1992: 11 Professional Lawn Care Association of America (PLCAA) support of posting, July 1992: 9 Propamocarb systemic fungicide, August 1992: 11

for Pythium root rot, Premier 1992: 4

for turfgrass disease control, Premier 1992: 5 Propiconazole systemic fungicide, for Summer Patch, Premier 1992: 5, June 1992: 3 protozoas as alternative to insecticides, July 1992: 5 defined, July 1992: 7 Proxol insecticide, July 1992: 5 purchasing decisions, grass seed, Sept/Oct 1992: 1, Sept/Oct 1992: 3, Sept/Oct 1992: 6 Pythium (cottony) Blight, Premier 1992: 2, June 1992: 1 causes, August 1992: 6 control strategies, August 1992: 6, August 1992: 11 damage spread by water, August 1992: 5 factors, August 1992: 6 and fungicides, August 1992: 11 species biology, August 1992: 6 species symptoms, August 1992: 6 Pythium root rot and compost-amended topdressings, August 1992: 2 contributing causes, Premier 1992: 1 defined, June 1992: 8 diagnosis,, Premier 1992: 1-2 and drought stress, August 1992: 10 and fine fescues, July 1992: 10 fungicides, choosing, Premier 1992: 3 graminicola, Premier 1992: 3 management practices, Premier 1992: 2 mean rates, Sept/Oct 1992: 9 patterns of damage, Premier 1992: 2 and saturation, Premier 1992: 8 seasonal variables, Premier 1992: 7 seasonal variables,, Premier 1992: 1-2 sporangia production, Premier 1992: 3 symptoms, Premier 1992: 1, Premier 1992: 2, June 1992: 1 and temperatures, Premier 1992: 3 treatment, Premier 1992: 2



Knotweed

Q

quality ratings tables, turfgrass, Sept/Oct 1992: 4, Sept/Oct 1992: 9

quick reference guide, Summer Patch survey, June 1992: 10 Quintozene contact fungicide, Premier 1992: 5

R Ram 1 Kentucky bluegrass, June 1992: 5 ratings, Kentucky bluegrass cultivars, Sept/Oct 1992: 5 red fescue, and Curvularia Blight, August 1992: 4 Red Thread, Premier 1992: 7, August 1992: 2 regulatory issues, Premier 1992: 11 Clean Water Act, Premier 1992: 11 court rules against OSHA, Sept/Oct 1992: 10 Entotech/Mycogen lawsuit settled, Sept/Oct 1992: 10 E.P.A. and Texas Tech University pesticide hotline, August 1992: 11 E.P.A. investigation of granular pesticides, August 1992: 11 E.P.A. suit against Miles, Inc., August 1992: 11 fertilizer, Premier 1992: 11 granular formulation of Triumph, Sept/Oct 1992: 10 Great Western Steel Co. fined for mislabeling seeds, August 1992: 11 hazardous waste, July 1992: 9 MSDS, ruling in California, July 1992: 9 MSDS format, standardized, July 1992: 9 Notification Control and Application Act of 1991, August Ohio Supreme Court ruling on carcinogen labeling, July 1992: 9 Resource Conservation and Recovery Act (RCRA), July 1992: 9 storm water run-off, Premier 1992: 11 transporting hazardous materials, July 1992: 9 waste reporting, Premier 1992: 11 well water survey, Premier 1992: 11 Reinco mulch trailer, Model TM7-30 Power Mulcher, July 1992: 11 research efforts, turfgrass, Premier 1992: 12 Resource Conservation and Recovery Act (RCRA) hotline, July 1992: 9 information packets, July 1992: 9 Restricted Use Pesticide, July 1992: 5 Rhizoctonia infections, visual symptoms, August 1992: 1 Rhizoctonia solani biology and symptoms, August 1992: 1 color range, August 1992: 1 smoke ring, August 1992: 1-2 Rhizoctonia zeae pathogen on bentgrass, August 1992: 2 biology and symptoms, August 1992: 2 and compost-amended topdressings, August 1992: 2 and cultural practice, August 1992: 2 and high nitrogen fertility, August 1992: 2 smoke ring, August 1992: 2 rhizome defined, June 1992: 8 infections, June 1992: 1 Ringer Corporation, production of Milky Spore Disease, July root biomass, and drought stress, August 1992: 7-8

root cortex, defined, Premier 1992: 4

August 1992: 10


control, Premier 1992: 5

root disease

root damaging disease, August 1992: 7-8, August 1992: 8,

root damaging insects, August 1992: 7-8, August 1992: 10

infection and symptom relationships, Premier 1992: 7 and Summer Patch infections, June 1992: 1 root infections, August 1992: 6 root mass by weight. Premier 1992: 9 root structure. Premier 1992: 9 RubiganTM systemic fungicide for Pythium root rot, Premier 1992: 5 for Summer Patch, June 1992: 3 ryegrass and billbugs, July 1992: 10 and Brown Patch, August 1992: 1 and Curvularia intermedia, August 1992: 4 and evaluation programs, Sept/Oct 1992: 1 and Pythium root rot, Premier 1992: 1 resistance to Cochliobolus sativus (=Bipolaris sorokiniana). August 1992: 3 and Rhizoctonia zeae pathogen, August 1992: 2



Broad-leaved plaintain

sampling soil, Nov/Dec 1992: 2-6 techniques, Nov/Dec 1992: 3 sandy loam, Nov/Dec 1992: 11 scarab grubs, July 1992: 3 Scott's Fluid fungicide, Premier 1992: 4 Scott's ProTurf fungicide, Premier 1992: 4 Scott's Pythium fungicide, Premier 1992: 4 seed buying decisions, Sept/Oct 1992: 1, Sept/Oct 1992: 3, Sept/Oct 1992: 6 seedling vigor ratings of Kentucky bluegrass cultivars, Sept/ Oct 1992: 5 Sevin insecticide, July 1992: 5 Sheath blights, August 1992: 1 smoke ring and Rhizoctonia solani pathogen, August 1992: 1-2 and Rhizoctonia zeae pathogen, August 1992: 2 sod webworms, and fine fescues, July 1992: 10 Sodium (Na) and Percent (%) Base Saturation (P.B.S.), Nov/Dec 1992: 8 and soil pH, Nov/Dec 1992: 7 acidic, Nov/Dec 1992: 1, Nov/Dec 1992: 5, Nov/Dec 1992: 6

alkaline, Nov/Dec 1992: 1, Nov/Dec 1992: 5 biological components, Sept/Oct 1992: 11 and biological control of insects and pathogens, Nov/Dec buffer pH, Nov/Dec 1992: 3-4, Nov/Dec 1992: 6 calcium level, August 1992: 6, August 1992: 10 Cation exchange capacity (C.E.C.), Nov/Dec 1992: 2, Nov/ Dec 1992: 7, Nov/Dec 1992: 10 chemical compaction, Premier 1992: 7 compaction, Premier 1992: 7, August 1992: 7-8, August 1992: 10, Nov/Dec 1992: 10 construction, August 1992: 7-8, August 1992: 10 Core Sample Observation Form, Nov/Dec 1992: 9 correcting deficiencies, Nov/Dec 1992: 8 decomposition, Nov/Dec 1992: 11-12 essential elements, Nov/Dec 1992: 4 interface (layering), Premier 1992: 7, August 1992: 7-8, Nov/Dec 1992: 10 laboratory testing, Nov/Dec 1992: 2 macrobiological discussion, Nov/Dec 1992: 11 macronutrients, Nov/Dec 1992: 1, Nov/Dec 1992: 3 magnesium level, August 1992: 10 micronutrients, Nov/Dec 1992: 1, Nov/Dec 1992: 3 micro-organixms, Sept/Oct 1992: 11 mineral components, Nov/Dec 1992: 11 moisture, fertility, and leaf production study, Sept/Oct 1992: 11 nitrogen fixation, Nov/Dec 1992: 11 nutrient cycling, Nov/Dec 1992: 11 nutrient ions, Nov/Dec 1992: 1 organic matter degradation, Nov/Dec 1992: 11 pan formation, Nov/Dec 1992: 10 particle flocculation, Nov/Dec 1992: 6 particle structure, August 1992: 7-8 pH conditions, Premier 1992: 9, Nov/Dec 1992: 1, Nov/Dec 1992: 6 plant nutrients, Nov/Dec 1992: 3 and plant-microbe symbioses, Nov/Dec 1992: 11 primary components, Nov/Dec 1992: 11 sampling, Nov/Dec 1992: 2-6 and silicon dioxide, Nov/Dec 1992: 11 structure, Nov/Dec 1992: 10 test reports, Nov/Dec 1992: 7 test results, Nov/Dec 1992: 4 turf management decisions, Nov/Dec 1992: 10 defined, Nov/Dec 1992: 7, Nov/Dec 1992: 10 See also soil, pH conditions species or variety choices, and drought stress, August 1992: 7-8, August 1992: 10 sporangia defined, Premier 1992: 4 production, Premier 1992: 4 sporulate, defined, June 1992: 8 spot blight. See Pythium (cottony) Blight Spotrete™ contact fungicide, Premier 1992: 5 spray tips, replacing, Premier 1992: 9 Spring density ratings of Kentucky bluegrass cultivars, Sept/ Oct 1992: 5 Spring greenup ratings of Kentucky bluegrass cultivars, Sept/ Oct 1992: 5 Steinernema glaseri nematodes, July 1992: 3



Hawkweed, paintbrush

Sterol inhibitors, systemic fungicide, Premier 1992: 5 Storm Water Hotline, Premier 1992: 11 storm water run-off. Premier 1992: 11 Subdue™ systemic fungicide, August 1992: 11 for Pythium root rot, Premier 1992: 3, Premier 1992: 4 for turf grass diseases, Premier 1992: 5 Suffolk turfgrass, quality of, Sept/Oct 1992: 9 sulfate ions, and soil pH, Nov/Dec 1992: 6 Sulfur (S) available forms and ion charges, Nov/Dec 1992: 1 and soil pH, Nov/Dec 1992: 4 sulfur-coated urea, defined, June 1992: 8 Summer Patch and age of turf, June 1992: 5 causes, June 1992: 2 co-factors, June 1992: 8 contributing factors, June 1992: 6 control strategies, June 1992: 1, June 1992: 8 and cultural practices, June 1992: 6-7 and cutting height, June 1992: 6 defined, Premier 1992: 8 determinant factors, June 1992: 10 disease cycle, June 1992: 2 environmental factors, June 1992: 3, June 1992: 4, June and fertilizer, June 1992: 4, June 1992: 7 and fungicides, June 1992: 3, June 1992: 7 further readings, June 1992: 5 infection and symptom relationships, Premier 1992: 7 and management practices, June 1992: 4, June 1992: 7-8 and nitrogen sources, June 1992: 7 quick reference guide, June 1992: 10 recommended courses of action, June 1992: 9 reduction of stress conditions, June 1992: 8 roots and rhizomes, June 1992: 2 sample plans, June 1992: 9

and site history, June 1992: 10	Turfcam restricted-use pesticide, July 1992: 5
site survey form, June 1992: 10	Turfcide™ contact fungicide, Premier 1992: 5
site-specific factors, June 1992: 2	turfgrass industry
and soil moisture levels, June 1992: 4	issues, Premier 1992: 11
and soil temperatures, June 1992: 2, June 1992: 4, June 1992: 6	needs of managers and other end users, Premier 1992: 13 research, Premier 1992: 12
and sulfur-coated urea, June 1992: 7	turfgrass quality ratings tables, Sept/Oct 1992: 4
survey, June 1992: 11	Turfgrass Seed Evaluation Worksheet, Sept/Oct 1992: 7-8
symptoms, Premier 1992: 2, June 1992: 1, June 1992: 3	U
and tests of turfgrass species, June 1992: 7	경기가 가는 하는 것이 없는 것이 들었습니다. 아이들은 사람들은 경기를 받는데 없다면 다른데 없었다.
University of Maryland studies, June 1992: 7	University of Idaho, research on bacteria, Sept/Oct 1992: 11
and watering practices, June 1992: 6	University of Maryland Summer Patch studies, June 1992: 7
swimming spores, and Pythium Blight, August 1992: 6	urea defined, June 1992; 8
symptoms	forms of, June 1992: 4
defined, Premier 1992: 4	urea formaldehydes, June 1992: 4
Pythium root rot, Premier 1992: 1—2	U.S. Department of Agriculture
relationship to infection, Premier 1992: 7	Beltsville Agricultural Research Center and NTEP, Sept/
Summer Patch, Premier 1992: 2, June 1992: 1	Oct 1992: 1
syringing, defined, June 1992: 8	
systemic fungicides, Premier 1992: 4-5	V
T	Vinclozolin systemic fungicide, Premier 1992: 5
Takeall Patch, symptoms, Premier 1992: 8, June 1992: 1	visual characteristics tables, turfgrass, Sept/Oct 1992: 5
tall fescue	volitilization, and pesticides, Premier 1992: 10
and billbugs, July 1992: 10	Vorlan [™] systemic fungicide, Premier 1992: 5
and Brown Patch, August 1992: 1	W
and evaluation programs, Sept/Oct 1992: 1	
and lesions, August 1992: 2	warning signs for pesticides, July 1992: 8
and Rhizoctonia zeae pathogen, August 1992: 2	waste reporting, Premier 1992: 11
Teremec SP™ fungicide, Premier 1992: 4	water percolation, and drought stress, August 1992: 7—8,
Terraclor™ contact fungicide, Premier 1992: 5	August 1992: 10 well water survey, Premier 1992: 11
Terrazole™ contact fungicide	Winter color ratings of Kentucky bluegrass cultivars, Sept/
for Pythium Blight, August 1992: 11	Oct 1992: 5
for Pythium root rot, Premier 1992: 3	World Health Organization (WHO)
for Pythium root rot,, Premier 1992: 4	standard, Premier 1992: 9
for turfgrass disease control, Premier 1992: 5	
Tersan 1991™ systemic fungicide, Premier 1992: 5,	Z
June 1992: 3	Zinc (Zn)
Tersan LSR™ fungicide, Premier 1992: 4	available forms and ion charges, Nov/Dec 1992: 1
Tersan SP™ fungicide, Premier 1992: 4	and soil pH, Nov/Dec 1992: 4
thatch	
accumulation, August 1992: 10	
and Curvularia Blight, August 1992: 4	
depth, August 1992: 7-8, Nov/Dec 1992: 10	
and earthworm study, July 1992: 10	ASK THE EXPERT
high levels during drought stress, August 1992: 10	ASIX THE LATERI
Thiophanate Ethyl systemic fungicide, Premier 1992: 5	
Thiophanate Methyl systemic fungicide, Premier 1992:	Turf Grass Trends
5, June 1992: 3	1775 T St. NW
Thiram contact fungicide, Premier 1992: 5	
Thiramad™ contact fungicide, Premier 1992: 5	Washington, DC 20009-7124
topsoil mass, and drought stress, August 1992: 7-8,	
August 1992: 10	
Touchdown turfgrass, quality of, Sept/Oct 1992: 9	Tel: (202) 483-TURF
toxic plant proteins, Premier 1992: 13	
(+triadimefon) fungicide, Premier 1992: 4	Fax: (202) 483-5797
Triadimefon systemic fungicide, Premier 1992: 5, June	
1992: 3, August 1992: 11	CompuServe: 76517,2451
Trichlorfon insecticide, July 1992: 5	Compactive. 70517,2451
Triumph restricted-use pesticide	Internet: 76517 2451@COMPLICEDVE COM
granular formulation, Sept/Oct 1992: 10	Internet: 76517.2451@COMPUSERVE.COM
for grub control, July 1992: 5, July 1992: 6—7	