Question Answer with Rutgers University

I run a sports facility for a school in North Jersey. I was referred to you by a consultant with the hope that you could steer me in the direction of a variety of bluegrass that is leaf spot resistant. I have had leaf spot for most of the spring and would like to overseed with a bluegrass blend that might better serve to protect against the disease in the future. Please respond with any information that might help.

At There are many newer varieties of Kentucky bluegrass that havegoodleafspotresistance.BelowisalinktotheNationalTurfgrass Evaluation Program (NTEP) website showing leaf spot results for Maryland, Massachusetts, and New Jersey. Any entry raked above 6.0 (I suggest using the mean for all three sites) should suffice. http://www.ntep.org/data/kb05/kb05_09-10/kb0509t26.txt

Keep in mind that overseeding Kentucky bluegrass into existing turfgrass stands is not typically effective. The practice is even less effective in spring. Perennial ryegrass is a much more likely to establish when overseeded. The following link will allow you to download the Rutgers Fact Sheet titled, *Integrated Control of Gray Leaf Spot on Perennial Ryegrass* that lists grey leaf spot resistant perennial ryegrass varieties: http://njaes.rutgers.edu/pubs/publication.asp?pid=FS1048. Gray leaf spot is a devastating disease that affects perennial ryegrass and the use of resistant varieties is an important consideration. - bsp

I have a question I hope you can help with. We have a school district administrator who is unhappy with the bumpiness in the fields. He would like us to remedy this problem; however, total reconstruction is out of the picture. We generally do not roll our lawns, because of compaction issues. Although, in this case, I think it may be the only way to fix the problem, because I do not think topdressing alone will fix the problem.

So, do you recommend rolling in this situation? If so, how much weight can be applied? Would you recommend rolling in 2 directions? Would you recommend aerating after/ before? Any information you can give would be greatly appreciated. Thank you very much.

Attempting to solve bumpiness/surface inconsistencies in lieu of field reconstruction will be largely dependent upon the size and nature of the high and low spots. High and low spots resulting for poor grading at the time of construction are difficult to fix by way of rolling, core cultivation, topdressing, etc.

Smaller surface inconsistencies resulting from unfilled divots, penalty kick areas, etc. may be manageable with 'surface

treatments' such as cultivation and topdressing or rolling. I think a reasonable goal is to attempt to **smooth** the surface - as opposed to address large 'bird baths' that will hinder surface drainage.

Annually, Monmouth Park Racetrack performs core cultivation (using deep tines that extract soil), core reincorporation via dragging, and sand topdressing at the end of the season after their turf track has been heavily divoted by horses. While they do replace/fill divots during the racing season, I am amazed how 'smooth' the course becomes after this process. The process of core cultivation and reincorporation by dragging does a very good job eliminating surface irregularities and subsequently smoothing the surface. This may be a good end-of-sports-season operation for your situation

In terms of rolling, I would be hesitant to put a roller on the field if you are working with a fine textured soil (i.e. susceptible to compaction), there is a lot of bare soil present, and conditions are wet. The more turf cover present (particularly Kentucky bluegrass), the more likely rolling will help to smooth the surface as opposed to over-compact the soil. Based on my experience with our research trials (we are working with a loam soil), I would suggest using no more than a 1.0-ton roller. Do not engage the vibratory function. Soil conditions should be relatively dry. I probably would start by rolling in only one direction. Again, if done properly, this will have the effect of smoothing the surface - not correcting poor surface grading issues. So, identifying the severity and nature of the problem and your objectives up-front are very important. - bsp

Are you aware of any Kentucky bluegrass varieties that germinate in 7-10 days. Is this true or just a rumor? If it is true, how do these look and perform?

Tiger Field at East Brunswick Vo-Tech, East Brunswick, NJ. The field was fumigated with Basamid in August 2005. A 5-variety blend of Kentucky bluegrass (Midnight, Jefferson, Limousine, Serene, and Goldrush) was seeded on September 1. Germination was observed approximately September 9. These were ideal conditions for rapid germination: Optimal soil temperatures, optimal time of year, automatic irrigation, native sandy loam soil. Likely, what we saw was one or two varieties exhibiting rapid germination several probably took a little longer to germinate. The germination and establishment rate we saw in August 2005 would not occur in late September and beyond - particularly for Kentucky bluegrass; soil temperatures would be too cool at that point.

If you're interested in rapid germinating Kentucky bluegrasses, you may want to check out the NTEP website and look at the turfgrass establishment data taken for the 2005 NTEP Kentucky bluegrass test (Fall 2005 - maybe lumped into the 2006 data). There are some interesting differences. The NTEP trials, regardless of location, are almost always seeded in late summer/ early fall. - bsp

The facts behind our situation are as follows: I) Our high school behind the street we reside on is attempting to raise funds to install an artificial turf athletic field, replacing the existing natural grass field; 2) Since they would never pay for this with taxpayer dollars, there is a fundraising effort to purchase this field; 3) The people on our street are opposed to this because of the significant noise and traffic it might cause. We raised **environmental concerns** such as compounds in the crumb rubber cushioning - but not sure if these would be taken seriously; and 4) It seems the one issue might be "maintenance costs".

Would you have an opinion on whether costs to maintain an artificial turf athletic field are significantly less than a natural turf field? Any information or articles related to the above concerns would be greatly appreciated. Thank you for your time.

A: You are not alone. I have received this type of inquiry numerous times. As for maintenance costs, these infill synthetic fields can be maintained with minimal inputs; HOWEVER, under that approach the conditions on the field will deteriorate much faster and become increasingly compacted (hard), debris will eventually clutter the field, and unrepaired seam failures would become a safety hazard. So in reality, there are significant synthetic field maintenance costs.

Manufacturer's maintenance manuals for synthetic fields call for brushing and grooming to loosen compacted infill; cleaning equipment (needs to be purchased) and/or crews are needed to pick up debris; and staff/contractors are needed to repair worn out areas, failed seams, etc. Some municipalities and schools are concerned with bacterial infections and will pay to have the field periodically sanitized to limit their liability to potential serious infections (although some people believe this is unnecessary). These costs will certainly be in the thousands of dollars per year and can total into the tens of thousands per year when the fields are intensively used and managed, especially if this work is done via service contractors.

Ultimately, the most important "maintenance" cost for a community is the tear out and replacement costs for synthetic fields - these fields do not last forever. Albeit unusual, I know of a field that was replaced 6 years after the initial installation. Most companies will not stand behind a synthetic field (guarantee it) for more than 8 years.

continued on page 18

You're Always Ahead of the Game with a COVERMASTER® Raincover...

"Great Service..., The Best..."

wrote Chip Baker, Asst. Baseball Coach, Florida State University, Tallahassee, FL

Chip's comments confirm what we hear from the many groundskeepers who use a COVERMASTER® raincover to keep their fields dry and ready for play.

Call us and we'll gladly tell you more.

The COVERMASTER® Advantage...

- Superior in strength and UV resistance
- Outstanding heat reflective properties
- Light weight easy to handle
- Widest materials for least number of seams
- Largest choice of weights and colors
- Backed by truly dependable warranties

TARP MACHINE VIDEO!

Call, fax or e-mail for a free video, material samples and a brochure.





fields are also readily available.





the cover on and off in minutes. lengths with safety end caps.



CALL TOLL FREE 1-800-387-5808

covermaster.com E-MAIL: info@covermaster.com



MEMBER SportsTurf

COVERMASTER INC., 100 WESTMORE DR. 11-D, REXDALE, ON, M9V 5C3 TEL 416-745-1811 FAX 416-742-6837

Question & Answer

Continued from page 17

Each situation will be somewhat different but based on actual replacement cases (in 2008 dollars), the costs for tear out and disposal of the old carpet and replacement has ranged from \$400,000 to **\$450,000**. Obviously, this value will change over time with inflation but simple math suggests a community will need to average raising many tens of thousand of dollars per year (in addition to the "normal" maintenance cost of grooming, brushing, cleaning, repair, etc.) to be capable of replacing a worn-out field.

If the idea of "recycling" a synthetic field is thrown out to make people "feel good" about the project, you need to ask two things: How much does it cost to recycle a synthetic? ... and ... Where is there a LOCAL recycling facility that will recycle the synthetic field product? I expect that you will not get a specific answer to either of these questions.

Below are some URLs to resources that more thoroughly discuss these ideas on synthetic sports fields. hope you find this useful. A Guide to Synthetic and Natural Turfgrass for Sports Fields (STMA document) http://www.stma.org/_files/_items/stmamr-tab I-2 I72/docs/2nd%20edition.pdf

Replacing a Synthetic Turf Field One Manager's Experience (SportsTurf Magazine article: January 2010) http://digitalmagazinetechnology. com/a/?KEY=sportsturf-10-01january#page=11

Two Manufacturers' **Opinions** on Maintaining Synthetic Turf (SportsTurfMagazinearticle:February2010) http://digitalmagazinetechnology. com/a/?KEY=sportsturf-I0-02february#page=37&zoom=0 - jam

Dr. James Murphy is Extension Specialist in Turfgrass Management, Rutgers University and SFMANJ Advisor.

Brad Park is Sport Turf Res. & Ed. Coor., Rutgers University; Editor, SFMANI Update; and a member of the SFMANJ Board of Directors.



Did you know . . .

The leaf spot that affects some Kentucky bluegrass varieties each spring is caused by Bipolaris spp. and Dreschslera spp. fungal pathogens. Gray Leaf Spot, which can be devastating to many susceptible perennial ryegrass varieties, is caused by an entirely different fungal pathogen, that being Pyricularia grisea.

High Quality **Bluegrass & Tall Fescue**

Sand Sod grown on Hammonton sandy, loam-type soil designed for today's specialized modern athletic fields

Visit Us at Our Updated Web Site:

www.ttfarms.com

Our Completely Irrigated 700-acre farm allows production and deliveries to parts of Pennsylvania, Delaware, New York and all of New Jersey.

Labor Saving Big Rolls, please call for custom installation prices. 800-222-0591

609-561-7184 609-561-0296 Fax 401 Myrtle Ave. . P.O. Box 148

Hammonton, NJ 08037



"Instant Lawns"