

March/Apr. 2003

e-mail HQ@sfmanj.org

website www.sfmanj.org

Update

Vol. 3 •No.1

## Mark your Calendars!

**Bigger than Last Year!** 

SFMANJ April 10<sup>th</sup> Athletic Field Day Combined with New Jersey Recreation and Parks Association

WHERE:	Wall Twp., Monmouth County	
WHEN:	April 10 <sup>th</sup> , 8am-8:30 reg.	
	8:30am to 2:30pm	
WHAT:	2 hour Vendor Trade Show	
	Hot Lunch	
TOPICS:	Appealing to Park & Rec and	
	Athletic Field Managers	
	Educational Sessions indoors	
	Featuring outdoor demos	
	Various aspects of outdoor	
	maintenance and safety	
	IPM regulations update	
OFFERED:	Pesticide credits & CEU's	
COST:	\$35 SFMANJ & NJRPA member	
	\$45 NON-members	
	Booth space \$100 members	
	NON-members \$125	

Watch in the mail the flier with more information. Sign-up forms on page 4 Vendors call 908-730-7770 for applications.

## **SFMANJ BUSINESS**

\* *Next Board of Directors Meeting* – Thursday March 13<sup>th</sup>, 5pm at Storr Tractor Company on Rt. 22, Somerville.

\* Opening - Board of Directors, under Professional Facility: Interested parties should send a letter of intent with resume to the chapter address on the last page.

\* Membership: Presently 260

## **INSIDE THIS ISSUE**

Board of Directors			
Welcome New Members			
Membership Form			
Monthly Field Tip "Water Conservation"			
Calendar of Events	4		
"All Things Considered"	6		
"Are you Certifiable?" Take the Test"	9		
"What You Must Know About Turf Pesticides & the Environment"			
"Fertilize Your Turf as if it's Very Survival Depends on it"	14		
Proud Sponsor Directory	16		

This newsletter is the official bi-monthly publication of the Sports Filed Managers Association of New Jersey. For information regarding this newsletter, contact:

SFMANJ at 730-7770 or 908-236-9118 Co-editors Jim Hermann, CSFM & Eleanor Murfitt

### "NJRPA ANNUAL CONFERENCE & TRADE SHOW AT BALLY'S"

March 16-19 in Atlantic City, NJ call Bill Foelsch or Terry Dunwiddie at 732-568-1270 for a brochure.

Topics of interest for the sports field manager: The Park Construction Process start to finish Supervisor's Tool Kit Skatepark Operations & Programming Employee Performance Management Integrated Pest Management for Parks Maintenance Improving Your Sports Fields Public Purchasing Law updates & New Contracting Purchasing Options Trails Accessibility plus more.....

## 2003 SFMANJ BOARD OF DIRECTORS

President..... Eleanora Murfitt Washington Twp Parks & Recreation

Vice President..... Jim Hermann CSFM **Total Control Inc** 

Secretary..... Fred Castenschiold Storr Tractor Company

Treasurer..... Dean Marzocca Dean's Lawn & Landscape

#### DIRECTORS

Dr. James Murphy - Rutgers University

Dr. John Grande - Rutgers Snyder Research

**Bud Perdun - North Brunswick School** 

Tom Torpey – Township of Monroe Parks

Jeff Cramer – Plainsboro Township DPW

George Van Haasteren CGM - Sports Field Management Systems Inc.

Clare Liptak - Rutgers University

Advisor.....Dr. Henry Indyk TurfCon GSI Consultants, Inc.

#### MISSION STATEMENT

Committed to enhancing the professionalism of athletic field managers in New Jersey by improving the safety, playability and appearance of athletic fields at all levels through seminars, field days, publications and "networking" with those in the sports turf industry.

#### Contact us at:

P.O. Box 370 Annandale, NJ 08801 Web Site - www.sfmanj.org E mail - hq@sfmanj.org Ph/Fax - 908-730-7770

National Organization Sports Turf Managers Association

Web Site - www.sportsturfmanager.com E mail - SportsTMgr@aol.com Phone - 1-800-366-0391

## "Welcome New & Renewed SFMANJ Members"

Currently we have 260 members. If you haven't renewed your membership send in the membership form from this newsletter or call (908) 730-7770.

Dave Aler Armaniaco Robert Bailev James Barone Victor E. Eugene Bellusci James Betts Biernacki Walter Bijaczyk Jr. Barbara Bromley\* Bob Buono Paul Burke Castenschiold Fred Tom Chevrier Dr. Bruce Clarke Collincini Gerald Collins Dana. Corn Ronald Demprey W. Bryan Wayne Devico John DeVries Jr. Walter Earl Brian Feury Fitzgerald Sr. Dave Foelsch Bill Frey George James Gates Jim Gavigan Lawrence George James Gilligan Sean Goodwin John Grande Grieb Bob Griffith Glenn Todd Gritschke Hammerdahl Erik Rob Haynes Jim Hermann Art Herner William Hurley Jr. Kenneth Jenks James C. Kelsev Steven Koplove Scot P Korlesky Kenneth Krohe Tom LaRowe Jim Lawlor Lukawitz Joe Walter Mahler Kevin Malone Thomas Martin Paul Martino Gerard Marzocca Dean Marzocca Barry McBain George M. McCarthy Edward McFadden Brian McGuirt McKnight John

Ed

South Brunswick Twp **Tenafly Borough** Township of Holmdel DPW Township of Weehawken Village of Ridgewood Tuckahoe Turf Farms Inc South River Board of Ed Somerset County Park Comm. Rutgers Coop. Ext. of Mercer Tri State Athletic Field Township of Manalapan Storr Tractor Co.

Rutgers, Pathology/Cook College Twp. of Manalapan Parks& Rec Shearon Environmenal Design Hainesport Twp. Township of Wall Recreation Mountainside Board of Ed Hillside Gardens Inc.

The Terre Company Till Paint Co. Inc. NJ Recreation & Park Assoc. Boro of Fair Lawn Parks&Rec RotaDairon Emrex, Inc. Lesco **DVH Athletic Turf** U.S. Athletics Fields Enviroscapes, Inc. Rutgers Snyder Research Farm Spring Lake Heights Borough Alexandria Twp Rahway Public Works School District of Chatham Union Township Total Control Inc. Spring Lake Heights Borough Palmyra Board of Ed Storr Tractor Co. Partac/Beam Clay Senators Baseball Genie lawn Care Keyport Board of Education Township of Delaware Atlantic City Special Improv. Dist. Newark Bear Inc. Springfield Public School The LandTek Group Pritchard Industries, Inc. Applied landscape Technologies Dean's Lawn and Landscape Dean's Lawn & Landscape Levitt's LLC Spring Irrigation Co. Inc. Matawan Amberdeen S Dist. Boro of Clifside Park Park & Rec U.S. Athletic Fields Continued on next page ......

Joseph Robert Bill Thomas Minue Tim Moore Mike Moore Walter J Steven Art Neff Thomas J Casev Parker Tony Eugene Peer Bud Perdun Ray Poerio Robert Potts John Renzulli Bob Revello Melissa Ripa Mike Risell Steve Rogers Edmund Rich Charles Gerald Saul Daniel Saul James Saxton E Sinclair Brent J. Sliker Jeffrey P Sal Richard James Stryker John Tierney Robert Tirserio Steven R Tomei Tom Torpey Robert John George Mike Leon R. Wagner Jack Warner Joseph Warner Brian Weller Bernie White Bruce Wild Thomas Witt Thomas Wojcik Zabawa Frank

Mecsky III Township of Greenwich DPW Meissner West Windsor-Plainsboro SD Menagh Borough of Mendham Township of Holmdel DPW The Lawrenceville School Springfield Board of Ed Mugavin Aqua Mist Irrigation Mulholland New Jersey City University Village of Croton Newberv Rahway Public Works Township of Lacey Pavelec Jr. Pavelec Bros.Golf Course Const. Montville Township North Brunswick Bd of Ed Township of Scoth Plains P&R Clifton Recreation Dept. Newark Academy Morristown-Beard School **DVH Athletic Turf** Shearon Environmental Design American Lawn Sprinkler Rohland Millville Babe Ruth Sports Compl Romanik City of Millville Romano Boro of Cliffside Park Parks & Rec Saul Bros.Sports Turf Services Saul Bros. Sports Turf Services Glen Rock Dept of Public Works Township of Mahwah Township of Mansfield Smith Jr. Township of Holmdel DPW Stamilla Hackensack DPW Standowski Borough of Sayreville **Delaware Valley Regional High** Township of Piscataway Glen Rock Dept of Public Works Township of Holmdel DPW Monroe Township Tranquilli Springfield Board of Ed Van Brunt Randolph Recreation Van Haasteren Sports Field Management Syst. Villanova Township of Ocean Middle Twp Public Schools Freehold Township P&Rec **DVH Athletic Turf** Schoor Depalma Wilfred McDonald Storr Tractor Co. Cranbury Twp John Deere/Finch Serv Inc. Mercer County Park Comm.

Name			
Title			
Employer			
Address			
City			
StateZip			
County			
PhoneFax			
E-Mail			
Signature			
Individual\$35 Associate\$35			
Organization/Institution\$35 Additional member from facility\$20			
Commercial/Contractor/Vendor/Supplier\$85 Additional member from company\$25			
Student\$10			
Send with Check or voucher to:			
SFMANJ			
P.O. Box 370			
Annandale, NJ 08801			

SFMANJ Membership Registration form

## "Monthly Field Tip"

#### Water Conservation

Evapotranspiration (ET) is the combined water loss from a plant community as a result of evaporation from the soil and transpiration from plant surfaces. Its impact on the efficiency of water use can be moderated through diligent management practices.

The following lists some suggestions for water conservation in turf management:

- 1. Do not stimulate rapid shoot growth during periods of high water demand. This will accelerate ET and increase water use. Avoid nitrogen applications when dry, hot conditions are anticipated. It is better to concentrate nitrogen usage during the spring and fall.
- 2. Stimulate root growth. Increase mowing height, reduce nitrogen fertility, ensure good soil aeration,

Continued on next page ......



Count on it.

# Toro Irrigation Athletic Field Specialists

For sales and design assistance, contact: Storr Tractor Co. Phila. Turf Co. Mike Pastori **Rich Toleno** 908-722-9830 267-266-0389

reduce thatch, and control root-feeding insects and root-infecting diseases. A strong, deep root system will maximize water availability, and will delay drought stress during dry periods.

- Reduce root-inhibiting conditions in the soil profile. Promptly treat soil acidity, toxic ion concentrations, anaerobic layers, and excess compaction. Most such conditions are best corrected during installation, but they can also be addressed by deep coring, by adding soluble lime and nutrients, and by selecting acid-tolerant turfgrasses.
- Develop irrigation practices based on the concept of deficit water management. By applying less water than would be lost through ET under well-watered conditions, turf can be maintained under managed drought stress. This stimulates deep rooting and conserves water. ▲

This material was excerpted with permission from Iowa Sports Turf Managers Association Newsletter, April 1997. It originally appeared in TurfGrass TRENDS, October 1996.





#### Suppliers to the Sports Turf Industry

Moyer & Son, Plant Nutrients offers a complete line of professional sport turf care products to deliver your quality expectations. Custom blend liquid sport turf fertilizers, M.O.S.T. organic fertilizers, Moyer Green Gro granular sport turf fertilizer, exclusive grass seed and erosion control products. Contact our New Jersey Turf Consultant.

**Doug Gray** Office: (856) 256-0773 Cell: (215) 620-1054

## **CALENDAR OF EVENTS**

NEW JERSEY RECREATION & PARKS ASSOCIATION TRADE SHOW & CONVENTION

March 16-19, 2003 at Bally's Park Place Hotel & Tower, Atlantic City, NJ Contact Bill Foelsch or Terry Dunwiddie at the NJRPA Office at

732-568-1270 or fax 732-568-1274 (See front page)

#### SPORTS FIELD MANAGERS ASSOCIATION OF NEW JERSEY SPRING FIELD DAY In cooperation with NJRPA

April 10, 2003 at Wall Twp., NJ Indoor & outdoor education and demonstrations with vendor Trade Show. Fliers have been sent to members.

### SFMANJ & NJRPA

Spring Athletic Field Day Held at Wall Township April 10<sup>th</sup> 8am to 2:30 pm COST: \$35 members & \$45 non-member \$5 late charge at the door

Organization:\_\_\_\_\_

Names:

Address: –

Phone: \_\_\_\_

March/April 2003

# attending\_\_\_x \$\_\_\_\_\_ = TOTAL \$ \_\_\_

Copy this form (credit cards accepted) Send voucher or check to: NJRPA 13 April Lane Somerset, NJ 08873 Ph732-568-1270 or Fax 732-568-1270

# Storr Tractor Company Distributors of Quality Turf Care Equipment



Count on it.



Representing the Equipment that gives Athletes & Sportsfield Managers alike the playing surfaces they need to achieve their Personal Best.

3191 Route 22 · Somerville, NJ 908-722-9830



#### "All Things Considered" – Specifying New Tractors and Mowers

#### Todd Cochran / CGM\*

The growing season is approaching and you're thinking about adding a new tractor or mower to your operation. Perhaps your present equipment is due for replacement, or you've taken on more acreage. Maybe you have labor challenges and must look to machines to keep up or increase production. Or could it be you were at the most recent equipment expo and now you feel compelled to upgrade. Whatever the reason, today's grounds managers need to carefully define their requirements before specifying a new piece of equipment.

Before deciding on a particular unit, whether it is a dedicated mower or a combination of tractor and implement, performing an operations inventory can help narrow the field. As the grounds manager, you should be able to identify the task you need to perform, the time you have to do it, how many times you have to do it, the human resources available to do it, and what you can afford to spend to complete it. Of course each site and operation will have its unique requirements, but its best not to ignore the obvious.

With respect to mowers, never has there been so many brands offering so many features to perform essentially the same function. Wading through the brochures or walking the showroom floor can leave you frustrated and confused. How can they all be the same thing, only different? In order to match a piece of equipment to your requirements you need to understand what the specifications will mean to the operator, mechanic, and the budget. You can be sure that the dealers and sales reps know their specs and they know the competition's. To get what you want, you need to know what you want.

Generally speaking, the size of the area will dictate what type of equipment is most appropriate. For those who care for large tracts of turf, parks or right-ofways, tractor/mower combinations and large riding mowers tend to dominate. Managers of smaller areas as found on campuses, condo developments, or the lawn maintenance contractor will find the widest variety of options among the small ride-on and large walkbehind offerings.

#### Tractors

For large landscapes, parks and right-of-ways, a traditional style utility tractor still holds a place in the equipment shed. Unrivaled for it's versatility, when properly equipped it can mow, tow, load, grade, rake, blow and more. When used strictly as a traction unit for a mower, it excels at long, straight passes and lawns or fields allowing wide turns. Although tractors are appealing for their simplicity there are still a number of choices to be made.

*Horsepower*- Depending on potential towing and lifting jobs an adequate engine horsepower needs to be determined. Look carefully at PTO driven implements you may use now or in the future to ensure sufficient horsepower at the PTO.

Sports Field Managers Association of New Jersey

March/April 2003

Continued on next page.....

*Four-wheel drive-* the additional traction and front-end weight is a benefit worth the expense when mowing on slopes, hilly terrain or if the until is to be used for other tasks such as snow removal, rough grading, or tilling.

*Tire size and style-* If your tractor will be used for general purposes consider non-directional tires for the rear and implement tires up front. For those with a frontend loader, industrial type front tires may be more suitable. Right-of way mowing, rough grading or muddy conditions often require agricultural treads and larger front tires. Over-sized, high flotation tires reduce pressure on fine turf and permit work in marginal conditions.

*Fuel type*- Gasoline or diesel is still an option in some small and mid-range horsepower tractors. Fuel availability for your facility or application should be considered.

*Gear drive vs. hydrostatic*- The jury is still out on this one. When your tractor will be stopping and changing direction frequently than a hydrostatic transmission may be for you. When you need to calculate and maintain a constant ground speed or will be using a variety of attachments then the tried and true gear drive is favorable.

*Remote hydraulics*- In order to take advantage of the today's attachments, hydraulic ports have become a must have item.

#### Large Riding Mowers

Institutional grounds managers, golf courses and parks departments have made the four-wheeled, rear steering, liquid cooled, 72in out-front mower the standard of their industry. Their heritage is mowing large grounds, but new attachments spring up every year in an effort to make these machines year-round workhorses. Evolution in this category has been difficult to notice. These machines are a testimony to the adage that if it's not broken, don't fix it.

*Mower size*- Width of cut for large rotary mowers can range from 48in to 16ft, with 72in being the standard. Jumping from a 72in to a larger articulating deck or wing decks comes with significant increase in cost. Make sure you can recover the additional expense with increased production and labor savings.

**Belt drive vs. hydraulic**- Possibly, the most important trend in this segment of the market is the move toward hydraulically driven mowers. Hydraulics eliminates belts and their maintenance issues and there are no spindles or drive shafts to grease. You should expect less down time with hydraulics but be ready for heftier repair bills.

**Discharge or mulch**- Side discharge decks are proven and common. Consider a rear discharge deck to address the issues of windrowing, close trimming and safety. Be aware that mowers designed specifically to mulch clipping and those that are adapted to will not perform well in wet or high grass. Without a directional discharge they afford additional safety and may eliminate the need to manage clippings. *Fuel type*- Gas or diesel options still exist in some product lines.

#### Zero Turning Radius Mowers (ZTRs)

Because of their zero turning radius, speed, compact size and affordability these mowers have attracted a great deal of attention in recent years. Grounds managers with tight schedules and small crews can use these machines in areas previously left for walk behind machines. Likewise, the lawn maintenance contractor can increase productivity by having a smaller crew ride instead of walk and save space on the trailer. Zero radius turns are accomplished by independently operated hydraulic drives. While one wheel spins forward, the other spins in reverse. There is an awkward transition period when switching from a steering wheel ride-on or large walk-behinds, but its brief and painless.

Virtually all major manufacturers are present in this market. While most models look incredibly similar each manufacturer wants to be recognized for one unique feature or another. Our job is to separate fashion from function. Remember here that increase in speed refers to time to finish rather than ground speed of the machine. As with any mower, beyond a certain speed, quality of cut declines rapidly.

*Mower size*- Decks for ZTRs generally begin at 36in and top out at 72in. Width of gates, space between trees, size of lawns will tell you what size you need. When you are working on a property that can justify a 72in ZTR,

Continued on next page .....



you may want to think hard about a large ride-on for its ability accept a variety of attachments.

**Mid-mount or out-front-** ZTRs come in two configurations, both with specific advantages. Front-mounted mowers allow access under low branches, provide an excellent line of sight and on more and more models, the deck tilts to save storage space and provide easy access for inspection and maintenance. These models have a greater overall length than their mid-mount cousins. Mid-mount mowers provide a tighter turning radius and nearly all new models feature fully floating decks and anti-scalp rollers. Another user-friendly feature available in this class is the ability to change the height of cut without leaving the operator's seat.

*Sit or stand*-Standing riders will definitely save you space on the trailer. This may be their greatest attribute.

*Air-cooled or liquid-cooled* –Several manufacturers have liquid-cooled machines in their line-up. With the same level of maintenance, you should expect longer engine life from the liquid-cooled machine. Air-cooled engines reach a maximum in the 20hp range. If the mower is going to put in long hours at peak horsepower, liquid cooled machines will prevail in the long run. *Ease of service*-Access to lubrication points, belts and pulleys can be tricky. Make sure the model you specify can be maintained with reasonable effort.

Once you have decided on a particular type of tractor or mower, before heading for the dealer with your checkbook or putting the specs out to bid, make sure you've done all your homework.

- Ask you crew what they like in a machine and what they don't like.
- Speak to somebody who already owns one.
- Arrange for a demonstration at your site with your crew.

Remember to keep your head when specifying new equipment. Salespeople will always be willing to sell you what they have. Knowing what you need will allow you to make the right deal.  $\blacktriangle$ 

\*Assistant Superintendent Bergen County Department of Parks, Bergen County, NJ



YOUR "ONE-STOP SOURCE FOR AMERICA'S LEADING **BASEBALL SURFACES & SUPPLIES** THE PROFESSIONAL'S CHOICE SINCE 1922 USED BY OVER 100 PRO TEAMS, OVER 600 COLLEGES, PLUS THOUSANDS OF TOWNS & SCHOOLS WORLDWIDE. SPECIAL MIXES FOR INFIELDS, PITCHER'S MOUNDS & HOME PLATE AREAS. **REGIONAL INFIELD MILLES** AND RED WARNING TRACKS FOR EVERY STATE & CLIMATE! PLUS INFIELD CONDITIONERS TO IMPROVE EXISTING INFIELDS: IF TOO HARD AND POORLY DRAINING! THE REDDER, LESS DUSTY, MORE UNIFORM **INFIELD CONDITIONER & DRYING AGENT** "RED" OR "GREY" FOR INFIELDS "GREEN" FOR TURF FOR CONSISTENT INFIELD CUSHION IN WET OR DRY WEATHER! IF TOO SOFT & DUSTY? **STABILIZER®** FOR FIRM, YET RESILIENT, PLAYING SURFACES TO QUICKLY DRY INFIELDS! The Original & Most Absorbent is Now NEW & IMPROVED GRANULAR OVER 200 OTHER INFIELD PRODUCTS: Now in 6 Colors! FENCEGUARD rotective Safety Covers or Chain Link Fence WALL PADDING . WINDSCREEN . RAIL PADDING WALL PADDING • WINDSCREEN • RAIL PADDING TAMPERS • DRAG MATS • RAKES HOLLYWOOD<sup>®</sup> BASES • FIELD MARKING MACHINES BATTING PRACTICE COVERS • RAIN COVERS BATTING PRACTICE COVERS • RAIN COVERS SAFE \*1" MATT'\* BATTER'S BOX PADS TYPAR<sup>®</sup> & TERRA-BOND<sup>®</sup> GEOTEXTILES ON-DECK CIRCLES WITH TEAM LOGOS PERMANENT FOUL LINES & MUCH MORE! FREE INSTRUCTIONAL BROCHURES DISTRIBUTION CENTERS NATIONWIDE! 800-247-BFAM 908-637-4191 / FAX 908-637-8421 PARTAC PEAT CORPORATION KELSEY PARK, GREAT MEADOWS, NJ 07838 The best infield mix I've ever used. - GEORGE TOMA



DVH will help you Construct, Renovate, Maintain & Manage your soccer, football, baseball/ softball and field hockey fields.

Contact us... Renovation & Construction: Joe Wamer iwarner@thedvhgroup.com

Turf Management & Maintenance: Greg Winfree gwinfree@thedyhgroup.com

Check out our "Project's of the Month" on our website!



To call us for:

Top-dressing

Core Aerification

Seed, Mulch, Sod

Laser-guided grading

626 Park Road

Cherry Hill, NJ 08034

800.942.0134

www.thedvhgroup.com

### Are you Certifiable? Take the Exam

\*Jim Hermann CSFM,

1. Do you have more scrap books filled with pictures of your athletic fields than you do of your family?

Did you answer yes? Guess what? You could be certifiable.

 Do you feel the Dallas cheerleaders should be banned from the playing field due to the unnecessary wear they inflict on the playing field.
Yup, probably certifiable.

No, this wasn't the Exam but I hope I got your attention. The exam I am referring to is the exam that may designate you as a "Certified Sports Field Manager". The national "Sports Turf Managers Association" has developed this test to not only acknowledge the abilities and understanding of those sports field managers who have attained an exemplary level of proficiency in sports field management, but also to develop and maintain a standard of professionalism within the industry.

To become eligible to take the exam, the sports field manager must meet certain education and/or experience requirements. Although formal education beyond high school is beneficial in meeting these requirements, these requirements may be met strictly through experience. This I can confirm, speaking as the only uneducated certified sports field manager in New Jersey; or rather the only certified sports field manager in New Jersey not to have received any formal education beyond high school.

A total of 40 combined education and experience points are required to take the certification examination

The examination for certification covers four major areas of sports field management.

- Agronomics
  - Pest Management
  - Administration
  - Sports Specific Field Management

If you would like to be held accountable to a nationwide standard of competence, I would highly recommend you take the exam. Speaking from experience I can safely say; this is the only test I have ever taken where every subject covered is important in the in the day-to-day operation of my profession. Not one question during the four-hour exam caused me to pose the question; what do I need to know this for? The questions in each area covered by the exam were broad based enough to where if you aren't as proficient in one area as in another you can still do well on the exam.

Not unlike many of you, over the years I have gained experience and become, I feel, proficient at what I do. Taking the exam has allowed me to determine if I am proficient based on a national scale. This has given me an added confidence in my ability to make decisions. This added confidence is a benefit to anyone in the industry.

The national Sports Turf Managers Association provides a list of reference material that is beneficial to the sports field manager in studying for the exam. I suggest that anyone who anticipates taking the exam, acquire the recommended reference material pertaining to the four major areas of sports field management covered in the exam and take the time to review this information. Check our www.sportsturfmanager.com▲

\* President of Total Control, Athletic Field Maintenance



## Specializing in the construction and refurbishment of ball field irrigation systems

**Free Estimates** 

**Fully Insured** 

## 732-970-9300

20 Years Experience

LIC. #0015603

# Field Rakes

Our John Deere Field Finishers give you tremendous versatility when it comes to maintaining your athletic fields or park areas. A variety of attachments will make the job easier.



## **TRI STATE ATHLETIC FIELD SERVICES**

145 North Franklin Turnpike Suite 109 Ramsey, NJ 07446

## PHONE: 201-760-9700

FAX: 201-760-9791

Email: www.tristoleathietic @ aol.com

Specializing in Athletic Field Design, Construction and Maintenance



## CALL TRI STATE®"

## **National Award Winning Turf Programs**

## **OTHER INVESTMENT SERVICES & SUPPLIES:**

•	<b>CONSULTING/BID SPECS</b>		FIELD GROOMING			
•	TOPDRESSING		FIELD LINING			
	TOPSOIL/SAND		FIELD BASES			
	CORE AERATION		FIELD MARKING PAINT			
	SEED/SOD		FIELD STENCILS			
	INFIELD CLAY		SYNTHETIC SURFACES			
	CLAY DRYING MATERIAL		GOLF PUTTING GREENS			
	WARNING TRACKS		SAND TRAPS/BUNKERS			
			•			
	*CERTIFIED FLIGHT CO	NTROL	<b>®APPLICATOR*</b>			

THE SOLUTION TO GEESE CONTROL

Licensed, Insured & Bonded

11

Bob Buono President

Sports Field Managers Association of New Jersey

## "What You Must Know About Turf Pesticides and the Environment"

#### Dr.RichardJ.Cooper\*

In order to understand the movement of pesticides after application to turfgrass areas, one must first understand the nature and composition of a turforass community. Any analysis of the potential for a pesticide to leach into groundwater must take into account the amount of applied material reaching the soil surface and the amount that, in fact, moves down through the soil past the root system. Thus, plant density, rooting and thatch development have effect significant on leaching potential. a Following seeding, turfgrass plants have a great capacity to produce additional plants from the one primary plant that develops from the seed. This process of tillering,

as well as rhizome or stolon production, enables a turfgrass area to maintain and actually increase its density over a period of years, despite the fact that existing plants are maturing, senescing and dying due to environmental stresses and pests.

Although we think of turfgrass as perennial in nature, individual plants are not truly perennial and seldom live more than a year. The turf stand as a whole is perennial only because of its ability to continuously produce additional plants that grow and mature to take the place of those that die. Thus, turfgrass areas can attain plant densities approaching 2,000 to 4,000 plants per square foot, depending upon species and conditions.

This dense soil cover of plants is capable of intercepting and significantly reducing the amount of applied pesticide available to reach the soil surface and potentially leach.

Each of the several thousand plants growing per square foot of turf develops a root system to provide for water and nutrient uptake. As with shoot development and tillering, the roots of turfgrasses are not long-lived perennials and must be replaced on a regular basis in order to maintain their function.

Thus, in a period of one to two years there exists an extensive and well-developed network of roots underlying healthy turfgrass areas. Root systems underlying bentgrass and Kentucky bluegrass turf have been observed to reach maximum depths of 12 and 48 inches, respectively, with a majority of the root system occurring within the top four to six inches of soil.

While root development will vary with soil texture, mowing height, fertility, etc., these estimates provide an appreciation for the extensive nature of a typical turfgrass and are capable of adsorbing and absorbing applied pesticides that might penetrate the canopy and thatch and reach roots. Indeed, numerous pesticides are formulated as systemic materials designed to be absorbed by plant roots. The prolific rooting of healthy turf helps to reduce the vertical movement of applied pesticides.

In a vigorously growing turf environment, such as a golf course, the rate of plant tissue accumulation often exceeds the rate of decay, resulting in the development of thatch. Thatch is defined as a layer of living and dead plant material that accumulates between the zone of green vegetation and the soil. A moderate thatch layer is useful in tying up pesticide residues and preventing their leaching in soil. Also, the eventual decay of leaves, stems, roots and thatch increases the organic matter content of underlying soil. This increase in soil organic matter may aid in binding pesticides and retarding their movement to groundwater.

In addition to the tendency of the turf system itself to adsorb pesticides and limit their vertical movement, other processes act to degrade or absorb pesticides applied to turf and thus reduce their potential to leach. Depending upon the compound applied, avenues of dissipation include gaseous losses (volatilization), photodegradation by ultraviolet light, microbial decay, hydrolysis (breakdown in water), conversion to other compounds and adsorption to soil particles in unavailable forms.

Concerns about possible adverse effects of turfgrass pesticides on the environment generally focus on potential pesticide movement in runoff or groundwater contamination. Several research studies have demonstrated that a well-maintained, dense turf area can reduce runoff to near zero. This is due in large part to the fact that a turforass area has tremendous potential to absorb precipitation. It has been estimated that a 150-acre golf course has the capacity to absorb 12 million gallons of water during a heavy (three-inch) rainstorm. The velocity of overland flow of water across a dense turfgrass stand is sufficiently slow, which, under most conditions, the vast majority of water will infiltrate into the turf/thatch/soil profile before it can move horizontally from а site as runoff.

Studies conducted in Rhode Island have revealed that during a two-year period overland runoff from lawn type turf (three-percent slope) occurred on only two occasions. Both runoff events resulted from unusual climatic conditions. In one case, rainfall fell on snow-covered frozen ground, and in the other case, extremely wet conditions preceded a five-inch rainstorm that generated runoff.

In the latter case, although a total of 10 inches of rain fell within one week, the depth of runoff was less than 1/13 inch. Work in Pennsylvania determined that irrigation applied at a rate of six inches per hour was necessary to cause measurable runoff from sodded slopes of nine to 14 percent overlying a clay soil. Runoff due to natural rainfall did not occur during the study (1985-1988).

In many areas of the northeastern United States, storms generating rainfall of even four inches can be expected to occur only once every five years. Because turfed areas have a great capacity to absorb

Continued on next page ......



precipitation and prevent runoff, runoff from turf would not be expected to routinely travel onto adjacent nontarget areas.

Research concerning the effect of pesticide applications on groundwater underlying turf areas has increased substantially within the past five years. Most of this work has focused on the fate of herbicides and insecticides. The fact that these materials are, in many cases, intended to reach soil and are more persistent than most fungicides makes them a greater concern for leaching than materials targeted for above-ground pests.

Work in Ohio by Niemczyk and Associates has consistently shown that turfgrass insecticides normally penetrate no deeper that one to one-and-a-half inches into the soil profile. When commonly used turfgrass insecticides including bendiocarb, chlorpyrifos, ethoprop, isazofos and isofenphos were applied to a golf course fairway, 98 to 99 percent of the residue remained in the thatch layer rather than leaching into the soil below (as determined one to two weeks after treatment). Residues in the upper inch of soil never exceeded 0.8 ppm during the 34-week sampling period. Indeed, one of the factors hampering soil-inhabiting insect control is the inability of turf insecticides to penetrate below the first few centimeters of the soil profile.

Research evaluating the vertical mobility of preemergent herbicides applied to turfgrass has recently been reported in Ohio by Krause and Niemczyk. When applied to thatch turf, 78 to 100 percent of recovered residues of pendimethalin, bensulide and oxadiazon were found in the thatch layer. When applied to thatch-free turf, 82 to 99 percent of recovered residues of those herbicides were located in the upper inch of soil. Other work evaluating the preemergence herbicide pendimethalin has shown it to be relatively immobile and not susceptible to leaching.

The mobility of the broadleaf herbicides 2,4-D and dicamba has been evaluated by Gold, et al., following application on Kentucky bluegrass growing on a sandy loam soil. Both herbicides were applied at standard rates (2,4-D: onr pound per acre; dicamba: 0.009 pound per acre) either during June alone or three times yearly in April, July and September. In addition, duplicate treatments were overwatered by applying a 1/2-inch of irrigation three times weekly regardless of rainfall. During the two-year study, 2,4-D and dicamba concentrations Sports Field Managers Association of New Jersey

were less than one part per billion (ppb) in 80 percent and 91 percent, respectively, of a total of more than 350 samples. No increase in soil concentrations were detected during the second year, indicating that degradation of both herbicides was sufficient to prevent accumulation.

Average concentrations of 2,4-D ranged from 0.55-0.87; standards for 2,4-D and dicamba are 100 ppb and 12.5 ppb, respectively. These researchers stated that the thatch/soil zone underlying Kentucky bluegrass creates an aerobic zone high in organic matter that enhances microbial degradation and adsorption of the herbicides. They concluded, "Given the current water quality standards, routine applications of 2,4-D and dicamba to home lawns do not appear to threaten groundwater quality."

Evidence concerning the immobility of turfgrass fungicides and herbicides has also come from recent groundwater sampling studies on Cape Cod. MA, golf courses. Four Cape Cod courses were chosen for study because they represented a "worst-case scenario" for leaching of pesticides into groundwater. All four courses are located on highly permeable, sandy soils, more than 30 years old, and had a history of high pesticide use. In addition, sampling wells were located where the depth to groundwater averaged 28.5 feet and was as shallow as 5.3 feet below the surface in one case. Cohen, et al., reported that no currently registered turfgrass pesticides were detected toxicologically significant in concentrations.

In addition, they concluded that the "use of turfgrass pesticides by the four golf courses with vulnerable hydrogeology was found to have minimal impact on groundwater quality." The potential environmental hazard associated with most turfgrass pesticides appears to be minimal since the pesticides most frequently used on turf are not generally highly mobile, highly toxic or very persistent. Those herbicides and insecticides that are intended to reach soil are not usually applied more than once or twice per year. In addition, turfgrass pesticides are

Continued on next page .....



March/April 2003

Ph/Fax 908-730-7770

normally applied in extremely dilute solutions rather than in concentrated forms. Processes such as volatilization, photodegradation, hydrolysis and microbial decay often act to break down existing residues. And finally, the dense canopy of a well-maintained turf and highly adsorptive thatch minimize runoff and potential leaching.

The pesticide-binding capacity of a turf is strongly related to plant density, thatch development and rooting, which are improved through proper fertilization and pest management. Rather than threatening environmental quality, improved turf quality achieved through judicious use of pesticides can protect the quality of water emanating from a turf area compared to a poorly maintained area or other land uses.

While the evidence is strong that the use of turfgrass pesticides does not appear to threaten groundwater, one should not take this as a license to apply pesticides excessively or without due caution. Cultural and biological approaches to pest control need to be more fully integrated into management plans, with an eye toward reducing pesticide application. There is little doubt that, in numerous cases, pesticide use could be reduced substantially by employing primarily curative spray programs for non-lethal pest problems and by increased adherence to integrated pest management practices.

\*Dr. Richard J. Cooper works at the Department of Plant and Soil Sciences within the University of Massachusetts. This article is reprinted from the University of Massachusetts Cooperative Extension System publication, Planting and Maintaining Sustainable Landscapes: A Guide for Public Officials and the Green Industry and Sports Turf, November/December 1995.



## "Fertilize Your Turf as if its Very Survival Depends on it"

By Jim Hermann, CSFM

Every animal and every plant has one priority. This priority is reproduction. The cost of ineffective reproduction is extinction.

Cool season turf is no different. Nature has programmed turf to concentrate its energy on reproduction. As is the general rule, nature will favor the next generation at the expense of the parent. This Sports Field Managers Association of New Jersey 14 characteristic helps to insure the continuation of the species.

From late spring thru later summer the sole purpose of turf is to reproduce. How does it reproduce, through the production of seed heads? This is why top growth is so vigorous at this time of year. The turf will produce top growth at the expense of its own lifeline or root system to insure the continuation of the species. Excessive nitrogen fertilizer at this time of year will help to cause the depletion of existing nutrient reserves and only serve to increase the production of top growth. A light application of nitrogen fertilizer should only be applied at this time to correct visual signs of poor turf health and vigor.

Although not normally desired in a lawn or athletic field situation, seed heads appear in cool season turf in the late spring to early summer. Once seed heads have been produced the parent plant can then concentrate its efforts on building its own health and nutrient reserves in preparation for the next seasons seed production. In the late summer, early fall as the nighttime temperatures start to lower there is an increase in the root development and lateral growth of the turf. Top growth starts to decline in relation to these events. A healthy application of nitrogen fertilizer at this time will help the turf to thicken, develop a deeper root system and produce and store the carbohydrates necessary to help guarantee its survival through the following season. As always, a soil test should be utilized to determine what nutrients in addition to nitrogen are required.

From late summer up until the ground freezes the turf slowly redirects its energy from vertical top growth to lateral shoot growth and root development.

A fertilizer application made just prior to dormancy is termed late season fertilization. The application of nitrogen should be minimized at this time so as not to over stimulate new succulent top growth. Too much stimulation through over nitrogen fertilization just prior to dormancy may cause the turf to be more susceptible to disease.



Turf survived for centuries on organic nutrients. These organic nutrients become less and less available as the soil temperatures cool.



Supplemental fertilization should be utilized to enhance rather than to interfere with the natural growth tendencies of the plant. Understand that top growth wants to slow down at this time so there is not much benefit in over fertilizing in an attempt to push more shoot growth. A visual inspection of the turf quality and color at this time is a good indicator of the need for additional nitrogen fertilization; off color turf is a good indicator that some nitrogen fertilizer would be beneficial.

Late season fertilization is sometimes confused with dormant fertilization. Dormant fertilization is just that. It is fertilizer applied after top growth has ceased and the turf has gone dormant. The benefits of this application are generally realized in the spring when the turf begins to green up. Caution should be exercised when making dormant applications just as with any other application. Although volatilization into the air is less likely at this time due to cooler temperatures, surface runoff and leaching of soluble nutrients are typically more likely with this application than with other applications. It is important from an environmental standpoint to use solely slowly available nitrogen products because the turf is not active enough for uptake of water-soluble sources

Turf that has not received a dormant application should be fertilized early in the spring at or prior to spring green up while soil temperatures are still cool and root production is still the priority to the plant.

Throughout the execution of your fertility program, aeration and compaction relief of the soil should receive

as much or more attention. The more intense the usage of your field, the more frequent and intense your aeration program should be. Without oxygen the turf cannot hope to efficiently utilize the nutrients you provide.

Its not rocket science, its only natural.

Not unlike turf, the sports field manager needs to plant his roots in a growth medium that will allow for his development and success. He too needs to cultivate and perpetuate his survival in the industry. An active membership in the Sports Field Managers Association of New Jersey provides this opportunity to its members. ▲

## "Caveat Emptor" Buyer Beware

By Jim Hermann, CSFM

March/April 2003

What is a quality product? A quality product is a product that accomplishes the purpose for which it is designed and does this in a manner, which conforms to the product description or label. A quality product is a true representation of the label description. If the product does not carry a label it should be a true representation of the manufacturer or supplier's written or verbal description.

As an educated consumer, it is the responsibility of every person involved in purchasing to gain the knowledge necessary to make educated decisions on the purchase of products used in his or her profession *Continued on page 17.....* 



## THE CHOICE OF THE PROFESSIONALS

## ATHLETIC FIELD CONSTRUCTION & DRAINAGE SPECIALISTS

- > Site evaluations
- > Design/Build
- > Laser Grading
- > Renovations
- > Specializing in Sand/Slit Drainage Systems

235 County Line Road Amityville, N.Y. 11701 (631)691-2381 (631)691-2392 -Fax

#### Continued from page 15 " Buyer Beware"

It is the legal obligation of every supplier and manufacturer to promote his or her product in a manner, which truly represents the product.

When you purchase a pesticide or fertilizer product, the product packaging must include a label. The label is a description of the product's components along with corresponding percentages. This label is bound by law to be an accurate description of the contents.

Many products do not provide a description of their components on an attached label. Many infield amendments are an example of this. Infield amendments can be calcined clay, vitrified clay, diatomaceous earth or any number of other materials. If the product literature or packaging does not disclose what the product is derived from you should ask your supplier. By knowing what the material is, you are in a better position to make the necessary comparisons and purchasing decisions.

These products are extensively discussed and referenced in articles written by accomplished sports field managers. These articles mention the positive attributes of these products and many times the negatives. This is the time you will observe these materials being described objectivity and impartiality. The problem is, these products are rarely mentioned by product name. They are typically mentioned by their generic name such as calcined clay, vitrified clay, diatomaceous earth etc. In order to gain knowledge and benefit from these articles you need to know what product they are writing about. You need to be able to connect the generic name with the trade name. Another suggestion is that you should always be aware of who wrote the article and what was his or her intent. Just like when selecting a nitrogen product, always consider the source.

Infield mixes are another product that receives much interest and discussion. I am many times asked the question "what infield mix should I buy"? This is not a question that is easily answered. There are many variables that need to be considered when making the decision on the selection of infield mix. Some of the questions you need to ask yourself are:

- 1. What is my budget?
- 2. What is the level of play on my infield?
- 3. What level and intensity of maintenance can I provide?

The American Society for Testing and Materials "ASTM" has recently completed the "Standard Guide for Construction and Maintenance of Skinned Areas on Sports Fields" In this article; no attempt will be made to give a complete overview of this publication. What I am going to provide are some of the benefits and clarification I gained from the ASTM specifications based on my understanding of infield mixes.

First, I was pleased that the publication agrees with the belief that the skill of the sports field manager is a greater contributing factor to a high quality skinned area than the materials used to construct these areas. I contend that a knowledge and understanding of the way a specific infield mix responds to certain maintenance technique is paramount in effective infield management.

The ASTM standards provide a broad base of acceptability as it pertains to the sand, silt and clay composition of a specific infield mix. Sand size particles can range from 70 - 85% of the mix and silt and clay size particles can range from 15 - 30% of the mix. The sand sized portion of

the infield mix should have a minimum of 85% passing through a 4 MM sieve and retained on a number 140 sieve.

There are some sports field managers that do request a physical analysis of their infield mix prior to purchase but rarely if ever do they request a sieve analysis of the sand portion of that mix. It is important to understand that if the sand portion of a mix is too fine, the sand begins to take on the moisture holding characteristics of silt and clay. A mix comprised of too fine a sand portion along with silt and clay will have the potential to stay water logged when it reaches "field capacity". This is the point at which all gravitational water has drained from the mix. This type mix is very difficult to maintain, especially under wet rainy conditions or in a wet location.

The other extreme would be to have a mix on the sandy side of the acceptable standard with a coarser than acceptable sand portion. This mix would have a tendency to be very dry with less than an acceptable level of stability. The majority of pore space between the sand particles would be too large to hold an acceptable level of moisture at field capacity. There are stabilizer products available to bind sandy infield mixes together but these products require consistent moisture to remain effective.

Once you have a basic understanding of the characteristics exhibited by different sand sizes it becomes important to understand how different portions of the proper sand affect the stability of a mix.

Along with a consideration for the moisture holding characteristics of a particular mix, the stability of that mix is also of utmost importants. A mix on the clayey side of the specifications is going to be more stable and better suited to a higher level of play. It will be less likely to translocate under the pressures of aggressive play. Along with this increase in stability comes an increase in moisture holding characteristics caused by the larger number of small pore space between the individual infield mix particles. Clayey mixes respond favorably when proper moisture levels can be maintained through periodic wetting and covering of the field when not in use. A mix of this caliber will inevitably become excessively hard under dry conditions if proper maintenance is not performed periodically. It will also be more difficult than a sandier mix to maintain in a playable condition under wet rainy conditions.

Just like clayey mixes have positive and negative characteristics, sandy mixes also have good and bad characteristics. Because they are inherently less stable than clayey mixes they are better suited to a less aggressive lower level of play. These mixes have the potential to translocate within the playing area more easily and move away from the high traffic areas causing low areas or depressions. These low areas have the potential to collect water. For this reason there is a greater need to maintain the skinned area grade and "lip" or interface between the skinned area and the turf. It should not however be assumed that a clayey mix will eliminate the need for this maintenance.

With a greater portion of larger pore spaces, sandy mixes do not retain as much moisture and are sometimes easier to maintain in wet rainy conditions.

It must be understood that any mix with sand, silt and clay distribution that falls within the ASTM guidelines will have the potential to pond or retain excessive moisture if adequate surface drainage is not maintained irregardless of what conditions are provided in the sub base below the mix.

The ASTM standards do reference subsurface drainage within the skinned area. This drainage is provided primarily to remove subsurface water. Drainage of this type is very inefficient for removing surface water due to the inherently poor infiltration characteristics of most quality infield mixes. A gravel drainage blanket below the infield mix has the potential to cause the infield mix to remain wetter due to the creation of what is known as a false or perched water table. More moisture is held in the infield mix because it does not move efficiently from the finer pores of the top mix into the larger pores of the gravel blanket. This increase in moisture can be of great benefit at higher maintenance levels where moisture is maintained at very specific levels for the utmost in playability.

In light of what has been reviewed, a potentially disastrous scenario might be a sandy infield mix blended with very fine sand, covering a gravel drainage blanket. The fine sand has water holding characteristics similar to silt and clay. These characteristics are magnified when used in conjunction with the perched water table created by the gravel drainage blanket. You might end up with a very wet field.

I would not consider a subsurface gravel drainage blanket or drainage system unless a higher level of care could be maintained or unless there was the potential for subsurface water accumulation below the mix due to poor soil conditions and drainage characteristics of the entire playing field. A better course of action might be to provide a sand slit drain just beyond the perimeters of the skinned area within the turf area. This drain would be brought to the surface to eliminate the potential for standing water at the interface between the skinned area and the turf. A drain of this type would also minimize the potential for the accumulation of water within the skinned area providing proper slope is maintained.

Although I am personally apposed to the use of infield amendments, due to the prolific abuse of these products I have witnessed throughout my career, I must give credit where credit is due. Infield amendments such as calcined clay have made a tremendous contribution to the maintenance of quality infield skin areas. The benefits of these materials are derived primarily from their ability to absorb and retain controlled amounts of moisture thereby extending the duration of time between periodic wettings.

If these materials are continually and indiscriminately applied to problem areas of the infield skin, they will destroy the integrity of an otherwise quality infield mix. Let me explain.

If you refer back to the ASTM standards, the recommended range of acceptability for sand size particles within the infield skin is 70 - 85%. If continual over application of amendments modifies this range beyond the acceptable limits, without the benefit of water this infield mix will react like any other mix that contains too much sand.

If you have the budget to amend your infield skin with calcined clay, start with a clayey mix of 60 - 65% sand, 30 - 35% clayey material and bring your sand size portion of the mix into the acceptable limits of the ASTM standards with the application of calcined clay. Be sure the product has the proper particle size. If you must use calcined clay or some other material as a drying agent, remove it when a buildup of material becomes evident.

As you can see by all the information that has been provided, maintenance becomes very site and material specific. There is an exception to every rule. The same Sports Field Managers Association of New Jersey product can react differently in different locations due to different environmental factors. A sandy mix may need to be rolled to create a firmer footing where a clayey mix may need to be scarified to create a softer top. Understanding your specific infield skin area is the key.

Remember, no one can diagnose your infield skin problems without a sand, silt, clay and sieve analysis of your infield mix, along with an inspection of the entire field to diagnose other contributing factors.

There is no replacement for proper maintenance. Establish and maintain surface drainage. Periodically broom, blow or wash the "lip" to minimize buildup. Create and maintain a line of communication and cooperation with the leagues that use your field. Provide training in proper infield grooming and maintenance to all those involved in grooming your fields.

There is no product available that will eliminate proper maintenance. Educate yourself and your people on proper maintenance technique in addition to the proper usage of these materials and you will see your fields improve.

Individual reprints of the ASTM Standards Publication 2107 may be obtained by contacting ASTM at 100 Barr Harbor Drive, PO Box C700 West Conshohocken Pa. 19428-2959 or 610-832-9585 (phone) or service@astm.org (e-mail) or thru the ASTM website (www.astm.org)

You can also receive the publication by accessing the STMA website at WWW.sportsturfmanager.com

## You're serious about producing great turf. We're serious about helping you get there.

- Premium Fertilizers
- Combination Fertilizers
- Pesticides
- Soil Amendments
- Turf Seed
- Wild Flowers



Tom Hughes (unfsupplies@aol.com) (877) 697-1198 • fax (609) 918-0994 www.uhsonline.com



# Quality Lawn Sprinkler Systems

Specializing in Athletic Fields: Design • Installation • Service

Serving All of New Jersey

# Aqua-Mist Irrigation 800-218-8376

28 James Street, South Hackensack, NJ Walter J. Mugavin • Joseph R. Guastella



STANDARD MAIL U.S POSTAGE PAID LEBANON, NJ 08833 PERMIT NO. 13

Or Current Occupant

P.O Box 370 Annandale, NJ 08801

> Sports Turf Automation Managers Association

## **'2003 Proud Sponsor Directory'**

#### WILFRED MAC DONALD, INC

Turf Equipment Specialists Bernie White – Sales Representative 19 Central Blvd., S. Hackensack, NJ 07606 (888) 831-0891ex 114, Fax (201) 931-1730 sales@wilfredmacdonald.com

#### SPORTS TURF SYSTEMS BY SAUL BROS.

Drill & Fill, Deep Tine Aeration Jerry Saul & Danny Saul P.O Box 299 Livingston, NJ 07039 Ph. (973) 983-1141 Fax (973) 983-8845

#### MENDHAM GARDEN CENTER

Turf Products Mendham – (908) 543-4178 Chester – (908) 879-5020 Annandale – (908) 730-9008

#### **GSI CONSULTANTS – TURFCON DIV.**

Dr. Henry Indyk, Sports Field Consultant Ph. (732) 247-8026

#### STORR TRACTOR COMPANY

Turf, Irrigation and Ballfield Equipment 3191 Highway 22 Somerville, NJ 08876 (908) 722-9830, Fax (908) 722-9847

#### LEON'S SOD FARMS

Diane Leon Berger - Owner 514 Pittstown Road, Pittstown, NJ 08867 (908)713-9496 Fax (908)730-7457 dslb@ptdprolog.net

#### US ATHLETIC FIELDS

Sports Field Maintenance, Renovation & Construction John McKnight and Jim Gilligan P.O Box 38 – Skillman, New Jersey 08558 (609) 466-2846, fax (609) 466-1804 john@usathleticfields.com

#### \*To become a Proud Sponsor call 908-730-7770. \$150 FOR ONE YEAR