

Turf Trees People Equipment

Why not update your management, operations and maintenance know-how at Denver, Oct. 29-Nov. 2? A complete program on turf will be offered at the second National Turf Management Conference which will meet concurrently with the 8th National Institute on Park and Grounds Management.

Aimed at professionals, like you, the joint conference offers you programming which will save you money, increase efficiency, save time in your operations. After sessions social functions give you a chance to exchange ideas with others. Spouses program. Tours for an on-site look at how others do things. Largest exhibit of park and grounds products in the country. Write:

> National Institute Box 1936 Appleton, WI 54911



o need to own, load, haul and use plows, discs, rotary tillers, blades, drags or harrows to do the job. Just one implement, the Roseman Tiller-Roke does the complete job quickly, efficiently and perfectly. Adjust pitch control wheel s carify hardest ground, to till, pulverize, grade spread and finish-rake. From rough construction sites to perfect seedbeds at tremendous savings in time, labor, equipment and cost. Thousands of satisfied users. Order yours today.

ROSEMAN TRACTOR EQUIPMENT CO., 2620 CRAWFORD AVENUE . EVANSTON, ILLINOIS, U.S.A.





Weed Eater Model 700 Series nylonline trimmer attachment converts a lightweight chain saw to a heavy duty line trimmer which trims, sweeps, edges and mows grass and weeds.

The Model 700 will adapt to the majority of lightweight chain saws on the market today, according to Weed Eater.

The Model 700 has a 3-exit cutting head, a 17-inch cutting path and uses heavy-duty .080-inch diameter line. It has a lightweight aluminum shaft and is equipped with an adjustable assist handle. Total weight of the attachment is $5\frac{1}{2}$ pounds. Suggested retail price is \$69.95.

Circle 701 on free information card




The 1100 and 1200 Loaders are designed for tractors in the 10-30 hp range. Introduced by Schwartz Mfg. Co., the loaders adapt to a wide range of tractors, both two and fourwheel drive.

On both models, tapered boom arms provide for a high strength-to weight ratio. A "slim-line" crossmember allows optional visibility and maximum rigidity. All pivot pins are 1-inch with anti-rotation tabs at major wear points.

Lift capacity at the full lift height is 530 lbs. for the 1100 and 1800 lbs. for the 1200. Maximum lift height of the 1100 is 72 inches, and 90 inches for the 1200.

Circle 702 on free information card



Land Leveler, an accessory that can be hooked up to any 12 VDC lawn and garden tractor, is being manufactured and marketed by Avcon Industries.

The Land Leveler spreads dirt or gravel, prepares seed beds, levels and fills ditches and low spots, spreads sand for concrete, fills around building foundations, eliminates soil pre-working, removes debris and even removes snow from walks and driveways.

The Land Leveler is 60 inches wide and weighs only 90 pounds when empty. It is made of 12-gauge steel.

Circle 703 on free information card



Repco-Kill, a non-selective, diesel-oil-based weed killer and ground sterilant, has been jointly introduced by Research Products Company and Aero Mist, Inc. Containing 2,4-D, bromacil, phenols, and penetrants, REPCO-KILL is reported to knock down weeds fast, usually within a period of six to eight hours on a warm sunny day. The herbicide has a special penetrant that carries the liquid deep into the ground, killing all vegetation in the area sprayed. It comes in packages of one, five, 30 or 55 gallons.

Circle 704 on free information card

Good News for the LAWN CARE INDUSTRY

After serving the mid-south for 4 years, tried and proven TORCO lawn spray units are now available nationally!



TS-1250 1250 Gal. capacity with 20-20 Bean turf pump

 Designed and built to outlast the second chasis
stainless steel tanks • mechanical agitation with 4 support bearings (plus jet sweep to lift bottom settlings after equipment has been turned off) • low profile tank mounted on frame • easy access to Bean pump, filter, and only 2 belts with safety guards • calibrated sight gauge • easy access to tank with 18" heavyduty, leak-proof man-way • heavy-duty electric driven reel with stainless steel roller guides • dependable light-weight hose with special gun and nozzle — free wheeling pull out.



TF-300 300 Gal. capacity with 10-10 Bean turf pump

• Heavy-duty fiberglas tank • skid mounted — adaptable for 3/4 ton pick-up • mechanical agitation • calibrated sight gauge • 6 HP gas engine • heavy-duty electric driven reel • large 18" leak-proof man-way.

TORCO'S DESIGN, field service and computerized parts department mean less down time and longer life.

FOR FURTHER INFORMATION CALL TOLL FREE 800/626-1818 or 502/366-1415

TORCO EQUIPMENT 207 Eiler Street Louisville, Ky. 40214 Distributors of Asplundh aerial baskets, and chippers, RO digger-derricks, utility bodies, and fabricators of special allied equipment.



Circle 166 on free information card WEEDS TREES & TURF/SEPTEMBER 1978

any, effect on vegetation growing alongside or beneath the brush. It is safe to use on fence rows adjacent to farm crops, around farm ponds, drainage systems, and water reservoirs. Krenite is now registered for control or suppression of more than 40 brush species.

Circle 707 on free information card



The Diesel Hydro Traveler, featuring a 14-horsepower electric start Deutz diesel engine, has been added to the Hydro Traveler Irrigator line manufactured by Hydro Engineering.

Fuel and hydraulic oil tanks on the diesel -powered model are larger and have been relocated, according to a company spokesman. Other improvements include relocated controls for greater operator efficiency and convenience, and a newly designed fiberglass hood over the cable reel and engine.

The hydraulic-drive Hydro Travelers are capable of irrigating 20 acres a day with only two man-hours of labor. Other features include a tricycle design that allows easy maneuverability a... twin riser construction for more uniform water distribution.

Circle 708 on free information card



The Sidewinder SX-42 rotary cutter is being introduced by FMC Corporation for use on tractors as low as 12 HP. The economy priced SX-42 is equipped with a three-point hitch for quick and easy hook-up. A safety shield on the PTO drive line is standard.

Circle 709 on free information card

It runs through the briars, it runs through the brambles and it runs through the timber where a rabbit couldn't go.

If the British had used a Klearway at the Battle of New Orleans, they could have beaten a hasty retreat and returned to face "Old Hickory" another day.

Foot soldiers couldn't make it in the Louisiana swamps, and improperly designed equipment can't make it when you need to clear tough right-of-way.

The one-man operated Klearway is built from the ground up to clean out heavy brush and light timber. Dual head cutting makes a clean swath on the first pass. With Caterpillar® power and full frame articulation, it's the best machine for right-of-way applications.

For complete details, write Kershaw Manufacturing Co., 2205 West Fairview Avenue, Montgomery, Alabama 36108. **KLEARWAY**

The army of one.



Circle 162 on free information card SEPTEMBER 1978/WEEDS TREES & TURF 85