



LASTS A LIFETIME

Tuflex
MFG. CO.
FIBERGLASS PRODUCTS

WHEN
THERE'S NO
SUBSTITUTE
FOR THE BEST!



Model #PC 1200 fiberglass tank equipped with fiberglass pump cover, Model #D 200 gallon mixing tank shown mounted on a custom truck body by Strong Enterprises.



Bottom view of the Model #PC 1200 tank showing to best advantage the integral molded mounting base and steel hold-down lugs designed for ease in mounting on your truck and eliminating costly installation.

THE Tuflex Manufacturing process allows a five year warranty on all tanks.

Tuflex is the only manufacturer to specialize in *seamless* fiberglass spray tanks specifically for the pest control and lawn care industry. Remember when craftsmanship was an art... at Tuflex it still is! The exclusive Tuflex process carries a full five year warranty on all handcrafted seamless fiberglass tanks.

For economy prices and more information on our complete line of tanks, write or call now:

Tuflex Manufacturing Company
Post Office Box 13143
Port Everglades, Florida 33316
(305) 525-8815

Circle 147 on free information card

WT&T

PRODUCTS



A hydraulic dump box for the Toro Workmaster is available from Dedoes Industries, Inc. Its hydraulic system and brackets quickly mount under the vehicle's bed. The dump box holds 1,000 pounds.

Circle 701 on free information card



Woodsman model 6003-DH clears and reclaims land, prepares sites, and cleans up landfill. An operator can clear 3 acres of land in a day, cutting through heavy brush, 6-inch diameter trees, trash lumber, and other ligneous debris. The machine leaves a layer of wood chips in its path; the land is ready for immediate use.

A diesel engine with hydrostatic drive protects the engine from shock loads at the rotor. A remote control panel mounts on the prime mover and provides the operator with convenient controls for starting, speed selection, rotor disengaging, and stopping. The land clearer attaches to front-end loaders and other equipment which handles 6,000 pounds.

Adjustable skids permit cutting from ground level to 5 inches above. Tree pushers protect the operator and direct trees into the machine's path for efficient cutting. A 60-inch-wide rotary assembly consists of 20 19-inch-diameter discs and 38 heat-treated, alloy steel cutters which are double-edged, free-swinging, and easily reversed or replaced.


Circle 703 on free information card



A monofilament trimmer, the WC-22, uses a loop-type handlebar with anti-vibration grip so the operator can work with one hand on the bar and the other on the shaft. This handling position gives the operator close control in an area distant from his feet.

The trimmer also contains a gasoline-powered motor mounted on the top of the shaft and a shoulder strap. The manufacturer, Hoffco, Inc., offers an adapter kit to substitute its other models with the handlebar arrangement.


Circle 702 on free information card



Parsons T-8 trencher, introduced by the Seaman Co., digs 30 feet deep through even the toughest earth. The 7½-horsepower machine is a hand-bar-type with hydraulic ground drive for variable trenching speeds from 0 to 15 f.p.m. Differential action may be manually locked out for positive traction.

Transport speeds — forward, reverse, and free wheel — vary from 0 to 40 f.p.m. The trencher is easy to operate, and because it's hydraulic, there are few moving parts for quick and easy maintenance.

Circle 704 on free information card



Lickity Chipster, a rugged brush chipper from Piqua Engineering, Inc., turns 2-inch-diameter limbs into usable mulch. Chips leave through a screen and are directed through the hood to containers or the ground. The mulch is useful for municipal parks, streets, and recreation areas, plus around trees, shrubbery, and flower beds.

Circle 705 on free information card




HOFFCO TM Whizz Witch

A tough 85cc engine stands behind trimming head and 2 cutting blades.

- Tri-line, heavy duty monofilament trimmer head.
- 11" Tri-Kut weed blade cuts heavy weeds, briars and brambles.
- 10" 44 tooth brush blade (optional) cuts 3" diameter saplings at ground level.

BRUSHCUTTER/POWER SCYTHE

Offers the same equipment package, but the trimmer head is optional.



The 2 cycle, 22.5cc engine, can be operated in any position. Total wgt. 13½ lbs.

1. Monofilament trimmer head
2. 8" Tri-Kut blade
3. (optional) 8"-44 tooth brush blade

HOFFCO TM genie



HOFFCO PH 977-A

A true ONE MAN post hole drill Full wrap-around handles *deadman throttle control and kill switch on handle *Comet auto *centrifugal clutch *18.1 power ratio 2 to 8" earth bits *8" ice bit available. Drill to 30" (4' with extension accessory).

HOFFCO PH 1100-A 2-man

4-cycle engine. Special throttle control and auto. centrifugal clutch.

HOFFCO

Brushette ^{T.M.}

Special merchandising displays available.

CHAIN SAW ATTACHMENT

Also attaches easily to most light-weight chain saws. • 8" Tri-Kut weed blade • 8" 44 tooth brush blade • optional monofilament trimmer • Use for overhead tree and brush trimming.

HOFFCO'S "HUMAN ENGINEERING"

The carrying harness and handle-bars with anti-vibration grips can be adjusted for the comfort, balance and separates operator from cutting and trimming heads.



GM-879
358 N.W. "F" Street
Richmond, IN 47374

... clip coupon and we'll send you free brochures and the name of your nearest dealer

- ___ P10-A—85cc, Power scythe/Brushcutter*
 - ___ Whizz witch—85cc*
 - ___ Genie—22.5cc*
 - ___ Aladdin—22.5cc, monofilament trimmer
 - ___ GT-14—14cc, monofilament trimmer
 - ___ Brushette—CSA*
 - ___ Trimette—CSA-monofilament trimmer
 - ___ Post Hole Drills—one and two man units
 - ___ Whizz winch—Pulls loads to 1,000 lbs.
- *Combination Unit—Power Scythe • Brushcutter • Monofilament


NAME _____
ADDRESS _____
CITY _____ STATE/ZIP _____

Circle 108 on free information card

DON'T CUT OUT QUALITY.

DO IT RIGHT, WITH STANLEY.

Quality, by our standard, is something which goes a lot further than making tools. To Stanley, it means: a full line of tree trimmers for every job; the best warranty in the business; complete parts backup; and distributors to help you anywhere in the country. It's also the efficiency, safety and dependability of hydraulic power. We don't trim on anything so that you're able to do your trimming faster. Stanley Hydraulic Tools: 3810 S.E. Naef Road, Milwaukie, Oregon 97222. Phone (503) 659-5660. Telex 360771. Write or call.



STANLEY

Circle 150 on free information card



Design features of the 450B crawler include a raised operator's compartment and sloping hood for improved visibility, easier entry and exit, and simple maintenance to the main mechanical parts. Power on both tracks maneuvers the J I Case Co. machine with little surface ground disturbance.

The hydraulic angle/tilt dozer efficiently operates through on-the-go blade position from the operator's seat. A single lever controls bucket lift and dump. A four-cylinder diesel engine powers the crawler.

Circle 706 on free information card



LS-50 splits logs 31 inches long under 22,000 pounds of hydraulic force. The log splitter mounts on the three-point hitch of a category 1 or 2 tractor and utilizes the tractor's hydraulic system. A single hydraulic lever moves the cutting wedge. Vermeer Manufacturing Co. manufactures the 570-pound attachment, which has its own dismounting stand.

Circle 707 on free information card



A large capacity hopper with emptying shoot on the Moto-Cast spreader increases your work load and reduces time on the lawn. The Leisure Lawn, Inc., product evenly applies dry materials at an adjustable rate. Its stainless steel impeller with slanted deck is also adjustable.

Other features include front wheel drive, constant speed drive train, turftrac tires, torque limiter, and heavyduty welded chassis. It is easy to load onto a truck.

Circle 708 on free information card

Continues on page 53

"FOR YOUR FALL 1979 SEED REQUIREMENTS"

Custom Blending of all turfgrasses —
OUR SPECIALTY

Bentgrasses — Bluegrasses — Turf-type Ryegrasses
Red & Tall Fescues

Sod Growers, Golf Courses, Contractors

Phone or Write:

Dwight Brown or Bill Hill

FOUNDED 1863

GEO. W. HILL & COMPANY

8010 DIXIE HIGHWAY, U. S. 25, FLORENCE, KENTUCKY 41042 (606) 371-8423

Circle 113 on free information card

Products
from page 50



Model GTL-140 gas-powered trimmer from Echo, Inc. comes with a flexible plastic blade which the manufacturer claims is easier to use than nylon line yet trims grass and weeds like a steel blade. Its 13.8cc Kioritz engine is on the lower end of the shaft to eliminate the need for an expensive flex shaft.

The forward handle adjusts to fit the operator and maintain correct balance when using the trimmer. The stop switch and throttle are on the pistol-grip, rear handle. Weight of the trimmer is 8.1 pounds.

Circle 709 on free information card



Dura-Life 350-gallon tank for liquids fits all 1/2-ton and larger pick-up beds, even with the tool box and/or fuel tank still in the bed. Its round shape reduces surges, which can be uncomfortable and dangerous. The Kerrco, Inc. tank holds water, chemical sprays, and fertilizers. It is made of tough linear polyethylene which inhibits sunlight, and weighs 110 pounds.

Circle 710 on free information card



SOLO Portable Mist Blowers get around

SOLO's Junior-410 and PORT-423 are the most imitated portable Mist Blowers in the world ... but they're still number one! They're your best buy for plant protection and pest control in those hard-to-reach places. They're versatile, too, and precision-engineered to give long trouble-free service.

- Lightweight, corrosion-proof, high-impact contoured frame over steel support

- Famous SOLO easy-start engine; 3- or 5-hp
- Nonmetallic, see-through formula tank
- Weight only 15 or 23 lb.
- Center of gravity close to operator's back
- Wide variety of accessories for dusting, seeding, blowing, flame-throwing, granular spreading, ULV application

Send for free brochure or ask your dealer for SOLO

HANJET-455



Also larger, self-propelled and tractor-mounted mist blowers

HANJET-455

superlightweight nonmetallic manual sprayer; injection-molded of inert, corrosion-proof plastic; ideal for home use; low cost; interchangeable professional-type nozzle tips; 1.3-gal. capacity

JETPAK-425



JETPAK-425 manual knapsack plastic sprayer; no-drift herbicide application at low pressure; 4-gal. tank; engineered for fatigue-free operation

SOLO INCORPORATED

Box 5030
Newport News, VA 23605
In Canada: Box 464
Burlington, Ont. L7R 3Y3

DEALERSHIPS AVAILABLE
IN CERTAIN AREAS



Circle 145 on free information card

"Satoh hugs the hillside like a mountain goat. And that satisfies me."

Front tire: 9.5L-10
Rear tire: 21.5L-16.1



Satoh satisfaction starts with the Stallion Ground Hugger's dependable, smooth-running 38hp water-cooled Diesel engine. With nine forward speeds (three reverse) and dual-speed live PTO (540 and 1,000 rpm), the cost-efficient Stallion Ground Hugger is ideal for hilly terrain uses such as municipal park maintenance and golf

course grooming.

And its standard power steering gives you effortless maneuverability.

Let Satoh satisfy your tractor requirements like a pro. It satisfies mine.

Satoh. Satisfaction!

Get it at your **SATOH** tractor dealer.
P.O. Box 5020, New York, N.Y. 10022

Circle 107 on free information card