PRODUCTS

Piggyback material handler by Princeton Manufacturing Co. will lift and load 4,500 pounds of sod, trees, and other nursery materials. It



carries the load weight between the drive wheels instead of in front to give stability. It provides a low ratio of weight to carrying capacity, and is designed to lift itself off the ground behind any suitable truck for easy, efficient transport. A two-cylinder diesel engine and hydrostatic wheel motors and wheel torque hubs power the machine through all adverse conditions — in mud, sand and gravel; over curbs, logs, and other obstacles; and on steep grades.

Circle 709 on free information card

The RCS-4 row crop sprayer applies liquid chemicals to control weeds and grasses in row crops and sod beds. It spot sprays for application only in infested areas, saving fuel and herbicides. High flotation tires and light weight reduce soil compaction. Twin chemical tanks hold 110 gallons, which can be pumped by either a high-capacity centrifugal pump or a 7-roller pump. Its 48-inch ground clearance is useful for nearly all row crops during the full spraying season.

The Hustler Corp. machine has a 20-foot, three-section, spring-loaded boom for multiple height adjustment for the particular crop. The combina-



tion hydrostatic/differential transmission controls speed (tops is 12 mph) and permits smooth operation at low speeds for wick bar applications.

Circle 704 on free Information card

The HT 20 Bolens diesel tractor offers the power of a twin-cylinder 19.9-horsepower cast iron diesel engine along with the easy operation of hydrostatic drive with treadle foot








Mathews Company

BOX 70, CRYSTAL LAKE, IL 60014, PHONE: 815-459-2210 Circle 154 on free information card



Custom-made binder easily holds entire year's copies of WTT magazine. Green binder with gold embossed logo protects your magazines and gives your library a neat appearance. Magazines can be inserted as they are received. Annual index in December issue makes it easy to find information you need quickly . . . Send check or money order to:

WEEDSTREESEURF

9800 Detroit Ave. Cleveland, Ohio 44102


(Add \$1.25 per Binder Shipping Chg.) Allow 6-8 Weeks Delivery.

THE SUPER TOOLS FOR MAINTENANCE PRUNING

Limb Lopper's lightweight, powerful hydraulic tools get the job done faster and with less effort. Shade tree pruner handles up to 2-inch branches, has insulated extension. Powerful pole chain saw for up to 10-inch wood, has insulated extensions. Circle saw with 9-inch blade for high speed cuts has 30-degree angle head. Insulated extensions and chip guard available.

Hand chain saw, beautifully balanced, smooth, quiet operation. Available in 12, 16 and 18-inch bar models.

Combine Limb Lopper high efficiency tools with your existing system—digger-derrick, bucket truck, other mobile equipment or portable power pack. Write or call today for further information.



Circle 115 on free information card

One reason Durwood Rorie sells so many industrial air cleaners overseas is because he saw the potential. Another is because he used our services.



Durwood G. Rorie, Jr., President, United Air Specialists, Inc., Cincinnati, Ohio.

May we provide some for you?

Write: Secretary of Commerce U.S. Department of Commerce Industry and Trade Administration, BED-21 Washington, D.C. 20230.



Products

from page 84

control. A two-spool "power-lift" hydraulic attachment lift allows the operator to perform two operations at once off a shaft driven PTO for



front, center, and rear mount attachments. The massive two-speed rear axle and differential are built to handle a variety of heavy jobs. FMC Corp., Outdoor Power Equipment Div., makes it.

Circle 703 on free information card

The Swinger line of loaders features five models ranging from the 110 with an SAE operating capacity of 1,175 pounds to the 320 with an SAE capacity of 3,012 pounds. All models feature 20 degree front-rear frame



oscillation and fourwheel hydrostatic drive for safe, stable work over rough terrain with full loads. Total 80 degree articulated steering permits easy maneuverability in tight quarters. Dynamic Industries, Inc. makes the loaders.

Circle 708 on free information card

A forklift attachment for the W4 wheel loader, made by the Davis Div., J I Case Co., holds 1,135 kilograms (2,500 pounds) and lifts to

3.7 meters (144 inches). It is ideal for moving sod and a wide range of landscape jobs. A rugged five mainbearing, liquid-cooled, 35-horsepower diesel engine powers it.

Articulated design and a centerpivot steering joint permit 70 degree



articulation, allowing the front and rear wheels to always follow the same track. Combined with hydrostatic drive for variable travel speed and hydraulic power steering, the W4 easily maneuvers in confined areas or rough terrain. It attains speeds to 4.4 mph for work and 12.7 mph for transport. A hand lever selects forward/neutral/reverse, and a pedal controls speed and

Circle 706 on free information card

High torque and fuel efficiency have been added to the HF-15 mowing tractor from the Jacobsen Div. of Textron Inc. The tractor now comes with a 236 CID Perkins diesel engine that generates 192 foot pounds of tor-



que at 1,350 rpm. Horsepower is now 78 compared to 65 previously. Fuel consumption remains the same. A huskier gearbox drive, PTO shaft and U-joint, and clutch have been added along with revised instruments and mowing controls, air cleaners, and exhaust system. This out-front mowing tractor has hydraulically driven reels which allows for reel rotation at a consistent rate, independent of the rotation of mower wheels.

Circle 713 on free information card

A tough, compact grader from Hefty Tractor Co. does a variety of jobs and saves fuel, manpower, and maintenance costs. It has a short turning radius, power steering, and turning brakes for good maneuverability. Blades lift high for clearance and trailer loading. Blades and controls are positioned for operator command.

A blade between the wheels pushes from the solid rear frame mount. Blade angles, lifts, and tilts to either side hydraulically for finish

Continues on page 93



180 DAYS WARRANTY SPECIAL **FEATURES:** clog-proof air intake

no-stall fuel feed instant airblast control with solid throttle linkage



Whatever the clean-up job, the WINDMILL 55 Blower does it better and faster.

Write today to:

VANDERMOLEN CORP.

119 Dorsa Ave. - Livingston, NJ 07039

Circle 114 on free information card

Lawn Smooth, Rock Tough Talk about versatile! The Vemco Flail Mower keeps parks, and other large lawn areas smooth and streak-free. It also cuts rocky, trashy areas where ordinary mowers cannot go. Standard Series mowers, with 42", 48" and 60" widths, have many construction features usually found only on heavy-duty models. Heavy Duty Series, with 60", 72" and 84" widths are tougher yet. Rock Dodger blades swing free in all directions, are practically immune to breakage. We urge you to compare a **VEMCO** with any other mower in its class. You'll see the difference and like it. VEMCO CORPORATION OF AMERICA

1331 23rd Street, Racine, WI 53403 . Telephone 414/634-6050

Circle 148 on free information card

grading. A 27-horsepower, watercooled engine and six speed forward



all-gear transmission power the tractor.

Circle 702 on free information card

The three-wheel Front Line mower from OMC-Lincoln makes uniform cuts with three separate blades adjustable to eight positions, from 1 to $4\frac{1}{2}$ inches. Designed for maintenance contractors and lawn care ex-

perts, the mower carries a 72-inch cutting deck which extends more than a foot to one side for close trimming along fence lines or around trees. The blades—25 inches long, $2\frac{1}{2}$ inches wide, and 3/16 inch thick—overlap $1\frac{1}{2}$ inches to assure even cutting.

The cutting deck is constructed of 12-gauge carbon steel and reinforced




and arc welded to withstand difficult cutting jobs. It lifts hydraulically to clear curbs. A Cushman 18horsepower twin, air-cooled, fourcycle engine powers the mower to keep blade speed high, even through tall weeds and grass. Hydrostatic transmission and multi-disc PTO clutch makes it easy to operate. A rocking pedal enables the operator to move the mower into forward speeds of up to 7.7 mph and reverse speeds of 4 mph.

The mower has direct drive to the deck gear box and features a sealed and lubricated telescopic drive shaft for durability. It also has individual wheel brakes for tighter turns and better control on various terrain, and an integral brake locking system for use during transport. Rear-wheel steering enhances maneuverability.

Circle 701 on free information card

A 21-horsepower engine, model KT21, from Kohler Co. powers a variety of equipment—lawn and garden, construction, and agricultural. The air-cooled, four-cycle, twincylinder engine has demountable





Buyer's Guide shows you how to select the pump that's right for your application. Page after page of helpful information on all the Hypro pumps, accessories and applications. Performance charts, dimensions, plus a handy

Free Pump

Buyer's

Guide

Things you need to know to pick the right pump for your job.

The new Hypro Pump

PEOPLE



2.20/Co IN SWEETS



Route 5. Box 178 Alexandria, Minnesota 56308 612-852-7500

Circle 137 on free information card

Products from page 93

cast iron cylinder barrels on an aluminum crankcase. Crankshafts are made of forged steel and camshafts of durable cast iron.

Combustion air is drawn from within the cooling fan housing,



reducing air intake noise. The engine is designed for easy installation in an enclosure to further reduce noise. Breaker points, condenser, spark plugs, oil fill, dipstick, air cleaner, and carburetor are easily accessible for service.

Circle 714 on free information card

Bush Hog 2400 QT and 3400 QT front end loaders fit many tractor makes and models. Designed to mount or dismount in four minutes, they attach to compact mounting brackets that remain out of the way in normal tractor operation or maintenance. The 2400 QT loader fits 35- to 75horsepower tractors. It has a lifting capacity of 2,400 pounds and breakaway capacity of 3,340 pounds. Features include a standard level indicator, single frame cross member for good visibility, regreasable pivot points for long life, and tubular hydraulic system.

The 3400 QT loader (shown) fits 80- to 120-horsepower tractors. Its lifting capacity is 3,500 pounds and breakaway capacity 5,000 pounds. Features include rust-resistant, chromeplated, high-tensile steel cylinder rods and V-type piston packing that withstands weather.

Circle 705 on free information card



balanced engine Fingertip clutch, brake and power turning control levers on each handle Sleek deck design and drum wheel brakes for positive, close quarter mowing I Unique Vflanged front deflectors help prevent damage to yard decorations, monuments, etc.

Baffled design for clean and safe grass discharge. OPTIONS: Riding sulky and metal grass catcher.



For more information, write P.O. Box 943 or phone (402) 223-2391. Since 1874

D. KEES MFG. CO. Beatrice, Nebr. 68310



ACECAPS are the modern way to control insect pests "in" ornamental trees. No need for expensive spray equipment; no danger of spray drift or runoff; and eliminates measuring and mixing of chemicals. Simply drill the tiny implant sites, insert the ACECAPS, and forget them. The insecticide will be translocated throughout the tree, killing targeted insects and providing continued protection. There is no need to return and remove applicators — the ACECAP Implants are left inside the tree where callous tissue will cover them in a

ACECAPS contain ORTHENE® — a new generation insecticide which combines highly effective, broad spectrum insect control with a reduced hazard to humans, wildlife and the environment.

ACECAPS Systemic Insecticide Implants offer the ultimate in an environmentally acceptable insect control program. Any pesticide can be harmful if misused; READ AND CARE-FULLY FOLLOW LABEL DIRECTIONS.



creative sales inc.