

# Weed Identification Quiz

Quiz yourself. Answers are on the next page.



A. \_\_\_\_\_



E. \_\_\_\_\_



F. \_\_\_\_\_



G. \_\_\_\_\_



J. \_\_\_\_\_



K. \_\_\_\_\_



L. \_\_\_\_\_



M. \_\_\_\_\_



Q. \_\_\_\_\_



R. \_\_\_\_\_



S. \_\_\_\_\_



B. \_\_\_\_\_



C. \_\_\_\_\_



D. \_\_\_\_\_



H. \_\_\_\_\_



I. \_\_\_\_\_



N. \_\_\_\_\_



P. \_\_\_\_\_



T. \_\_\_\_\_



U. \_\_\_\_\_



O. \_\_\_\_\_



V. \_\_\_\_\_



W. \_\_\_\_\_

# Landscape

TABLE 3. Weeds controlled by pre-emergence herbicides

The following list of grasses and broadleaf weeds are labeled as being controlled by the pre-emergence herbicides. An (X) in the column indicates the weed is controlled for the herbicide listed.

	BETASAN	CASORON	DACTHAL	DEVIRINOL	ENIDE	EPTAM	FURLOE CHLORO IPC	ORNAMENTAL WEEDER	PRINCEP	RONSTAR	SURFLAN	TREFLAN
<b>Grasses</b>												
Annual Bluegrass	X	X	X	X	X	X	X		X	X		X
Barnyardgrass	X		X	X	X	X	X		X	X	X	X
Bermudagrass						X						
Cheat (Chess)				X	X							X
Crabgrass	X	X	X	X	X	X	X	X	X	X	X	X
Downy Bromegrass				X			X		X	X	X	X
Fall Panicum	X			X	X	X			X	X	X	X
Foxtail	X	X			X			X	X		X	X
Bristly Foxtail				X							X	X
Giant Foxtail				X		X					X	X
Green Foxtail			X	X		X			X	X	X	X
Yellow Foxtail			X	X		X				X	X	X
Goosegrass	X		X	X	X	X		X			X	X
Johnsongrass												
(from seed)			X	X	X	X	X				X	X
Nutsedge						X						
Quackgrass		X				X						
Ryegrass (annual)				X	X	X	X		X			
Sandbur			X		X	X						X
Stinkgrass												
(lovegrass)			X	X	X	X	X					X
Wild Oats				X		X	X		X		X	
Witchgrass		X	X		X	X	X		X			
<b>Broadleaf Weeds</b>												
Annual Morningglory						X			X			
Carpetweed		X	X	X	X	X	X		X	X	X	X
Chickweed		X	X	X	X	X	X	X	X		X	X
Common Groundsel				X			X		X	X		
Dandelion		X										
Deadnettle (Henbit)	X	X				X			X			X
Dodder			X				X					
Dogfennel		X										
Evening Primrose		X								X		
Galinsoga										X		
Knotweed		X		X	X		X					X
Lambsquarters	X	X	X	X	X	X	X	X	X	X	X	X
Lesser Bittercress											X	
Mugwort												
(Chrysanthemum Weed)		X				X						
Mustards		X						X	X			
Nightshades						X			X			
Peppergrass		X			X				X			
Pigweed					X			X	X			X
Prostrate Pigweed						X					X	X
Redroot Pigweed	X	X	X	X		X				X	X	X
Tumble Pigweed						X						
Plantain		X										
Prickly Lettuce				X								
Prickly Sida						X						
Purslane		X	X	X	X	X	X		X	X	X	X
Ragweed		X		X		X		X	X			

continued

combinations below have been used extensively in trees with excellent success.

PARAQUAT at 1-2 qt./A plus PRINCEP 80 W 1-2 lbs. aia (1.3-2.5 lbs.) Use as a directed spray and treat regrowth as needed with PARAQUAT only. Avoid contact with foliage and green, yellow or immature bark.

RAD-E-GATE or PHYTAR 560 at 3 gal./A plus PRINCEP 80 W 1-2 lbs. aia (1.3-2.5 lbs.) can be used in the same way as PARAQUAT and PRINCEP with the same precautions.

ROUNDUP at 1-3 qts./A plus SURFLAN 75 W at 2 1/2-5 1/3 lbs. is labelled for use on crops which appear on both labels.

continued on page 76

## ANSWERS TO PHOTO QUIZ

- A. Mouse-ear chickweed
- B. Crabgrass
- C. Yarrow
- D. Goosegrass
- E. Prostrate knotweed
- F. Creeping speedwell
- G. Dandelion
- H. Goosegrass
- I. Broadleaved plantain
- J. Perennial white clover
- K. Yellow nutsedge
- L. Annual bluegrass
- M. Tall fescue
- N. Buckhorn plantain
- O. Corn speedwell
- P. Red sorrel
- Q. Mugwort
- R. Nutsedge
- S. Heal-all
- T. Prostrate spurge
- U. Black medic
- V. Ground ivy
- W. Oxalis

Photos courtesy of New York State Turfgrass Association.