

PRODUCTS

Five-speed engine goes on all terrain

Exmark Manufacturing's 32-inch commercial power mower is equipped with a five-speed transmission for a smooth cut on all terrain. It has hinged grass deflectors which flip up



for easy removal or attachment to the grass catcher.

The operator can adjust mowing heights quickly with easy adjust casters. The mower is available with either an 8 or 12 hp Briggs & Stratton or 12.5 hp Kawasaki engine.

Circle No. 190 on Reader Inquiry Card

New product for hazardous spills

A new line of absorbent socks has been introduced by Dudick Corrosion, which calls them "the best absorbency in the industry."

Wolf and Super Wolf Absorbent



Socks can absorb acids, caustics and flammable solvents. They come in a polyethylene pail, in which they can be disposed.

The Super Wolf, which weighs one pound, can absorb 15 pounds and will not seep or leach. The Super Wolf is 44 inches long and four inches in diameter. The oil-only regular Wolf, which can absorb 7½ times its weight, will absorb petroleum-based fluids while allowing aqueous solution to pass through.

Circle No. 191 on Reader Inquiry Card

Rotary mower features compact construction

A new rotary mower line from Ingram Kut-Mor Co. features shorter mowers that include actuator power steering systems for improved handling. The company has also introduced the 623DW, powered by a 24 hp water-cooled Perkins Diesel engine. All Kut-Mor mowers include power steering, hydrostatic drive and fluid deck drive as standard equipment.



Circle No. 192 on Reader Inquiry Card

Multi-tank spray truck applies versatility

The "Trident" lawn sprayer from Green Pro Services, Grass Roots Nature's Way, Inc., features a low-profile, "non-threatening" appearance, according to the company.



The multiple tank system includes three 200 gallon tanks and one 50 gallon tank for special applications and curbside mixing. The Trident, can be used for lawns, trees or shrubs, and comes with an electronic flow meter, locking cabinets and truck signs.

Everything is mounted on a 12-foot

flatbed available on an Isuzu NPR Diesel chassis.

Circle No. 193 on Reader Inquiry Card

Motor oil upgraded to meet new engine requirements

Delvac 1 synthetic motor oil from Mobil Oil Corp. has been upgraded with a high-performance formula to meet and exceed new engine and transmission requirements developed in the past 10 years.

The oil is designed for trucks, buses, construction and off-highway



equipment, farm equipment and logging equipment.

Delvac 1 is an SAE 5W-40 synthesized hydrocarbon-based product with a pour point of 60 degrees Fahrenheit and will pump down to -50 degrees.

Circle No. 194 on Reader Inquiry Card

Root ball grabber a one-person show

The Kinggrabber is a one-person tree handling system that attaches to Coyote C14 loaders.

The root ball grabber easily plants or lifts trees out of the ground without damage to the tree, the root system or the trunk. Powered by the C14 hydraulic system, the attachment can be operated easily from the cab of this loader.

The Coyote C14 loader has a lift capacity of more than 4000 lbs. with the Kinggrabber attachment. Other attachments available for the Coyote

C14 are bucket, forks, scarifier and tree spade.



Coyote C14: Circle No. 195
Kinggrabber: Circle No. 196

Monofilament line replaces blade on mower/trimmer

The UnBlade from the UnBlade Company is a combination mower/trimmer/mulcher/bagger.

Instead of steel blades, it employs 12 monofilament lines made of Xenoy, guaranteed to last an entire mowing season. Line replacement can be completed without removing the UnBlade from the mower.

Because it doesn't use blades it can go on rough rocky terrain, cut tall or wet grass easily and doesn't cut garden hoses or tree roots. When coupled with the Trim-A-Lawn mower, a

door on the side of the mower can lift up to expose 2½ inches of line for trimming around trees, houses and shrubs.

Circle No. 197 on Reader Inquiry Card

Brochure details loader/backhoe

A full-color brochure describing the JI Case Model 580K loader/backhoe is now available. The eight-page brochure highlights features of the loader/backhoe, including the two-wheel- or four-wheel-drive options, the Case 63 net horsepower diesel engine, the 5500-lb. lifting capacity and the 18-ft. 2-in. digging capacity.

Circle No. 198 on Reader Inquiry Card

Non-toxic herbicide is also biodegradable

A new non-toxic herbicide for weed control is available from Safer, Inc. TopGun is a broad-spectrum contact vegetation killer that destroys unwanted weeds on contact without leaving harmful residues in the soil.

The active ingredient in TopGun is

a blend of fatty acids that disrupt cell membranes, causing the vegetation to shrivel and die. Seed beds or grass can



be replanted within 48 hours after application of TopGun.

Safer's line of natural products includes insecticidal soap, moss and algae killers, sulfur-based fungicide, insect traps, herbicides and plant protectants.

Circle No. 198 on Reader Inquiry Card

Hydraulic reel mower suits many needs

A line of innovative hydraulic reel mowers that turn any tractor into a turf mowing unit without dedicating it to one task has been unveiled by John Deere.

We are expanding.

If you are looking for a career opportunity rather than just another job, consider linking your future to ours. We are looking for experienced people in the following areas:

- Environmental Care Inc.
Landscape Management
- Arbor Care
Commercial and Industrial Arborist
- Intiorscape Division
Interior Landscape Maintenance and Installation

Please check your area of interest and the geographical area where you would most like to be located:

- Los Angeles East Bay Inland Empire Sacramento Santa Ana
- San Diego San Jose Colorado Springs Denver
- Phoenix Houston

Send resume to:



Environmental Care Inc

Landscape Maintenance Services

A subsidiary of environmental industries, Inc.

Personnel Department
24121 Ventura Boulevard
Calabasas, CA 91302

The mowers are pull-behind units that provide a hydraulically-driven set of reel mowers for golf fairways and other sports turf.

The model 305 has five 30-inch reel mowers with a 142-inch cutting swath. Optional 4-, 8- and 10-blade reels are available. The model 303 has



three 30-inch mowers with an 86-inch swath.

Both can cut heights from 3/8-inch to 2 3/8 inches; both have rear rollers and scrapers, adjustable skids and hydraulic reel lifts.

Circle No. 200 on Reader Inquiry Card

Tree transplanter is completely self-contained

Mid Dakota Corp.'s towable transplanter is a self-contained unit which



will go anywhere a garden tractor will go. It won't damage lawns or underground sprinklers.

The cradle can be positioned at any level above ground to allow for varying root ball sizes. Once the cradle is positioned, a jack hammer drives the spades into the ground. Then, hydraulics lift the tree and puts it in the ground or in a pot.

Circle No. 201 on Reader Inquiry Card

Stump cutter performs in tight places

Rayco has introduced a new stump cutter which is portable or truck-towed. Model RG 1620 (JR) is designed for use where working clearances are tight.

A 20 hp Kohler gasoline engine

powers the cutting action, while a hydrostatic motor provides on site self propulsion. Field performances have shown RG 1620 (JR) to be versatile and productive.



Circle No. 202 on Reader Inquiry Card

Sentry luminaire gives off directed light distribution

The new Sentry SMA series luminaire comes with an internal refractor for directed light distribution. The refractor can yield either symmetric or asymmetric distribution. Asymmetric lighting is frequently used to separate lighting between a road and pedestrian sidewalk.

The Sentry SMA series uses a globe



made of sturdy textured polycarbonate. Its heavy-duty cast aluminum base offers further protection to the ballast and associated electrical components.

SMA luminaires are available in metal halide, high-pressure sodium and mercury lamps ranging from 70 to 250 watts.

Circle No. 203 on Reader Inquiry Card

Olathe

DISC CHIPPER FOR PROFESSIONAL USERS



MODEL 986. Compare its 42" diameter drum, hydrostatic drive for variable feed speed, 15° curbside angle for operator safety and 360° swivel chute. Gas or diesel — you'll buy Olathe.

Write or call your local Olathe/Toro commercial dealer for a free demo or call Olathe toll-free 1-800-255-6438.

OLATHE MANUFACTURING, INC.
100 INDUSTRIAL PKWY, INDUSTRIAL AIRPORT, KS 66031
1-800-255-6438 • 913-782-4396



Circle No. 126 on Reader Inquiry Card

Send New Product releases to:
Landscape Management
7500 Old Oak Boulevard
Cleveland, OH 44130