PRODUCTS

Manually adjusted mower secured by three pins

The Model 6372, 72-inch mower deck from Grasshopper has an interdependent flex carrier deck. The deck and carrier work together to give contour following flex action while maintaining the desired manicured appearance.

The cutting height adjustment is secured by three tension-locked pins and is manually adjusted. A spring loaded deflector shield keeps flying debris headed groundward.

The left rear corner of the frontmount deck has been rounded to improve trimming capabilities. Belts operate on a flat plane with no twist to minimize wear and reduce downtime.

Circle No. 190 on Reader Inquiry Card

Landscape software updated with features

Abracadata, Ltd. has upgraded its landscape computer software program to include a slope option which allows the user to enter the degree of slope while the program shifts the design accordingly.

The program now has two scales, distance finding, and pull down menus to make designing easier.

The user can create property lines, add plants, trees and other landscape features. Color text and labels can also be entered.

System requirements include any Apple II computer with at least 64K memory, mouse, paddles, joystick or graphics pad.

Circle No. 191 on Reader Inquiry Card

Company adds three to extensive product line

O.M. Scott & Sons has added three new products to its Proturf line. A fine particle sulphur product is for use on greens, tees, fairways and containergrown ornamentals to correct pH problems and sulphur deficiencies.

Fluid Fungicide III is designed to increase brown patch control in areas where it is a serious problem. It also prevents and controls anthracnose on Poa, leaf spot, brown patch, dollar spot, pink snow mold and rust. It is usable with fertilizers, seed and other control products.

The third product is Turf Fertilizer

with Iron, which combines iron in ferrous sulfate form and slow release encapsulated fertilizer. It is formulated for use on fairways and other large turf areas.

Circle No. 192 on Reader Inquiry Card

Twelve-foot hose keeps spray tank stationary

The Alter-Spray Portable Power Sprayer from K&G Enterprises features a 12-foot hose which allows the tank to remain stationary while spraying large areas. The spray unit can also be pulled along while operating in narrower areas.

The sprayer is excellent for liquid fertilizer and pesticide applications on lawns, shrubs, trees and gardens. **Circle No. 193 on Reader Inquiry Card**

Granular herbicide gets EPA registration

The Environmental Protection Agency recently approved registration of Triamine Granular Weed Killer from Riverdale Chemical.

It is a three-way, post-emergence



8 MODELS — The Most Powerful, Productive Lawn Mowers You Can Buy!

TAKE THE DIXIE CHALLENGE Make us prove what we say. Get a Free demonstration. Write or call us today.

MAGIC CIRCLE CORP. RR1 BOX 345. COATESVILLE, INDIANA 46121 IN INDIANA 1-800-231-2472 – OUTSIDE IN. 1-800-233-7596 Used by nurserymen and landscapers for over 40 years... A proven performer!



Wilt-Pruf is the proven way to reduce moisture loss and drying out when plants are under stress due to transplant shock, summer or winter windburn and drought. Use whenever transplanting. Also excellent for protection during shipping and storage. Organic and biodegradable, Wilt-Pruf is the safe way to guard against moisture loss year 'round.

Order Wilt-Pruf from your distributor today.

WILT PRUF® ANT-TRANSPIRANT

P.O. Box 4280, Greenwich, CT 06830-0280 203/531-4740 selective broadleaf herbicide composed of the amines of 2,4-D, mecoprop and dichlorprop.

The product is labeled for both cool- and warm-season grasses on golf courses, lawns, parks and ornamental turf.

Circle No. 194 on Reader Inquiry Card

Piggyback forklift carries pallets through most terrain

Spyder's new S-35X Material Handler carries its load between two hydraulically-powered front drive wheels.

This system provides lift capabil-



ities up to 4,000 pounds though the unit only weighs 3,000 pounds. A conventional forklift carrying the same weight would have to way 12,000 pounds, according to the company.

The light weight allows it to operate on rough muddy terrain. With the S-35X's patented telescoping legs, it can maintain a level load on slopes up to 30°.

The telescoping legs also allow it to load itself onto the rear of a truck piggyback style for transportation to a work site.

Circle No. 195 on Reader Inquiry Card

Computer engineered mowers cut 21 inches

Exmark Manufacturing computer-designed its new 21-inch self-propelled



and walk-behind mowers for operator convenience. Both models feature a

durable, light-weight rear deck and are powered by 4 hp Briggs & Stratten engines.

They feature variable speed control and differential action for easy maneuverability on curves and hillsides.

An optional rear-bagger gives the operator extra leg room and can be attached and detached quickly. **Circle No. 196 on Reader Inquiry Card**

Liquid cleaner/degreaser works on any surface

Simple Green general purpose cleaner and degreaser can be used on any washable surface, unpainted or painted, leaving no objectionable residues.

The product is used with cold water and sponged, mopped or sprayed to lift food, blood, oil and grease stains. It can also be used with salt water.

The concentrated liquid is not flammable or harmful to skin, causes no damage or irritation to the eyes and is non-abrasive.

The biodegradable product is environmentally safe and meets OSHA safety standards.

Circle No. 197 on Reader Inquiry Card

Synchromesh transmission smooths shifting on tractor

The Mitsubishi 4501 tractor features a synchromesh transmission designed to smooth gear shifting even when the tractor is in motion.

Tachometer, fuel meter and coolant thermometer are arranged on the instrument panel for easy monitoring and control.

The tractor is equipped with position, draft and mixed control standard. It has a four-cylinder, watercooled overhead-valve engine and dry single-disc clutch.

The 4501 is available in either twoor four-wheel drive.

Circle No. 198 on Reader Inquiry Card

Biotech powder deposits break up soil compaction

Turftech powder from Soil Technologies is made of billions of singlecell plants per pound. The non-toxic, living product is mixed with water and sprayed on turf to help break up compaction and improve absorption.

The reproducing plant cells deposit a sugar, which binds together

Circle No. 182 on Reader Inquiry Card 102 LANDSCAPE MANAGEMENT/MARCH 1988 clay particles in the soil, creating larger, more absorbent aggregates.

The larger aggregates open pore space and loosen soil, reducing compaction. Greater pore space improves water infiltration and root development.

The larger spaces also hold nutrients, reducing fading between fertilizer applications. In saturated conditions, the larger pore spaces improve drainage.

At first, Turftech is applied two to four times annually, but with soil condition improvements, that frequency

Equipment for the turf care professional.

drops to one or two times annually. It can be applied year-round. Circle No. 199 on Reader Inquiry Card

'88 golf car models have improved designs

Columbia's 1988 model Par Cars include a new dashboard with easy access to key-controlling forward/reverse directions, shorter length for improved maneuverability, dura-spike long life floor mats and improved, long-wear individual bucket seating.



Circle No. 200 on Reader Inquiry Card

Four-gallon steel sprayer built for backpack use

The Maruyama MHU18D is a four gallon stainless steel sprayer built for backpack operation.

A lever arm actuates a gear-driven piston pump. A special independent pressure tank facilitates opening the unit without pressure loss or chemical splash. A strong trigger lever is



ideal for on/off spot spraving.

A standard five-head ring nozzle discharges a fine droplet/mist with a swirl pattern for effective plant coverage. An optional herbicide nozzle is designed to reduce drift. The filter basket incorporates a measuring cup to assist in chemical-to-water ratios.

Circle No. 201 on Reader Inquiry Card

Reels operate separately on triplex greensmower

Bunton's new triplex greensmower is available with either an 18 hp, twincylinder Onan engine or 16.5 hp threecylinder water-cooled Kubota diesel.

Independently operated reels allow the operator to raise individual cutting units completely from the ground to prevent turf damage by dragging during multiple mowing patterns.

All reels, carriage frames, catchers and reel motors are interchangeable, and the bedknife-to-reel adjustment is easy.

The hydrostatic closed circuit drive requires fewer valve banks and

Dlathe Setting the standards for sweepers.



Feel like your grass clippings may be get-ting ahead of you? Try this model 54HL 5' self-propelled sweeper unit with high lift for large area cleanup. 24hp engine, hydraulic-drive, with optional thatcher, sweeps wet or dry materials using 'suregrip' rubber fingers.

Olathe personnel have been helping solve leaf/debris problems for over 30 years. Ranging in size from our model 42 (36" wide, Shp tow-behind) to the large area tow units which are the 166e, the 166hl and the 65 PTO (all with 5' width, 5 cu. yd. capacities). Ground and high lift models.



Model 65 PTO-powered 5' width

Model 166e 5' hydraulic ground dump







Model 42 tow — type, 1/3 cu. yd. 5 hp, 3' swath, inger or brush reels.

Write or call your local Olathe/Toro dealer for free demo or call 1-800-255-6438

OLATHE MANUFACTURING, INC. 00 INDUSTRIAL PARKWAY, INDUSTRIAL AIRPORT, KANSAS 66031 800-255-6438

Circle No. 156 on Reader Inquiry Card 104 LANDSCAPE MANAGEMENT/MARCH 1988

hydraulic pumps for lower clude an Alzak reflector system. maintenance.



Circle No. 202 on Reader Inquiry Card

Compact flood lamps perform with low wattage

The 4300 Series architectural miniflood lamps from Kim Lighting offer four low wattage lamp sources-40watt flourescent, 60-watt incandes-cent, 13-watt PL lamp and 35-watt high pressure sodium.

The series' die-cast swivel assembly locks solidly into place with positive locking teeth for proper fixture aiming. Improved photometrics in-

Before you fertilize . . .



According to turf experts, excessive thatch must be removed after a hard winter in order to have healthy turf in the spring. Thatch prevents nutrients from reaching down into the root structure. Result: the lawn cannot breathe and grow properly.

The 3/16-inch lens is clear acrylic on the 40-watt flourescent models and clear tempered glass on all other models.

All models are suited for both down- and up-lighting, with a maximum tilt of 60 degrees from vertical in either exterior or interior.

Circle No. 203 on Reader Inquiry Card

Roto-Hoe adds to snow thrower

Roto-Hoe has added two new features to its Model 969 snow thrower attachment. The new 180-degree swivel spout and heavy duty skids give the machine improved performance and



durability. Model 969 is one of 20 attachments for Roto-Hoe's Models 910 and 990 rear tine tillers.

Circle No. 204 on Reader Inquiry Card

Tractors adapted to landscape management

The Deutz-Allis 6200 series of tractors, formerly marketed primarily to



commercial grain and livestock farmers, can be adapted to a wide range of landscape management uses.

The air-cooled diesel engines were built for years of hard work, the company says. All controls are right where they should be, easy to reach and use. Visibility is clear and unobstructed in any direction.

knife reel

flail reel

Circle No. 205 on Reader Inquiry Card

BlueBird has the most complete line of power rakes in the industry, a rake for every lawn and purpose. Spacings for every application. Interchangeable flail reels and knife reels are available for vertical mowing, and together they answer every need of lawn service professionals in every part of the country. Call your distributor today for a BlueBird catalog. For the name of your distributor call the BlueBird Action Center. BlueBird International Inc., 2778 South Tejon, Englewood, Colorado 80110. Phone (303) 781-4458.



Circle No. 105 on Reader Inquiry Card