

FERTIGATION from page 38

inexpensive compared to sophisticated "slow release" products that are widely used and accepted. However, fertigation allows you to mimic the effects of expensive slow-release materials.

You can feed small amounts of liquid fertilizer during each irrigation cycle, or develop feeding regimens that routinely provide a cumulative balanced agronomic program. Being able to apply only enough fertilizer to feed the turfgrass for a few days gives you the ability to control color and growth very evenly and predictably.

Fertigation offers unique opportunities to meet the needs of turfgrass managers in the 1990s and beyond. Sound agronomic planning, a sufficient irrigation system, the proper choice of fertilizers, and a good injection system provide the right combination for optimum turfgrass performance.



—The author is agronomist/president of PlantStar, Inc., P.O. Box 304, Watkinsville, GA 30677. Phone number is (706) 769-9210.

'Micro-fertigation' opens application windows

■ The concept of "micro-fertigation" is a staple of the fertilization program of Don Parsons, superintendent at Old Ranch Country Club in Seal Beach, Calif.

"Micro-fertigation" is *not* the application of micro-nutrients through the irrigation system. It *is*, however, the ability to apply nitrogen fertilizer any time and in small amounts through the irrigation system.

"Most of us would not consider making an application of 16 bags of ammonium sulfate on a 120-acre golf course. It is not practical to run a tractor and spreader over the golf course to apply 16 bags of fertilizer." Fertigation, however, is uniquely suited to this task.

The advantage of fertigation to apply tiny amounts of nutrient is that the superintendent can "dial in" the growth and color that he or she needs. The reduced application rates also reduce the possibility of excessive growth, thatch and disease. And it reduces the potential for nitrate leaching.

Parsons suggests a total rate of about

0.07 lbs. of actual nitrogen per 1000 sq. ft. as a good rule of thumb when fertigating. "Let the plant use up this nitrogen before making another application," he says. "This technique should promote a strong plant with a deep root system."

Parsons fertigated 170 times in 1992 but just 140 times in 1993, due to changes in weather patterns.

If there is a drawback to fertigation, Parsons says, it is that grass and weeds grow in places that they were not growing before. "Many areas in the rough that were never fertilized regularly now grow very vigorously. Our tree growth is also significantly better," he says.

"Many people feel they cannot use fertigation because of poor sprinkler distribution," Parsons further notes. "Fertigation will not make a poor sprinkler system better, but don't back away from it just because of poor sprinkler distribution. Fix the problem and carry on."

Parsons firmly believes, however, that minute and frequent amounts of nitrogen on turf have great potential.

Seashore paspalum gets around water restrictions

Great for its salt tolerance, this sub-tropical grass does, however, have a problem resisting some major weeds.

■ Because of municipal restrictions on water for irrigation, many golf courses and recreational areas that are located near the ocean have turned to seashore paspalum grass.

Seashore paspalum is a very salt-tolerant grass that can be irrigated with water containing high salt levels. In fact, many turf managers irrigate the grass with brackish water, which is part seawater and part freshwater from ponds or pumped from wells located near the shore.

Seashore paspalum is a warm-season perennial grass native to tropical and sub-

tropical regions of North and South America. Because of its salt tolerance, it is often found on seacoasts and around brackish ponds and estuaries. Seashore paspalum spreads by rhizomes and stolons, and the stolons and leaves of the grass are slightly more coarse than those of common bermudagrass.

Paspalum is blue-green in color, and has a texture that is similar to common Kentucky bluegrass.

The salt tolerance of seashore paspalum is superior to even bermudagrass. In fact, on golf courses in south Texas and southern California, salinity levels are above 25 mmhos/cm, and seashore paspalum grows quite well, unlike bermudagrass, which dies out.

Seashore paspalum can also be found growing in brackish water with salinity levels above 4,000 ppm total salts.

As a turfgrass, seashore paspalum shows good tolerance to close mowing,

good wear tolerance and moderate shade and drought tolerance.

The cold tolerance of the grass is between that of bermudagrass and St. Augustinegrass, but it does not tolerate prolonged sub-freezing temperatures.

As a turfgrass, seashore paspalum shows good tolerance to close mowing, good wear tolerance and moderate shade and drought tolerance.

It is well suited to turf areas mowed at two inches or less, and can also be used in golf course roughs. Its quality improves as the mowing height is reduced and mowing frequency increased. Even at putting green heights of 1/4-inch, the grass is very dense. Seashore paspalum must be propagated from sprigs of sod. When sprigged at a rate of 200 bushels per acre, a complete cover could be expected in two to three months.

continued on page 42