

Infields for truest play

Not too hard, not too soft — here's how to get your infield just right

BY PAUL ZWASKA


Editor's note: This article is the third and final of a series on infield care.

Many people complain that their infield skin surfaces are too hard, too soft, too tight or too loose.

Some of these problems may be due to improper maintenance or recent weather. For instance, if the infield skin is spiked or nail-dragged too deeply, players may complain it's too soft or too loose.

Daily nail-dragging should only penetrate the soil deep enough to smooth cleat marks and minor ripples in the playing surface. Typically, that means only penetrating the top 1/2 in. - 3/4 in. of the skin portion of the infield

An extended period of heat and drought can cause an infield to become very hard. Unfortunately, many of the park and recreation directors that maintain baseball fields can't do much about



Testing your infield soil mix reveals the percentage of sand, clay and silt it contains. Too much of any of these ingredients will either cause your skin infield to play too loose or get too hard.

this because their fields aren't irrigated whatsoever.

Test that soil

Often the biggest problem is the soil itself. Poor performing infield soils account for many problems but you cannot improve something if you don't know what it is you're trying to im-

prove. You first need to find out the makeup of the existing infield soil by getting it tested. Many soil testing companies around the country perform accurate tests. Also, many county extension offices offer soil testing.

The two types of tests you can have performed are:

continued on page 62

continued from page 60

▶ a soil texture analysis test, which will give you the percentages of sand, silt, and clay in the infield soil,

▶ or a particle size analysis, which will give you the above, plus a distribution of the different sizes of sand in the sand fraction and the sand shape and sphericity.

These tests can cost between \$30 and \$80. For that price, you'll get a valuable document containing a basic list of the ingredients for your current infield skin soil.

If you like the soil you have on your infield skin, use the test results as a recipe for ordering new soil any time you need to add some to the infield. Bear in mind that soil suppliers will not be able to match the



Rototilling calcined or vitrified clay products into an infield soil with too much clay or hardness will help fractionate it and make it more manageable.



The Rain Booster

AN INDUSTRY FIRST!

The benefits of big guns are now available where minimal or no water pressure is available!

- totally self contained unit can be used as a primary pumping unit using surface water or as a booster unit to increase lower pressures available from existing pipelines

Calmar Industries Ltd.

602 B-51 St. E., Saskatoon, SK Canada S7K 7K
Phone (306) 975-1999 • Fax (306) 975-7175
calmar@calmarindustries.com
www.calmarindustries.com

Circle 133

exact percentages for you, but some should be able to get close. Once you find a trusted supplier, stick with them if you're looking for consistent materials.

Amending infield base soils

If you're unhappy with the makeup of your infield skin base-soil, use the soil test as your baseline.

For almost all regions and conditions the guidelines for sand, silt and clay in an infield mix are 50% to 75% sand, 15% to 35% silt, and 15% to 35% clay. If you don't have the budget to totally replace your infield skin base-soil, the next option is to amend it with other soils or manufactured soil amendments to achieve the desired soil consistency.

Some soil labs can prescribe the amounts of soil you'll need to add to achieve your goal percentages. First, a sample of your present infield skin base mix is tested to provide the initial sand, silt and clay percentages. Next, a decision is made as to how the mix must be improved.

For example, a field is tested and found to be high in sand content (a likely scenario following players' complaints of poor traction and footing). There's not enough money to replace the entire infield skin mix, so the field manager decides to amend it with other soils to tighten up the existing mix.

With a loose, sandy infield mix, blend in a loamy or clay loam soil to provide better traction. This can be done in two ways:

▶ The field manager can add small amounts of these other soils (five to 10 yards at a time) to see how well it binds up the soil (a long process because one to two months are needed to see how the field firms up),

▶ or you can have the loamy or clay loam soil tested by the soil lab.

The lab will determine if the soil is a suitable candidate to achieve the desired soil separate percentages, and, if it is, will calculate the amount needed to add to the existing mix. You must know the square footage of the infield skin as well as the

depth it will be amended to make the calculations.

Usually, you don't need to amend any deeper than four inches. If large amounts of soil are needed for the proper results, you may find some soil may need to be removed to prevent the infield skin grade from becoming dramatically altered. Be sure that any new soil added to an infield skin has been properly screened and is very clean.

In another example, the infield skin is too high in clay and too hard. The first op-

Be sure that any new soil added to an infield skin has been properly screened and is clean.

tion for a field manager is to use a commercially-produced soil amendment, such as calcined or vitrified clay products, to till into the heavy soils to fractionate it and make it more manageable. Amounts needed would depend on how much clay is in the base soil.

Take it slow and only add three to four tons at a time. Till it into the top three to four inches of the base soil, and allow the infield one to two months to settle in order to see the true effects of the amending process. (You can always add more if needed. It's a bigger problem if you go overboard with too much and then need to reclaim some firmness.)

The second option is to till in sand to loosen the soil. A word of caution — tremendous amounts of sand could be required to achieve the proper soil separate percentages. This would require the soil

laboratory to calculate the amounts of materials needed to properly alter the soil to the desired consistency.

Due to the tremendous amounts of sand needed to alter the infield mix, you would need to remove a considerable amount of soil to avoid drastically altering the infield skin grade.

Amendments are a big help

In these circumstances, it's usually a lot easier to use commercially produced soil amendments to alter the skin base mix than actual soil. These amendments will usually be needed in smaller quantities to achieve the proper fractionating effect desired in high clay infield soils.

Mix it in good

No matter what you amend your infield skin base soil with, proper mixing is crucial to provide a homogenous soil for your infield skin. Any kind of layering can lead to the top layer sloughing off at the interface between the two layers. And, of course, this will happen right in the middle of a crucial play in a game.

Rototilling the infield in two to three different directions to the proper depths should provide adequate mixing. Make absolutely certain to get along all edges.

Once it's thoroughly mixed, level and drag the infield to assure positive surface drainage off the infield skin. Roll in two directions perpendicular to each

CHOOSE
CONVAULT
THE SAFEST EQUIPMENT FUELING SYSTEM



FEATURES

- Thermal protection
- Vehicle impact protection
- Projectile/fire resistant protection for all flammable and combustible fuels
- Durable/long lasting
- Meets all fire code regulations
- Safety, security, longevity with total fire and environmental assurance
- UL 2085 listed

BUILT TO STAND THE TEST OF TIME
For further information

Oldcastle
Call: 1-800-638-4302
or visit us at www.convault.com

UL
PROVEN AND DEPENDABLE

Circle 134



Shattertine®


Sportstine®

Finetine®

AerWay® offers low cost, low maintenance, long lasting options for all your turf aeration needs!

A Full Family of Tines - AerWay® offers you customized aeration options for your greens, tees, fairways and roughs.

Effective Deep Tine Action - goes to the heart of soil problems by relieving compaction. This results in strong root growth and outstanding drought resistance.



AerWay® - Effective Aeration When You Need It - Where You Need It!

for further information call **1-800-457-8310**

Advanced Aeration Systems

www.aerway.com aerway@thehollandgroupinc.com

Circle 135

We've Nailed Down The Price of our Durable Drag

Beacon's Premium Nail Drag

\$415

\$95

Optional Wheel/Tow-Tongue Set



Call 800-747-5985 or visit www.ballfields.com

Beacon Premium 3' x 5' Nail Drag combines welded steel construction (powder-coated) with plastic lumber nail supports and 5 1/2" x 1/4" spikes to create the best performing, most durable, daily grooming machines ever! Ships UPS.

Add the wheel/tow-tongue package and make drag handling and transport a snap!

Hundreds more field equipment/supply products in our **FREE** 2002 catalog.

Circle 136

ATHLETIC TURF

other with a one or one-and-a-half ton vibratory roller to adequately compact the base. Finish off by thoroughly soaking the field with water to help the soil settle and glue together.

Choosing topdressings

Now that the infield base soil has the desired consistency, a topdressing should be added to make managing the surface much easier. Besides the aesthetic value of a topdressing, these materials assist the field manager in maintaining a loose layer on top for resiliency, and to act as a mulch for holding moisture in the base soils longer.

A field with a topdressing layer allows ballgames to continue in light rains without compromising traction. Infields with topdressings will also dry on the surface faster, which allows for faster field preparation after rain.

Which topdressing material is right for your situation? Field managers have a variety of different materials to custom-craft their infield topdressings for their specific infield soils, climate conditions and desired infield skin color. Here are some common conditions and topdressing suggestions:

Loose, sandy infield skins:


Use topdressing materials that absorb and hold moisture (calcined clays or diatomaceous earth products). These topdressings add

water-holding capacity to the loose, sandy infield skins. Moisture helps to firm sandy soils just like on a beach — as you get closer to the shoreline where there's more moisture in the sand, the sand firms up. This will provide better traction on these soils provided that moisture is always available. However, it won't do much good on a field with no irrigation and three weeks with no rain.

Low humidity, windy climates: In these areas, it's vital to maintain a high amount of moisture on the topdressing

In windy climates with low humidity, it doesn't take long for infields to dry after a light rain.

surface to further slow the rapid evaporative process from reaching the base soil materials. In addition, the extra moisture being held by the topdressing adds weight and glues the topdressing down so that strong, prevailing winds won't blow it off the infield and contribute to building up any lips. It doesn't take long for fields to dry after a



A soil test will provide a report such as this one showing the makeup of your infield soil.

light rain in these areas. Topdressings that hold moisture (calcined clays or diatomaceous earth products, which are too transportable to be used in windy areas) work well, but can be mixed with low moisture absorbing materials (vitrified clays or crushed aggregate products) in small percentages for color or slightly more rapid surface drying.

An example would be a topdressing mix of 70% calcined clay and 30% vitrified clay. Increase the vitrified clay if you want the topdressing to dry faster; decrease it to dry more slowly.

High humidity, light to moderate wind climates: Fields in parts of the United States with this type of climate tend to dry much more slowly after a natural rain. These climates tend to slow evaporation and therefore require different topdressing management strategies.

There are many recipes for a topdressing in these weather scenarios. You can use any of the four types of topdressings, or a mixture. A favorite mixture involves using

a higher percentage of low moisture absorbing materials (vitrified clays or crushed aggregate products) with a smaller percentage of topdressings that absorb and hold moisture (calcined clays or diatomaceous earth products). This provides a topdressing that dries more rapidly at the surface while shading the lower base soil from drying too rapidly. It allows for rapid re-entry by maintenance crews to prepare fields for upcoming games.

By varying your percentage of water-holding vs. non-water-holding topdressings, you can control exactly how much moisture you want to hold in your topdressing.

With all the varieties of topdressings

available, it's wise for a field manager to become familiar with the choices, their attributes and colors. Next, the best advice is to experiment with all of the various materials until you craft a topdressing that gives you the greatest aesthetics and versatility in all weather and field conditions. **LM**

—The author is manager of Beacon Ballfields and former grounds manager for the Baltimore Orioles at Camden Yard. For information concerning a Paul Zwaska seminar on baseball field maintenance, visit the Web site www.ballfields.com.

TURBO TURF

THE HYDRO SEEDING EXPERTS

- Turbo Turf allows one man to seed a lawn faster than a whole crew did previously.
- Turbo Turf mixes a load in minutes and has a powerful spray with precise control.
- Turbo Turf eliminates messy straw. Grow a beautiful sod quality lawn in days.

Call us for a FREE hydro seeding info pack and video:

TURBO TECHNOLOGIES, INC.

1500 First Ave., Beaver Falls, PA 15010

724-846-0670 800-822-3437 Fax 724-846-3470

WWW.TURBOTURF.COM sales@turboturf.com

Circle 137