

Products

RESOURCES

TOOLS OF THE TRADE



New scarlet rose

Flower Carpet Scarlet is the seventh and latest in the Flower Carpet Rose series introduced from Anthony Tesselaar Plants. Flower Carpet Scarlet boasts a profusion of vibrant red double flowers in clusters and displays an unprecedented level of natural disease-resistance. Flower Carpet Scarlet produces small buds that burst into clusters of six to eight double flowers. The flowers are a vibrant, scarlet red. The foliage is a dark, glossy green. Scarlet blooms in waves from early summer through late fall. A mature plant grows from 24 to 32 in. tall and 40 in. wide.

For more information contact Anthony Tesselaar Plants at 310/349-0714 or ddavids@tesselaar.com / circle no. 271

Multi-line install

The Vermeer multiblade plow attachment is designed specifically to install Netafim dripperline in commercial and residential irrigation projects. The multi-blade plow attachment fits the Vermeer LM42 lawn plow and RT450 tractor, and uses a high-frequency vibration to cut through the ground and close up the channel around the dripperline. It is capable of laying three rows of tubing at a time, with



Simple operation

Rain Bird's new ESP-LX Modular Controller accommodates all high-end residential and commercial installations. The ESP-LX Modular has the capacity to expand up to 32 stations in increments of four or eight stations. The ESP-LX Modular features a large display for simple operation and flexible programming options to meet specific landscape needs. In addition, the ESP-LX Modular enables automatic monthly seasonal adjustments to cut back on watering during cool weather and increase during hot weather. It comes programmable in English and Spanish.

For more information contact Rain Bird at 800/RAINBIRD or www.rainbird.com / circle no. 270



depth adjustability from 2 to 12 in. in 1-in. increments and spacing width adjustability from 10 in. to 24 in. in 2-in. increments.

For more information contact Vermeer at 888/VERMEER or www.vermeer.com / circle no. 272



Sprayable Dimension

Dow Agro-Sciences' Dimension 2EW specialty herbicide is a new water-based formulation of Dimension that offers early post-emergence control of crabgrass, pre-emergence control of other grassy and broadleaf

weeds and can now be sprayed over the top of landscape ornamentals. With the active ingredient dithiopyr, this new formulation provides application flexibility for almost anywhere users need it: established lawns, landscape ornamentals, golf courses, commercial and residential properties, sod farms, non-cropland and industrial sites. It can also be used over the top of field grown nursery ornamentals.

For more information contact Dow Agro-Sciences at 317/337 3000 or www.DimensionHerbicide.com / circle no. 273

Data loggers

Onset Computer Corp. released the HOBO Pro v2 Series, a family of four compact, weatherproof data loggers designed for use in a broad range of outdoor temperature and humidity monitoring applications. Slightly



larger than a pocket-sized flashlight, the new HOBO Pro v2 loggers address the need among professional researchers for a portable data logger that can withstand harsh outdoor and condensing environments. Example applications include field site evaluations, ecology studies and microclimate monitoring.

For more information contact Onset at 800/564-4377 or www.onsetcomp.com / circle no. 274

More comfortable Tank

Cub Cadet Commercial has added comfort and convenience to its tough performing TANK zero-turn mowers. The TANK will now offer a new two-pedal deck lift; one pedal to lift and lock, the other to release and lower; a conveniently located parking brake with effortless engagement; and a standard, foldable ROPS as part of an Operator Protection System. The TANK M72 gas model will come



with a 37HP V-Twin air-cooled Kawasaki engine. Cub Cadet has also made improvements to its exclusive Command Cut System for improved durability, reduced maintenance and cleaner overall cut.

For more information contact Cub Cadet at 330/225-2600 or www.cubcadetcommercial.com / circle no. 275

Add some Octane

SePRO Corp.'s Octane 2% SC contains the active ingredient, Pyraflufen ethyl, which when added as a tank-mix with post-emergent broadleaf weed herbicides, increases the

speed of kill and broadens their weed spectrum. Visual herbicidal results are evident within 24 to 48 hours of application. Because Octane is rainfast in only one hour, the risk of losing activity due to inclement weather is minimized. While Octane is active on broadleaf weeds, it is gentle on desirable turfgrasses. Octane can be applied in rates less than 4 oz. per acre stand-alone or 1.5 oz. per acre in tank mixes.

For more information contact SePro Corp. at 800/419-7779 or www.sepro.com / circle no. 276



Dig deeper

The new Bobcat 425 zero-tail swing (ZTS) compact excavator is designed for professionals who need a two- to three-metric ton exca-













vator with zero-tail overhang to optimize spoil placement and reduce the likelihood of contact with surrounding objects. The 425 ZTS delivers a maximum digging depth of 8 ft. 4 in. and a maximum reach of 14 ft. 10 in. at ground level. The rubber tracked excavator is powered by a 26-hp liquid-cooled diesel engine and features two-speed (1.2 and 2.3 mph) travel motors. The 425 provides 3,282-lbs. arm breakout force and 5,058-lbs. bucket breakout force. The 425 is also available in a long-arm option for greater spoil placement. **contact Bobcat at 866/823-7898 or www.bobcat.com / circle no. 277**

TeeJet®

Why Spray Nozzle Selection is Critical to Your Success

The consequences of inadequate spraying can be extremely costly. Under application can result in turf damage and the need to re-spray. Over application results in waste of chemicals. So, be sure you have the best nozzle for your specific application.

Nozzle Type	Herbicides, Fungicides, and Insecticides		Droplet Size	Nozzle Type	Herbicides, Fungicides, and Insecticides		Droplet Size
	Contact	Systemic			Contact	Systemic	
Turbo TeeJet® 	Good	Excellent		DG TwinJet® 	Excellent	Good	
Turbo TeeJet® Induction 	---	Excellent		Turbo TwinJet® 	Excellent	Excellent	
AIC TeeJet® 	Good	Excellent		XP BoomJet® 	---	Very Good	

 Very Fine
  Fine
  Medium
  Coarse
  Very Coarse
  Extremely Coarse
(Droplet-size categories may vary with nozzle capacity, spray angle and spray pressure.)

Circle 141



has become

TeeJet®

www.teejet.com

Products

Haul more with this insert

Standard Hamilton Co.'s Hi-Sides is a volume enhancer option designed for its unique Dump-Pro dump insert for pick-up trucks. This option is a designed and engineered hardware system to increase the volume carrying capacity of Dump-Pro from its original 2



cu. yds. to 4 or 5 cu. yds. The system is designed to "float" and automatically adjust itself to large variations in ambient temperature, but still be rugged and strong. Also

available soon will be a custom-designed mesh tarp and bungee option that attaches to the side clips. Dump-Pro enables a user to go from pick-up to dump truck.

For more information contact Standard Hamilton Co. at 866/4-DUMP-PRO or www.dump-pro.com / circle no. 278

Long lasting

Agrotain International's new HYDREXX Professional Nitrogen Stabilizer is a dry soluble additive for melted urea and UAN solutions. When mixed with liquid urea and urea-based



fertilizers, HYDREXX enhances the fertilizer's performance by preventing ammonia volatilization, leaching and denitrification. As a result, nitrogen remains in a usable form for extended periods, making it available to the plant for as long as 16 weeks. With HYDREXX, the rate of application is completely controlled by the applicator. Higher rates can be used for sandier soils or longer performance versus lower rates for heavy soils or shorter lengths of performance.

For more information contact Agrotain International at 888/547-4140 or www.stabilizednitrogen.com / circle no. 279

Diesel Z-Masters

Toro has equipped its 52- and 60-in. Z595-D Z Master models with a 25-hp Kubota liquid-cooled diesel engine for tackling tough mowing conditions while delivering superior fuel efficiency. The mowers feature 12-gal. fuel capacity and 11.2 mph ground speed. These diesel machines feature Toro's TURBO FORCE cutting deck, a rugged "bull-nose" front bumper, a patented rubber discharge chute that allows for close trimming without damaging the chute or landscape structures,

continued on page 78

THE BEST THINGS IN LIFE ARE

FREE!

(FOR A LIMITED TIME ONLY)

FREE

**NO PAYMENTS
UNTIL 2008!**

FREE

**\$150 IN
FREE GAS!**



DIXON ZTRs . . . FAST, RUGGED AND FUN TO RUN!

Stop by your local Dixon dealer today and test drive the new 2007 ZTRs that have been 30 years in the making. Plus, now through March 31, 2007 receive up to \$150 in FREE Gas with the purchase of any Dixon commercial ZTR mower AND make no payments until 2008. Enjoy the ride!

DIXON ZTR

(877) CUT MORE | www.dixon-ztr.com

Offer valid on select models at participating dealers. Retail financing subject to credit approval. Ask your dealer for complete details and qualifications.

Circle 142

Products



Mini Boxer

Compact Power's Boxer 320 model mini-skid offers the power in the smallest package yet.

The 320 is a dedicated track machine that comes standard with a 7-in. wide rubber track that produces only 3.2 psi of ground

continued from page 76 as well as a welded, fabricated deck shell constructed of seven-gauge steel.

For more information contact The Toro Co. at 800/348-2424 or www.toro.com / circle no. 280



pressure to reduce damage to lawns and landscapes. The Boxer 320 is only 34.5 in. wide, but features a tip capacity of 1,250 lbs. and an operating capacity of 625 lbs. at 50% operating capacity. The 320 also has a ground speed of 3.4 mph and handles the same standard attachments as other Boxers.

For more information contact Compact Power at 800/476-9673 or www.boxerequipment.com / circle no. 281

Remote control

Toro's TMR-1 maintenance remote for Toro Modular Controllers (TMC-424/212) can operate on unlicensed MURS frequencies, giving it an optimum range of more than 1.5 miles line-of-sight without the hassles of FCC licensing. Durable and weather-resistant, the TMR-1 has a sleek, ergonomic design patterned after VHF radios. For maximum productivity, the 'All Stations Cycle' function provides one-start system operation for walk-throughs. In addition, its large, easy-to-read LCD, push-button operation and simple command set make the TMR-1 user-friendly.



For more information contact Toro Irrigation at 800-664-4740 or www.toro.com/water-mgmt / circle no. 282

Rolling on

Burchland Manufacturing's EZR Material Roller mounts on skidsteers and installs a variety of erosion control material up to a maximum roll width of eight feet and weight of 500 lbs. The EZR offers three sizes of detachable stems and features a hydraulic actuator, which swings the pivot arm 180° left or right and angles of 115° up and 8° down. The EZR also features a Pivot Arm Lock for storage or transport and a Roll Retaining Collar to keep the material roll firmly positioned.

For more information contact Burchland Manufacturing at 641/498-2063 or www.burchlandmfg.com / circle no. 283

Oly-Ola

Introduces

Stone-edg™

Tumbled Marble

SIZE MATTERS...

...especially when you are restraining architectural hardscape stones

With its 1 inch height, Stone-edg is ideal for shallow hardscaping

Flagstone
Bluestone
Slate
Granite
Quartzite
and more...

When
QUALITY MATTERS,
Oly-Ola
EDGINGS, INC.

1-800-EDGINGS • www.olyola.com

Circle 144