

# PRODUCTS

## TOOLS OF THE TRADE

### Spread it out

The Sno-Pro Fast-Cast 2000 series tailgate spreader features a 5 cu. ft. / 350 lb. capacity, a spreading width of 4 to 40 ft. and variable speed control. It can be mounted easily on a Class III receiver hitch. The 12-volt DC direct drive motor mounted in a weather-tight enclosure and a maximum torque transmission ensures less maintenance and superior material application. Made with a heavy-duty powder-coated steel frame and UV protected high-density polymer hopper, it's ideal for light commercial applications. [CurtisCab.com](http://CurtisCab.com) or 800/343-7676



### It all adds up

Ethanol Shield is a preventive maintenance fuel additive designed for everyday use to combat biofuel-related problems. The synthetic fuel additive, which contains rubber and plastic conditioners, removes water, prevents ethanol phase separation, increases octane, stabilizes fuel and reduces emissions. [Ethanolshield.com](http://Ethanolshield.com) or 616/916-6284

**PRODUCT SPOTLIGHT**  
VEHICLE ACCESSORIES



### Flip the switch

The new SureStart Low Voltage Disconnect (LVD) Switch 48513 electronically senses battery voltage and conserves starting power by disconnecting noncritical loads, prolonging battery life by preventing battery damage from excessive discharge. This compact (4.5-in.) switch is designed for vehicles with ancillary on-board equipment, such as snowplows, hoists, pumps, floodlights, etc., as well as in-cab amenities such as air-conditioning.

[ColeHersee.com](http://ColeHersee.com) or 617/268-2100



### A red dog with a big bark

BigDog Mowers, Excel Industries' new value product line of zero-turn mowers, includes the R Series (pictured). Available in a 48- or 54-in. fabricated deck and a choice of Kohler V-Twin or Briggs & Stratton engines, the mower line features commercial-grade, Hydro Gear ZT 3100 transmissions that provide smooth operation and durability. Large 20-in. tires and 13-in. caster tires provide a smooth ride. The top speed is 7.1 mph. [BigDogMowers.com](http://BigDogMowers.com) or 800/395-4757

### Let's get it started

From lawn mowers to chain saws, the Xtreme Start spark plugs provide quicker consistent starts vs. the average plug. The new and improved antifoul design is engineered with an iridium-enhanced, platinum, 0.6-mm fine-wire tip for longer life and sustained performance.

[Autolite.com](http://Autolite.com) or 800/890-2075



### Heat cleaning

The new E-Series All-Electric line of pressure washers and steam cleaners provide instant and continuous heat without the hassle of preheating storage tanks or a volume of heat transfer fluid. Standard features include a NEMA 4 electrical enclosure, stainless steel float tank, long-life heating elements and adjustable digital temperature control. A wide range of options and configurations are available in any voltage in 50 and 60 Hertz. [Sioux.com](http://Sioux.com) or 888/763-8833



## AUTOMATE YOUR SUCCESS

with **GroundsKeeper Pro** business software

Organize your business better with **GroundsKeeper Pro** business software. It's specially designed for the lawn care and landscaping industry, easy to use and affordable...

### FEATURES INCLUDE:

- Time & Materials
- Estimating
- Scheduling
- Optional credit card processing
- Income & Expense Reporting
- Contracts
- Routing
- Billing



**JUST \$399**

SAVE THOUSANDS OVER SIMILAR PROGRAMS

**FREE TRIAL**

ADKAD TECHNOLOGIES / 1.800.586.4683 / [WWW.ADKAD.COM/LM.HTM](http://WWW.ADKAD.COM/LM.HTM)

**PRODUCT SPOTLIGHT**  
VEHICLE ACCESSORIES



**Off to an easy start**

Professional series engines provide enhanced power, easier starting, longer engine life and smoother and quieter operation amid the toughest mowing conditions. The ReadyStart starting system requires no choking or priming, and the larger rewind engages more quickly with less pull force. The commercial quality, dual-sealing air filter extends maintenance intervals and provides significantly more air flow compared to standard filters. The filter element is an oval, automotive-style cartridge that uses racetrack and radial interface seals to keep dust and dirt out. Full pressure lubrication provides cooler operation and longer engine life. *BriggsandStratton.com or 414/259-5333*

**Sit on these**

The MSG75G/531 compact seat is equipped with low-profile air suspension and has a seat index point of 9 in. and a suspension stroke of 3.1 inches. The MSG65/531 is available with mechanical suspension and quick weight adjustment. This model reaches a low seat index point of 8.1 inches. Both seats feature a high-quality, backrest angle adjustment function; a foldable backrest; and an integrated safety belt. The backrest, which can be set to any angle from -5 to 30 degrees, is tapered on the right to make it easier for the driver to twist around in the seat. *Grammer.com or 715/377-0100*

**Just the way you want it**

The ST 400 utility vehicle is available in an electric model with a 48-volt, DC-powered drivetrain that combines power and torque with enhanced energy efficiency and reduced environmental impact compared to traditional gas-powered vehicles. The vehicle features a total capacity of 1,000 lb. and a 9.6-cu.-ft. load bed with a carrying capacity of 550 lbs. It's available with various options and accessories, including towing implements, work lights and a full cab, which allows it to be customized for various tasks and recreational activities. *EZGo.com or 800/241-5855*



*continued on page 39*

**Grind it up**

Fecon offers its Bull Hog compact equipment mulcher for mid-size and smaller excavators. It features a fixed rotor system that allows users to grind material as wide as

4 in. in diameter. It also features

the HDT tooling system, which includes double and single carbide and stone and chipper tools. The unit offers a 36-in. cutting width and a maximum weight between 1,000 and 1,200 lbs. Targeted for excavators in the 7- to 12-metric-ton range with 17 to 30 gpm of auxiliary flow, the mulcher also works on other applicable machinery, such as larger backhoes. *Fecon.com or 800/528-3113*



**Got protection?**

Rhino Extreme lining is the newest addition to the Rhino retail product line. The two-component, rapid-curing, elastomeric pure polyurea lining system is offered in 2:1 and 1:1 formulations. Applied exclusively with high-pressure plural component spray equipment, the lining offers industrial-strength protection, even during extreme weather conditions. *RhinoLinings.com or 800/747-6966*



**PRODUCT SPOTLIGHT**  
VEHICLE ACCESSORIES

**Landscape Design Software**  
*that makes an impact!*

visual impact imaging®  
**EARTHSCAPES**  
Landscape Design Software



- High resolution photo-imaging
- Design to-scale site plans in B&W or color
- Extensive Plant and Hardscapes Library
- Compatible with over 30 different file types
- Runs on Windows XP and Vista
- ...and many more outstanding features

[www.visualimpactimaging.com](http://www.visualimpactimaging.com)  
Visit our website for a free demo or call 330.259.7661

continued from page 37

**PRODUCT SPOTLIGHT**  
VEHICLE ACCESSORIES



## Nice rack!

Backbone is a new line of premium aluminum truck racks. Fabricated from hand-polished aluminum, the racks feature sliding tie-downs and integrated lighting. They also have the ability to be customized and expanded.

[GetBackbone.com](http://GetBackbone.com) or 800/984-9410

## Torch 'em

The Mini Dragon propane torch kit is an easy and effective natural way to control weeds. The kit's design is convenient, simple and lightweight. It features an adjustable flame, nonslip grip and durable construction. The 18,000 BTU torch kit comes assembled and uses disposable propane cylinders. The pin-point flame is ideal for precise spot weeding.

[Flameengineering.com](http://Flameengineering.com) or 800/255-2469



## It's such a bore

The Grundomat uses less air than other pneumatic piercing tools to provide a powerful, accurate bore. High air efficiency means smaller, more fuel-efficient air compressors can be used to power the tool. Also, its trenchless nature is less disruptive and costly than open-cut methods. Seventeen models, from 1.75 in. to 7 in. in diameter, are available for horizontal boring distances from 50 ft. to 150 ft.

[TTTechnologies.com](http://TTTechnologies.com) or 630/851-8200

## EDIT INDEX

3PG Consulting.....	14
American Society of Landscape Architects.....	4
Archstone Smith.....	26
Bayer Environmental Science.....	18
Briggs & Stratton.....	7
Cagwin & Dorward.....	CS
Dennis' 7 Dees.....	34
Fine Earth Landscape.....	6
Fountain Valley (CA) School District.....	6
Freedom Lawns.....	16
Guido & Associates.....	CS
James Grounds Management.....	CS
Jensen Corp. Landscape Contractors... ..	28
John Deere.....	21
Lady Bird Jonson Wildflower Center.....	4
North Carolina State University.....	18
Parker Homescape.....	CS
Terra-Firma Landscape.....	6
Texas A&M University.....	8
Texas AgriLife Extension Service.....	8
The Dermot Co.....	26
The Lawn Ranger.....	6
Town and Gardens Ltd.....	26
U. S. Botanic Garden.....	4
U.S. Green Building Council.....	4
Wilson-Oyler Group.....	24

**LANDSCAPE MANAGEMENT** (ISSN 0894-1254) is published monthly (12 issues per year) by Questex Media Group, Inc., 306 W Michigan St, Suite 200, Duluth, MN 55802. **Subscription rates:** one year, \$54, two years \$76 in the United States & Possessions; \$87 for one year, \$127 for two years in Canada and Mexico; all other countries \$185 for one year, \$246 for two years. For airmail delivery, include an additional \$75 per order annually. Single copies (pre-paid only): \$8 in the United States; \$10 in Canada and Mexico; \$15 all other countries. Back issues, if available: \$16 in the U.S.; \$20 in Canada and Mexico; \$30 all other countries. Add \$6.50 per order for shipping and handling. **Periodicals postage paid** at Duluth, MN 55806 and additional mailing offices. **POSTMASTER:** Please send address changes to *Landscape Management*, P.O. Box 1268, Skokie, IL 60076-8268. Canadian G.S.T. number: 840 033 278 RT0001. Publications Mail Agreement Number 40017597. Printed in the U.S.A.

**Copyright 2009 Questex Media Group, Inc.** All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including by photocopy, recording, or information storage and retrieval system, without permission in writing from the publisher. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Questex Media Group, Inc. for libraries and other users registered with the Copyright Clearance Center, 222 Rosewood Dr., Danvers, MA 01923 phone: 978-750-8400 fax 978-750-4470; call for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. For those not registered with the C.C.C., send permission requests to [questexp@questex.com](mailto:questexp@questex.com) or phone 800-494-9051 ext. 100.

*Landscape Management* does not verify any claims or other information appearing in any of the advertisements contained in the publication, and cannot take any responsibility for any losses or other damages incurred by readers in reliance on such content. *Landscape Management* welcomes unsolicited articles, manuscripts, photographs, illustrations and other materials but cannot be held responsible for their safekeeping or return. Questex Media Group provides certain customer contact data (such as customers' names, addresses, phone numbers and e-mail addresses) to third parties who wish to promote relevant products, services and other opportunities which may be of interest to you. If you do not want Questex Media Group to make your contact information available to third parties for marketing purposes, simply call 866-344-1315, 847-763-9594 if outside the U.S. between the hours of 8:30 am and 5:00 pm CT and a customer service representative will assist you in removing your name from Questex Media Group's lists.




## AD INDEX

Adkad Technologies.....	p36
Alocet.....	p32
Ameristar.....	p2
Ariens.....	p35
BASF Corp.....	p17
Col-Met.....	p2
Dow Agro.....	p3
Drafix.....	p22
Finn Corp.....	p23
Hustler.....	p15
John Deere Commercial.....	cv4
John Deere Landscapes.....	Bellyband
L T Rich.....	p19
NuFarm.....	p20, 21
Pro-Tech.....	p7
Target Spec Products.....	p31
Tender Lawn Care.....	p9
Trynex.....	p30
Turf Products.....	p39
Turfco Mfg.....	cv3
U S Lawns.....	cv2
Visual Impact Imaging.....	p37
Walker Mfg.....	p5

*Indices are provided as an additional service. The publisher does not assume any liability for errors or omissions.*

*A Must Have for Professional Lawn Spreaders*

## The Original SHOWER CAP™



- Keeps Fertilizers Dry
- Prevents Costly Spills
- Water Proof
- 1 Year Warranty
- Fits Most Spreaders

[www.TurfProductsCo.com](http://www.TurfProductsCo.com)  
440-930-7244