

PRODUCTS

Grasshopper

Quickly and efficiently plow a 5-ft.-wide path through deep snow and drifts along sidewalks, driveways and parking lots in one pass with Grasshopper's 60-in. V-Plow. The V-Plow maintains the zero-turn maneuverability of the Grasshopper, so the operator is constantly plowing with no wasted motion to make turns. For plowing wider paths, either side of the V-Plow can be used to continue to push out the snow. The V-Plow attaches in place of the out-front mower deck and features reversible/replaceable blades and a hand-controlled lift, locking the blade into one of four positions for quick and easy transport and loading. *Grasshopper-Mower.com/v-plow*



Henderson Products

The Charge Clean-Power Series offers electric control for medium-duty snow and ice truck equipment (classes 3-7). It employs a CAN bus system to manage the entire snow and ice control package. This bumper-to-bumper management covers the snowplow, dump body, lighting, sand/salt spreader, spinner and pre-wet system. Numerous operator-friendly functions have been condensed into a single joystick controller that fits conveniently inside a cup holder. The Charge system also is intelligent, aiding in the reduction of applied material by incorporating proportional ground speed control into the spreader's material output functions, a feature commonly absent on spreaders using electric controls. The manufacturer estimates the system can save operators up to \$14 per day in fuel costs, when compared to complex central hydraulic systems. *HendersonProducts.com*

Campbell Scientific

The GMON3 Snow Water Equivalency (SWE) sensor obtains a measurement by monitoring gamma rays that are naturally emitted from the ground. As snow accumulates on top of the ground, it measures an attenuation of the normal background radiation levels. The higher the water content, the higher the attenuation of the gamma radiation. The sensor measures with an accuracy of ± 15 mm from 0 to 300 mm, and $\pm 15\%$ from 300 to 600 mm, operating within temperatures from -40°C to $+40^{\circ}\text{C}$. The GMON3 can output an RS-232 signal interface to Campbell Scientific dataloggers or other recording devices. It is effective with any type of snow or ice. Data can be transmitted in near real-time with the addition of a wireless communication option.

CampbellSci.com/gmon3



continued on page 36



The Boss

To meet growing demand from off-road vehicle owners, The Boss Snowplow UTV Plows are available for a wider selection of popular UTV brands, including Bobcat, Case IH, Club Car, Honda, Husqvarna and New Holland. They join John Deere, Kawasaki, Kubota, and Polaris for The Boss' growing UTV plow lineup. Two models are available: The 6.5-ft. Power-V XT and the 6-ft. Poly Straight-Blade Snowplow (pictured). Both offer Smart Technology features and high-performance

hydraulic systems, making snow removal easier, faster and more efficient. The hydraulic pumps are fully enclosed to protect against corrosion and hydraulic freeze-up for enhanced durability. Operation of the hydraulic and electrical system is done with the touch of a button from inside the cab, making lifting, lowering and angling the snowplow fast and easy. *BossPlow.com*

Legacy Building Solutions

Combining rigid frame engineering with the proven benefits of tension fabric, Legacy introduces the industry's first line of fabric buildings to incorporate structural steel beams instead of open web trusses. This new engineering concept provides a cost-effective, long-lasting solution for salt and sand storage facilities.

Unlike hollow tube steel, Legacy's solid structural steel beams are not vulnerable to unseen corrosion originating inside a tube. Installation is faster than with conventional buildings, and the design can be adjusted for stationary or portable applications. Sidewalls can be customized and built with any desired material — including steel, paneling or siding — and then easily lined with fabric for additional corrosion protection. Legacy steel components and fabric covers are backed by a 15-year warranty. *LegacyBuildingSolutions.com*



continued from page 34

ClearSpan Fabric Structures

ClearSpan Fabric Structures are a fast, economical storage solution for sand and salt, mulch and topsoil, equipment and more. ClearSpan buildings feature high clearances and spacious interiors without support posts, ideal for maneuvering trucks and equipment inside the structure. Constructed in the USA from the highest quality steel and fabric, these buildings can be built to any length and up to 300 ft. wide. ClearSpan.com



Ditch Witch

The ultra-compact, ultra-powerful SK350 compact tool carrier features a 20-hp Kohler engine and an 11 gpm dual hydrostatic ground drive that gives it the same capabilities of larger compact loaders. With the SK350's comfortable stand-on platform, freeing you from trudging through mud and debris and over uneven terrain, you'll

be better able to witness how productive this rubber track loader can be. The SK350 also has a powerful auxiliary circuit flow to enable the unit to run more than 70 compact utility attachments at full power. DitchWitch.com/compact-utility/compact-tool-carriers/SK350

Cargill

Cargill Diamond Crystal GreenMelt Blended Ice Melter now works down to -5° F. It's green-tinted for easy-to-see coverage on ice and packed snow. The commercial-strength blend includes fast-acting calcium chloride and extended action sodium chloride for an economical one-two punch. It's commercially balanced to give sidewalk and parking lot crews a critical 20-minute jumpstart from its calcium chloride, coupled with more than 60 minutes of extended melting action from its sodium chloride. Cargill.com

EarthWay
SPRAY-PRO

S25SS Ground Driven Push Sprayer

Features include:

- 💧 6.6 Gallon tank
- 💧 13" Pneumatic Wheels
- 💧 Heavy-duty Stainless Steel chassis
- 💧 Ground driven pump for accuracy
- 💧 Adjustable spray width

For information, call 1-800-294-0671 or visit www.earthway.com to find a dealer.

EarthWay
MADE IN THE USA

Bobcat

With five blade configurations, the snow V-blade attachment from Bobcat can be positioned in multiple ways for maximum attachment versatility. Position the blade in a V-configuration to clear a path and plow through deep snow or use it as a scoop blade to scoop, push or pile snow. You can also use it as a straight blade to pile large amounts of snow and as an angle blade to push snow right or left. Applications for the snow V-blade attachment include clearing deep snow from pavement. Other applications include pushing snow and ice, scooping and piling snow, and plowing through deep drifts.

Bobcat.com/attachments/snow_v-blade





Ariens

The professional 36 Sno-Thro, which comes equipped with a 342cc Ariens Polar Force engine by Briggs & Stratton, easily removes snow from sidewalks and large areas with a 36-in. clearing width. The all-steel, 16-in. serrated auger and three-blade, 14-in. steel impeller enhance clearing ability. A 50-ft. discharge range ensures snow lands outside the clearing path. Automatic traction control optimizes maneuverability, and with no levers or triggers, steering is effortless. The Sno-Thro also features a 120v electric start with recoil backup, a 3.2-qt. fuel capacity, a forward speed of 6 mph and a reverse speed of 2 mph. Additional features include a 200°, Quick-Turn remote chute control; high-wear, reversible skid shoes and drift cutters to enhance power and performance; hand warmers; a halogen headlight; and a clean-out tool with a brush. *Ariens.com*



Sno Broom



Sno Blade



Sno Blower

Pro-Tech Manufacturing and Distribution

Pro-Tech now allows customers to purchase its latest line of products — the Sno Blade, Sno Blower and Sno Broom attachments — directly from its website. Online purchases are offered with free freight within the United States, and products are shipped directly to the customer. The new system lets snow and ice management professionals check availability before ordering, and as long as a product is in stock, it will ship within 10 business days. Pro-Tech representatives will call customers to let them know when their orders have shipped, and their freight partners will call to confirm delivery. Pro-Tech plans to have the rest of its product line available for online purchasing this summer. Sales tax applies only to those taking delivery in the state of New York. *ProTechCorp.com*

ClearSpan™

fabric structures



**Sustainable
Design-Build
Solutions**

**FLEXIBLE FINANCE SOLUTIONS
ON CLEARSPAN FABRIC STRUCTURES***
TERMS UP TO **7 YEARS** RATES AS LOW AS **4.99%**
AS LITTLE AS **10% DOWN** *Subject to credit approval.

Buildings available up to 300' wide.
Low in cost per square foot.
Natural daytime lighting.
Easy to relocate.
Expandable.




Call one of our ClearSpan specialists at **1.866.643.1010**
or visit us at www.ClearSpan.com/ADLM.

What does your future hold?

Take a peek inside *The Professional Landcare Network's Crystal Ball Reports* to uncover your potential business future. Whether it's the economics of the Green Industry or the future of sustainability, you can find what you need to know in these pages. These publications are available for sale in the LM bookstore — <http://shop.landscapemanagement.net>.



From our bookshelf to yours.



**Landscape
Management**



Crysteel Manufacturing

Featuring a two-year warranty, Crysteel's corrosion-resistant, Stainless Steel Tailgate Spreader is designed to effectively spread de-icing materials while meeting the highest demands for efficiency and dependability all winter long. An industry exclusive and patent-pending fully tapered trough eliminates all flat surfaces, preventing material hang-ups. Available with a 6- or 9-in. auger, the tailgate spreader also features a full opening bottom trough hinged on the body side for easy accessibility and cleanout. The direct-drive design minimizes maintenance and allows independent control of the auger and spinner. Crysteel.com

LUBRA-SEAL®

ALL SEASON Spreader and Conveyor Encapsulant

Apply once to encapsulate and seal — you're all set for summer storage!

Blocks the rusting process — Impervious to even the most torrential rains. Keep moisture, oxygen and salt away!

Environmentally responsible — Will not wash off and contaminate the soil.

Easy, one-step application process — Protect in just minutes! Trusted by over 40 State Departments of Transportation.



NEUTRO-WASH™

Salt & Chloride Neutralizer

Removes white salt residue left behind from pressure washing with detergents — use **NEUTRO-WASH™** before applying **LUBRA-SEAL®**.

Put a STOP to corrosion corruption and expensive repairs — enjoy more efficient equipment that works harder, lasts longer and looks better.

Save thousands of dollars simply by protecting the equipment you already have in your fleet.



PROTECTION ▪ PRESERVATION ▪ PERFORMANCE



RHOMAR

www.rhomar.com
solutions@rhomar.com

1-800-688-6221

Honda

The HS928 series snowblower is intended for aggressive snow clearing in demanding environments and is available in wheel-driven and dual-track, self-propelled models. Its enhanced design enables a 28-in. clearing width and a discharge distance as long as 49 ft. The series (HS928WA, HS928WAS, HS928TA and HS928TAS), which is powered by a high-torque Honda GX270 OHV engine, also offers a choice of manual or electric starting. Honda.com



SnowEx

Electrically powered, the new SL-80 and SL-80SS push sprayers are designed for ice management on sidewalks and other small areas. Available with a powder-coated steel frame (SL-80) or stainless steel frame (SL-80SS), both sprayers have a 13-gal., corrosion-resistant polyethylene tank. Each model includes an adjustable-height boomless nozzle, which sprays most salt brine and liquid ice melters up to 48 in. wide. The units also come with an adjustable spray wand for spot-spraying applications. A 12-volt electric pump and rechargeable battery powers the SL-80 and SL-80SS. The pump is rated at 2 gpm at 60 psi. Other standard features include inline filtration in the tank and large pneumatic tires for easy pushing over snow and ice. The sprayers are covered by a two-year limited warranty. Trynxfactory.com