




Reach more pest control markets with these **HUDSON** power sprayers


Peerless power sprayer cuts time-wasting stops for service and repairs. New Ten-O-Matic® pump has no gears, no sliding pistons, no connecting rods, no packing, no cups—almost nothing to wear, break or chip. Handles any sprayable materials at pump capacities up to 10 gallons per minute; pressures to 400 pounds. Available in 150, 200, and 300-gallon tanks with either stainless steel or Endurall® bonded liners.



Peerless compact power sprayer handles any sprayable materials with pressures up to 400 pounds and at five gallons per minute output. Compact size and three wheel design provides exceptional maneuverability; easy to move by hand into places other high output sprayers cannot go. Two-wheel and skid models in 50, 100, 150, and 200-gallon tanks with either stainless steel or Endurall® bonded liners. Also Matador®, 15 to 100 gals.



Porta-power spray pump combines high output performance with unrestricted range in a moderately priced unit. Carry it on your pick-up truck; take it in a boat. Pump from barrels, tanks, or any other type of container. Positive piston pump handles all sprayable materials. Porta-power pumps are available in models with outputs of five gallons per minute at 400 pounds or three gallons per minute at 250 pounds.



Schefenacker power mist sprayer goes wherever you can walk or crawl; lets you penetrate areas inaccessible to any other type of power sprayer. Weighs only 32 lbs. (empty). Adjustable straps and padded, ventilated back make Schefenacker comfortable and easy to carry. Operating controls are in front at your fingertips. Two models: one for mist spraying only; the other for mist spraying, dusting, and wet dusting.

Be sure to see these Hudson power sprayers, plus our hand-operated sprayers and dusters at the National Pest Control Association Convention, Booth No. 5. Or, if you can't make the show, write to us for complete product information.

SIGN OF THE BEST BUY



© 1963 H.D.H. Mfg. Co.

H. D. HUDSON MANUFACTURING COMPANY
589 E. Illinois St., Chicago, Illinois, U.S.A., 60611



Is this half of your sales force missing?

If you or your men sell weed, turf, or tree care, you need all the latest tips you can find . . . and you'll find them each month in *Weeds and Turf*. For your own personal copy, subscribe now: \$3 one year; \$5 for two.

WEEDS AND TURF

1900 Euclid Avenue
Cleveland, Ohio 44115

Yes—I want to receive
Weeds and Turf each month
for one year two years

Name

Address

City State

Check enclosed

WEEDS and TURF

PEST CONTROL

A REVIEW OF PEST CONTROL MAGAZINE

December, 1963

Features

Applicator's Manual of Aquatic
Weed Control, Part III:
Equipment, Techniques, and
Ecological ProblemsW-4

Weeds and Turf's 1963
Index of ArticlesW-8

Antipesticide Atmosphere
Won't Stop Progress for
Florida Spraymen, HSAF
'63 Convention Implies ..W-12

NWCC Moves to Hotel Astor
for 1964's Varied
ProgramW-16

See Record Crowds for 35th
International Turf-Grass
Conference Feb. 9-14W-17

Departments

Know Your SpeciesW-16

Meeting DatesW-17

TrimmingsW-18

Published Monthly by
TRADE MAGAZINES, INC.
1900 Euclid Avenue
Cleveland, Ohio 44115

JAMES A. NELSON
Publisher

CHARLES D. WEBB
Editor

DAVID E. SCHNEIDER
Staff Biologist

R. J. HOFFER
Circulation Manager

Advertising Representatives
National Headquarters
1900 Euclid Avenue
Cleveland, Ohio 44115
Phone: Area Code: 216+771-4169

New York City
Billingslea & Ficke
420 Lexington Avenue
Phone: Area Code: 212+
LExington 2-3667

Single Copies: 35 cents
Annual Rate for
12 Monthly Issues: \$3.00

Contents of this Issue ® Trade Magazines, Inc., 1963

Well . . . not this year

A mere glance at the list of technical conferences in vegetation management which are in the offing in the next few months (see Meeting Dates, p. W-17) reveals that contract applicators have unparalleled opportunities for self-improvement all around them.

This impressive catalog of conferences includes first-rate seminars on turfgrass management, weed control (including aquatic), and tree care. How many CAs are missing out on this invaluable training because they "can't take time out" to spend sitting in the lecture hall, or traveling to the meeting site?

No doubt we're all very busy these days. Sales development, personnel training, and the endless details of business management which every CA faces, eat up the hours relentlessly.

But it may be false economy to forego a day or two in the conference halls, where the leading scientific minds in the vegetation field are assembled.

None of us should ever stop trying to learn. And in a year in which the competence of pesticide applicators has received such close scrutiny, it is more imperative than ever to get out and listen to what the experts have to say.

In most cases, fees for the conferences are notably reasonable, frequently less than \$10, a small price to pay for knowledge!

We hope that industry men, when they read over the calendar of events in this issue, will not just nod agreement that the opportunities to learn are excellent, only to add, "Well . . . not this year."

Many observers note that 1964 may well be *the* year which can alter the course of the pesticide industry. Now is the time to make an extra effort to pick up a notebook, and file into the conference rooms with an eager and anticipatory mind.



Simple boats can be pressed into service on aquatic jobs, frequently with great success. (photo courtesy Ortho Div., California Chemical Co.)

Applicator's Manual of Aquatic Weed Control, Part III

Equipment, Techniques, and Ecological Problems

Results of another *Weeds and Turf* research project

TYPES of application equipment used in aquatic weed control probably vary more than in any terrestrial weed work. Operators may choose very inexpensive outfits for occasional jobs, or very costly systems for constant work.

In many cases, aquatic spray systems are homemade; few companies manufacture a complete rig especially designed for water weed contracts. Applicators purchase pumps, nozzles, hose, etc., and mount these on airboats, barges, and other craft. Some self-designed systems are highly complex and efficient.

To lay the groundwork for adapting spray equipment to water craft, we shall review briefly the various types of chemicals used in aquatic weed control and how they can be applied.

Liquids may be sprayed from a small hand-powered sprayer, from a truck, or from a boat. (Suitable boats will be described later.) Liquids may be poured in concentrated form directly into water from a moving boat. Although some dilution is achieved by diffusion in water, even distribution is min-

imized with this simple technique.

Liquids which may be irritating to eyes or nose are often dispensed with as little handling as possible. These types are injected into water through tubes which extend below the surface.

Granular preparations may be dispersed by hand, but this method is the least dependable from the standpoint of even distribution. Whirling disc seeder-spreaders make efficient machines to broadcast granules. These may be powered manually or by a motor.

Beginning with the simplest method of application, disregarding applications on foot (or with a hand-pump sprayer), consider the rowboat, skiff, or johnboat. These can be used where granular applications are made either by hand or by a seeder-spreader. These broad-bottomed boats remain relatively stable when loaded with a supply of chemicals. Nonrecreational-type boats, when fitted with a small motor (10 horsepower or less), will serve to apply either granules or spray to ponds and small lakes. Limited carrying capacity makes

small boats uneconomical for lakes where refilling stops are necessary.

Some operators have sufficiently large rowboats on which they can mount their pump, motor, tank or drum, and spray boom or gun for easy liquid application.

Since plenty of water is available on lake jobs, many operators with small craft use a screened suction hose to pump water from the lake and concentrated chemical from a drum, mixing the two in the hose and spraying via boom or gun.

This system requires a constant pressure pump since there is no mixing tank and there can be no backflow hose. Gasoline engines generally used range around 4 horsepower. Pumps supply up to 10 gals. per minute with variable pressures. Working pressures are low, and vary from 50 to 100 lbs. per sq. in. High pressure is not needed because the spray target for boom work is not distant. Pressures used should be the lowest possible which will allow complete and even coverage. Higher pressures (up to 200 psi.) may be required for spray nozzle treatment of expanses of

floating mats or marginal weeds. Drums full of concentrate are not usually carried upright in a small craft because of questionable stability. Instead, they are laid in the boat on their sides. By tapping the "bung" on the sides, the suction tubes fit in neatly. On small custom boats, mixing tanks may be built in, extending from beam to beam. These may be either steel or lightweight fiberglass. This arrangement gives added stability. Baffles inside sizeable tanks are suggested to help keep an "even keel." When separate tanks or drums are used for mixing, a second pump is required to do the tank-filling operation while the dispensing pump is active. However, a constant pressure pump is not necessary if a mixing tank with an agitator is used, because there can then be a backflow, or overflow, hose to relieve excess pressures.

Chemical is actually discharged either through a boom or with a spray gun. With a suitable valve arrangement, the change from boom to gun application is easy. An orchard gun or a $\frac{3}{8}$ -inch fire nozzle is usually chosen for manual spraying. Larger nozzle openings reduce chance for drift. A boom can be a 1-inch galvanized pipe mounted on angle iron at the stern. Holes $\frac{3}{8}$ -inch dia. are drilled 1 ft. apart so that spray streams will hit water at an angle. This also reduces drift.

Doubled Boats Serve as Barge

An adaptation of small craft for more extensive jobs is seen in the double-hulled platform. By strapping two rowboats together and firmly mounting a platform of marine plywood above them, a barge of sorts results. This platform will carry increased weight and gives workmen room to move about if necessary. Aluminum boats give additional buoyancy and increased portability because of their light weight. A 25-hp. outboard motor will propel the double hull at sufficient applying speeds.

It is a short step from double rowboats to a barge. Operators get increased buoyancy and carrying capacity although maneuverability is somewhat lessened when a barge is used. With proper rigging, a barge makes an efficient spray platform. Large steel barges 25 ft. long by 8 ft. wide can carry several tons of material if necessary, and are easily propelled by a 40- to 50-hp. outboard motor. Large areas can be treated with no stops for refills. Larger swaths can be treated at one

time and total working time is reduced.

Variations of propulsion can be made on many small craft. A few applicators have made successful advances with air-drive boats, those driven by airplane engines and custom propellers which are safely enclosed in a guard. Mounted on a shallow-draft vessel, these propellers can drive a boat over floating or emerged weeds with no danger of fouling motors, as with outboards. Maneuverability is increased in that airboats can stop, turn, and reverse direction in less distance than outboards. Airboats are capable of running right up to the shore because of their shallow draft. They can even ride over wet mud when the water level has been lowered. Airboats can be equipped to apply any form of chemical; booms can be utilized to gain increased coverage per swath with liquid applications.

Large-scale operators have taken to the air and find helicopters highly economical for aerial applications of chemicals, either liquid or granular preparations. The extremely maneuverable helicopter is not handicapped by aquatic or terrestrial barriers and large areas can be treated in a very short time. The chemical is carried in tanks attached saddle-fashion to either side of the helicopter. Gravity normally feeds herbicide granules into an electrically or hydraulically driven whirling broadcaster. Liquid applications are pumped into a boom for distribution. Swaths from 50 to 120 feet may be utilized depending upon the height of application, the quantity of flow, and the type of herbicide used. Although initial cost is relatively high compared to watercraft, faster control over much larger areas is achieved and total costs are less. This is especially true when the timing of application is essential for control.

Monoplanes and biplanes are also used for fast application of liquid herbicides to canals and inland waterways. Fixed-wing aircraft, however, need runways for take-off and landing, and if airports are not near treatment area, valuable time may be lost refilling.

Even distribution of chemicals is part of the key to successful operations. Uneven distribution of herbicides may leave untreated areas which can contribute to reinfestation. Uneven distribution can also lead to insufficient application to areas so that aquatic plants are damaged but not killed. The plants recover as if the herbicide had no effect.

On the other end of the scale, uneven distribution may cause overdose in a particular area and fish-kill may result, leaving a dissatisfied customer.

Even distribution is the most important point to consider when actually applying the chemical. Other considerations, such as timing and dosage (reviewed in the second installment last month) are determined beforehand.

To be certain of even distribution several factors must be evaluated; these factors must remain constant while herbicides are applied.

Chemical concentration must be correlated with the pump and nozzle capacity. These two factors, combined with the operating speed of the applying craft, determine, in the end, the final concentration of the chemical in the treated water.

Much of this calibrating can be done beforehand also. To determine just how fast a sprayer does work, pumps can be run with water only from a tank of known capacity. After a given amount of time, refill the tank to see how much water has been pumped out. This is the pump delivery for the amount of time the machine has run, usually stated in gallons per minute (gpm).

Determining concentration of herbicides delivered from the pump is not as important when using the double-suction device which utilizes lake water. The concentration which is important is the end concentration of the herbicide in the water body itself or on the foliage of floating or emerged plants. The amount of water used to carry the herbicide is important only in that it helps the operator get better overall distribution, when boom injecting or, coverage, when spraying foliage.

This concludes the three-part series of articles on aquatic weed control which was initiated in October. Prepared by the Weeds and Turf Staff Biologist, David E. Schneider, the manuscript was reviewed by leading consultants with suppliers and universities, including several experiment stations. We gratefully acknowledge this help.

age. Recommendations are usually stated in so many gallons or pounds of active herbicide per acre or per acre-foot of water. This remains constant no matter how much water is used to deliver the herbicide.

Pros Use Ecology

Ecology is the study of an organism, plant or animal, in relation to its environment. When we consider the ecology of aquatic weeds and how control is affected by environment, some interesting problems arise. First fact to be noted is that water is the environment for many plants and animals, just as air is the environment for man. Dropping chemicals into the water environment can be like dropping a bomb into man's habitat. The control chemicals must be selective for specific weeds and the operator must know how to use these chemicals in a selective manner (see installment II).

When chemicals are applied for control of floating weeds, it must be remembered that the presence of these surface plants has an effect on other weeds nearby. Some submersed species are suppressed by the shade of floating leaves. If attempts are not made to determine what kind of weeds may underlie floating species, and what will be needed to control them, one infestation may simply be substituted for another.

No job can be undertaken when one knows only the dominant species in the area. Other suppressed species should be sought out and identified so that their control can be taken into consideration.

Ecologic significance can also be attached to animals which inhabit water bodies when weed control measures are applied. Although a chemical may be proved to be entirely nontoxic to fish, these and other aquatic animals may be killed indirectly when the decaying vegetation, which uses up much of the available oxygen, depletes the oxygen supply in a lake. Rapid-acting herbicides should be applied in alternate swaths over a period of time so that fish may escape the oxygen-poor areas. This method is commonly called "partial treatment."

Fish Need Some Weeds

Another complication is the fact that some fish feed on insects and their aquatic larvae; these insects harbor in and among the aquatic vegetation and in the bottom soil. A client cannot order removal of all of these weeds (to improve fish-

ing) and still expect the fish population to survive in complete absence of their natural insect food supply. Again partial treatment over a longer period of time, a year or more, will keep from starving all the desirable fish. Even with a more complete treatment a follow-up application of fish food will encourage fish survival and growth.

There may be times when substituting one plant for another is advisable. In this case, the applicator should know what weeds are suited to the client's needs. He may suggest removal of an old crop and seeding a new, less objectionable weed to maintain natural conditions. For instance, in a waterfowl lake, it may be desirable to destroy shallow-water submersed weeds and foster growth of emersed plants, such as *Peltandra* sp., seeds of which are a known food for water birds. It could also be desirable to foster growth of erect reedy species which afford shelter for ducks (and hunters).

Plan to Use Weeds

One very interesting idea that has been cited by expert weed controllers is the use of some emersed aquatic weeds as natural barriers or lane markers. Attempts to remove all weeds (even one species) are impractical and unwise (if not impossible). Therefore, why not make the best use of a controlled crop of weeds, these operators suggest.

On some lakes where there are multiple activities (swimming, boating, water skiing, duck hunting, fishing, and skin diving), and weedy conditions are right, it is possible to maintain some traffic control and keep all of these factions happy. This is done through the planned control of weeds in specific areas, leaving some crops of weeds to act as barriers so that water skiers do not invade the area designated for swimmers or fishermen, and vice versa.

This program, of course, is not short term, but requires much planning and will result in a long-term contract with the client to maintain control as the barriers begin to expand during the second and third year.

It is not really too difficult to assess the needs of each group which uses a lake. Swimmers generally want completely weed-free waters so that divers do not get entangled in submersed weeds. Fishermen need a certain amount of growth to shelter fish but not the submersed types which foul propellers and snag fishhooks. Water

skiers want generally clear, open water. Duck hunters in the fall will be able to take over the whole lake but will want some emersed weed stalks in which to build their blinds and some weedy food plants to attract the migrating flocks to their lake.

Try for Compromise

Scientists will admit that many of nature's complexities still elude them. Imbalances in nature often occur when man misuses resources; sometimes imbalances occur for no apparent reason. In light of human error, scientists attempt to study nature and solve problems by reaching a compromise of "nature's scheme" and man's desire to utilize resources.

The job of a professional weed controller is not simply to do what the customer says he wants done. Rather, he should appraise the situation and advise (in light of the customer's desires) what approach would be best for his needs according to how he wishes to use the water.

Applicators thus become knowledgeable consultants able to do the control work when required, but also able to show customers what should be done and why.

A body of water used for recreational or esthetic purposes is useless if it is nearly sterile. What the professional applicator wishes to do is to halt or confine the biological succession of flora which would eventually turn the lake into a swamp and finally back to dry land.

Consult with Client

Decisions on which stage of development to maintain in a lake or pond rest with the applicator (and in some states with government officials who must be consulted and who supervise operations). When all factors are considered—degree of infestation and species involved, desired future use of the water, and other animals dependent upon the body of water and their desirability in that particular body—only then can the operator decide upon an approach and agree with the client about a price for the job.

One can see that aquatic weed control is not a service to be entered into lightly. Thorough study of weeds and control chemicals is needed to be competitive. Preparations must be extensive, and risks are high. But the complexity of the challenge is surpassed by the po-

(Continued on page W-11)

Double-Duty Herbicide: New ORTHO[®] Diquat

Kills aquatic weeds like nothing you've ever seen and Diquat is also a terrific non-selective control for weeds around buildings, along fences, ditch banks and roadways.

Quick, and easy to use . . .

Diquat is completely water soluble so that a bare minimum of agitation is all that's required. Because there is no oil residue left behind, cleaning of equipment is greatly reduced. Diquat is absorbed by weeds like a sponge. In a matter of hours weeds collapse and die. (The label directions will tell you how much and when to use.)

Many advantages used as directed . . .

It doesn't build up in water. It is inactivated immediately on contact with soil. Diquat being water soluble eliminates constant citizen complaint of offensive weed oil odors. Diquat is non flammable and non explosive, so it materially reduces fire hazard along highway right-of-ways. Be sure to follow the label directions.

Surprisingly economical . . .

With all these advantages, Diquat is economical, too. That's because it's highly concentrated. A little goes a long way. In fact, five gallons of Diquat will control up to 20 acres of weeds. By comparison it would take up to 2000 gallons of weed oil.



"Helping the World Grow Better"

CALIFORNIA CHEMICAL COMPANY, ORTHO DIVISION, 200 Bush St., San Francisco 20, California

ON ALL CHEMICALS, READ CAUTIONS AND DIRECTIONS BEFORE USE.

T.M. REG. U.S. PAT. OFF. : ORTHO, HELPING THE WORLD GROW BETTER

Weeds and Turf's 1963

Index of Articles

An alphabetical reference to subjects and titles of all major feature articles, feature columns, news stories, letters published in *Weeds and Turf* in 1963. A list of authors of this year's articles follows the Directory on page W-10.

KEY

(f) feature article (ns) news story (c) feature column
(ed) editorial (L) letter (br) book review

	Issue Pg.
A	
(Acidity) A Basic Guide to Turfgrass Fertilization, by Dr. D. P. Satchell (f)	Apr W-9
(Aerial Application) Aquatic Weed Control Manual, III (f)	Dec W-5
(Airboats) Aquatic Weed Control Society Meeting Report (nf)	Apr W-16
(Airdrive Boats) Aquatic Weed Control Manual, III (f)	Dec W-5
(Algae) Aquatic Weed Control Manual, I (f)	Oct W-16
(Anthracnose) How to Recognize and Control Major Shade Tree Pests, by Franklin R. Hall (f)	Aug W-13
(Aphids) How to Control Pests of Ornamentals, by Dr. Donald L. Schuder (f)	Jul W-8
(Aphids) How to Recognize and Control Major Shade Tree Pests, by Franklin R. Hall (f)	Aug W-9
Aquatic Weed Control, Applicator's Manual of (f)	
Biology and Identification of Aquatic Weeds, I	Oct W-8
Chemicals for the Control of Aquatic Weeds, II	Nov W-4
Equipment and Techniques for the Control of Aquatic Weeds, III	Dec W-4
(Aquatic Weed Control) Southern Weed Conference Report (nf)	Mar W-16
Aquatic Weed Control Surveyed at 15th Illinois Spray School, Turf and (nf)	Apr W-22
Aquatic Weed Society Meeting Told, Ecology Is Keynote to Successful Waterweed Control, Delegates to 3rd (nf)	Apr W-14
(Armyworms) How to Identify and Control Insect Pests in Turf, II (f)	Mar W-14
(Arsenic Compounds) Soil Sterilization for Weed Control (f)	Mar W-11
(Ash Dieback) International Shade Tree Conference Report (nf)	Sep W-13
B	
(Bagworm) How to Control Pests of Ornamentals, by Dr. Donald L. Schuder (f)	Jul W-10
(Beetle Grub Control) How to Identify and Control Insect Pests in Turf, I (f)	Feb W-10
(Beetles, Bark) How to Recognize and Control Major Shade Tree Pests, by Franklin R. Hall (f)	Aug W-13
(Beetles, Leaf) How to Control Pests of Ornamentals, by Dr. Donald L. Schuder (f)	Jul W-10
(Billbugs) How to Identify and Control Insect Pests in Turf, I (f)	Feb W-14
Bindweed, Field, Know Your Species (c)	Jul W-18
(Blister Beetles) How to Control Pests of Ornamentals, by Dr. Donald L. Schuder (f)	Jul W-10
(Boats) Aquatic Weed Control Manual III (f)	Dec W-5
(Borers) How to Control Pests of Ornamentals, by Dr. Donald L. Schuder (f)	Jul W-12
(Borers) How to Recognize and Control Major Shade Tree Pests, by Franklin R. Hall (f)	Aug W-10
(Boron Compounds) Soil Sterilization for Weed Control (f)	Mar W-11
Broadleaf Plantain, Know Your Species (c)	Apr W-29
(Brush Control) California Weed Conference Report, by Vincent H. Schweers (nf)	Mar W-22
(Brush Control) Railway Weed Control Survey (f)	Jun W-6
Buckhorn Plantain, Know Your Species (c)	Apr W-29
C	
(Cacodylic Acid) Business Opportunities in Turf Reseeding, by Dr. Robert W. Schery (f)	Sep W-7
California Weedmen Focus on Application at 15th Annual Conference in Santa Barbara, by Vincent H. Schweers (nf)	Mar W-20
Canada Thistle, Know Your Species (c)	May W-28
(Cankerworms) How to Recognize and Control Major Shade Tree Pests, by Franklin R. Hall (f)	Aug W-9
(Caterpillars) How to Recognize and Control Major Shade Tree Pests, by Franklin R. Hall (f)	Aug W-11
(Caterpillars, Leaf-feeding) How to Control Pests of Ornamentals, by Dr. Donald L. Schuder (f)	Jul W-10
Chemicals for the Control of Aquatic Weeds, Applicator's Manual of Aquatic Weed Control, II (f)	Nov W-4
Chemicals, Guide to Suppliers of Weed and Turf (f)	Oct W-18
(Chinch Bugs) How to Identify and Control Insect Pests in Turf, II (f)	Mar W-15
Chinch Bugs, How to Identify and Control (f)	May W-16
(Chinch Bugs) Sevin Insecticide, New Carbamate for Turf, Trees, and Ornamentals, by Dr. J. B. Harry (f)	Aug W-17
(Cicada Control) Sevin Insecticide: New Carbamate for Turf, Trees, and Ornamentals, by Dr. J. B. Harry (f)	Aug W-17
(Cicada Killer) How to Identify and Control Insect Pests in Turf, II (f)	Mar W-26
Cress, Hoary, Know Your Species (c)	Aug W-18
D	
Dacamine, Combines Safety of Amines, Punch of Esters, New Herbicide, by Drs. R. J. Marrese and B. A. Sprayberry (f)	Jan W-19
Dandelion, Know Your Species (c)	Sep W-14
(Disease, Dutch Elm) How to Recognize and Control Major Shade Tree Pests, by Franklin R. Hall (f)	Aug W-13
(Dormant Cane Broadcast) Railway Survey Report (f)	Jun W-6
Drift!, Beware of the Hazards of Spray Mist, by Frank L. Wilson (f)	Jan W-12
Dutch Elm Disease: Cause, Precautions (f)	May W-12
(Dutch Elm Disease) International Shade Tree Conference Report (nf)	Sep W-11
E	
(Elm Bark Beetles) Dutch Elm Disease: Cause, Precautions (f)	May W-12
Equipment and Techniques for Control of Aquatic Weeds, Applicator's Manual of Aquatic Weed Control, II (f)	Dec W-4
(Equipment) Aquatic Weed Control Society Meeting Report (nf)	Apr W-15
(Equipment) How We Built A Whole Fleet of Lawn Spray Trucks, by Larry Nipp (f)	May W-10
(Equipment, Protective) Handy USDA Guide to Respirators Shows Spraymen Which Mask to Use on the Job (f)	Jan W-16
F	
Fertilization, A Basic Guide to Turfgrass, by Dr. D. P. Satchell (f)	Apr W-8
Field Bindweed, Know Your Species (c)	Jul W-18
Florida Turf Show, Improved Management Techniques Stressed at 2nd, by Walter D. Anderson (nf)	Jul W-16
Fumigate Soil for Turf Weed Control, How to, by Fred W. Fletcher (f)	Feb W-8
Fumigation, Turf Diseases, 34th International Turf-Grass Show Draws 1300; Delegates Study Soil (nf)	Apr W-18
(Fungi) How to Recognize and Control Major Shade Tree Pests, by Franklin R. Hall (f)	Aug W-14
Fungicide, Panogen Turf, by Dr. Margareta Lambert (f)	Apr W-12
(Fungicide) International Turf-Grass Conference Report (nf)	Apr W-18
G	
(Galls) How to Control Pests of Ornamentals, by Dr. Donald L. Schuder (f)	Jul W-13
Ground Ivy, Know Your Species (c)	Mar W-29
(Grubs) How to Recognize and Control Major Shade Tree Pests, by Franklin R. Hall (f)	Aug W-10
Guide to Suppliers of Weed and Turf Chemicals (f)	Oct W-18
H	
(Helicopter) Aquatic Weed Control Manual, III (f)	Dec W-5
Herbicide, Dacamine, Combines Safety of Amines, Punch of Esters, New, by Drs. R. J. Marrese and B. A. Sprayberry (f)	Jan W-19
Highway Study Shows Wide Use of Custom Sprayers (f)	Jan W-10
Hoary Cress, Know Your Species (c)	Aug W-18
I	
Illinois Spray School, Turf and Aquatic Weed Control Surveyed at 15th (nf)	Apr W-22
Insect Pests in Turf, How to Identify and Control, I (f)	Feb W-10
Insect Pests in Turf, How to Identify and Control, II (f)	Mar W-14
(Insurance) Florida Turfgrass Conference Report, by Walter D. Anderson (nf)	Jul W-16
International Shade Tree Conference in Toronto, Seek Replacements for Dying Markets, Treemen Urge at 39th (nf)	Sep W-10
Ivy, Ground, Know Your Species (c)	Mar W-29
J	
Johnsongrass, Know Your Species (c)	Jan W-29
K	
Knapweed, Russian, Know Your Species (c)	Jun W-16
L	
(Lawn Renovation) Business Opportunities in Turf Reseeding, by Dr. Robert W. Schery (f)	Sep W-6
Lawn Spray Trucks, How We Built a Whole Fleet of, by Larry Nipp (f)	May W-10
(Leafhoppers) How to Control Pests of Ornamentals, by Dr. Donald L. Schuder (f)	Jul W-9
(Leafminers) How to Recognize and Control Major Shade Tree Pests, by Franklin R. Hall (f)	Aug W-12
(Leaf-rollers) How to Control Pests of Ornamentals, by Dr. Donald L. Schuder (f)	Jul W-12
(Leaf-tyers) How to Control Pests of Ornamentals, by Dr. Donald L. Schuder (f)	Jul W-12
M	
(Maple Decline) International Shade Tree Conference Report (nf)	Sep W-13
Mask to Use on the Job, Handy Guide to Respirators Shows Spraymen Which (f)	Jan W-16
(Mealybugs) How to Control Pests of Ornamentals, by Dr. Donald L. Schuder (f)	Jul W-10
(Mildew, Powdery) How to Recognize and Control Major Shade Tree Pests, by Franklin R. Hall (f)	Aug W-14



You can now kill brush on a year 'round basis

The key: Dormant Cane Broadcast — Scientists' concepts of chemical brush killing used to be that woody plants could not be effectively controlled with winter-month application. Diamond, however, sponsored research on this unique application method of brush control with the use of six-pound acid equivalent Line Rider formulations. The results speak for themselves:

• Materials needed reduced • Application time in

hours per acre reduced • Kill effectiveness increased
• Effective spray season lengthened • Hazard of crop damage eliminated • Unsightly brown-out eliminated.

Diamond's experience and specific formulation techniques with dormant cane broadcast can be of help to you. For details on dormant cane broadcast or six-pound Line Rider products, write Diamond Alkali Company, 300 Union Commerce Building, Cleveland, Ohio 44114.



Diamond Chemicals

When Writing to Advertisers Please Mention WEEDS AND TURF

W-9

	Issue Pg.
Mist Drift!, Beware of the Hazards of Spray, by Frank L. Wilson (f)	Jan W-12
(Mite, Bermudagrass) How to Identify and Control Insect Pests in Turf, II (f)	Mar W-26
(Mites, Clover) How to Identify and Control Insect Pests in Turf, II (f)	Mar W-15
(Mites) How to Control Pests of Ornamentals, by Dr. Donald L. Schuder (f)	Jul W-14
(Mites) How to Recognize and Control Major Shade Tree Pests, by Franklin R. Hall (f)	Aug W-9
(Mole Crickets) How to Identify and Control Insect Pests in Turf, II (f)	Mar W-26
(Moth, Gypsy) How to Recognize and Control Major Shade Tree Pests, by Franklin R. Hall (f)	Aug W-10
(Moth, Lawn) How to Recognize and Control Insect Pests in Turf, I (f)	Feb W-16
(Moth, Lawn) How to Identify and Control Insect Pests in Turf, II (f)	Mar W-14
N	
(Nomenclature, Industry) What's a CA? (ed)	May W-5
(Nonselective Weed Control) Soil Sterilization for Weed Control (f)	Mar W-10
Northeast Weed Conference Decides, Science No Longer Divorced from Public, 17th (nf)	Feb W-20
(Nozzles) Beware of the Hazards of Spray Mist Drift!, by Frank L. Wilson (f)	Jan W-12
(Nozzles) Southern Weed Control Conference Report (nf)	Mar W-18
Nursery, Ornamental Spraying Contracts, How to Get More, by Dr. Robert Snetsinger (f)	Jun W-8
(Nutrients, Soil) A Basic Guide to Turf Fertilization, by Dr. D. P. Satchell (f)	Apr W-9
O	
Ornamentals, 535 at '63 Wooster Field Day Updated on Lawns, (nf)	Nov W-12
Ornamentals, How to Control Pests of, by Dr. Donald L. Schuder (f)	Jul W-8
Ornamentals, Sevin Insecticide: New Carbamate for Turf, Trees, and, by Dr. J. B. Harry (f)	Aug W-16
Ornamental Spraying Contracts, How to Get More Nursery, by Dr. Robert Snetsinger (f)	Jun W-8
P	
Panogen Turf Fungicide, by Dr. Margareta Lambert (f)	Apr W-12
Pesticide Use Investigators, Freeman Explains Federal Law to (ns)	Jul W-21
(pH) A Basic Guide to Turfgrass Fertilization, by Dr. D. P. Satchell (f)	Apr W-9
(Phenoxy Herbicides) New Herbicide, Dacamine, Combines Safety of Amines, Punch of Esters, by Drs. R. J. Marrese and B. A. Sprayberry (f)	Jan W-19
Plantain, Broadleaf, Know Your Species (c)	Apr W-24
Plantain, Buckhorn, Know Your Species (c)	Apr W-24
(Pressure Gauges) Beware of the Hazards of Spray Mist Drift!, by Frank L. Wilson (f)	Jan W-12
(Price-cutting) Don't Buy Business (ed)	Sep W-5
(Pricing, Job) How Much Does It Cost? (ed), by Dr. J. B. Harry (f)	Aug W-5
(Propeller Airdrive) Aquatic Weed Control Manual, III (f)	Dec W-5
(Public Relations) Ambassadors All! (ed)	Apr W-5
(Pumps) Aquatic Weed Control Manual, III (f)	Dec W-5
(Pumps) How We Built A Whole Fleet of Lawn Spray Trucks, by Larry Nipp (f)	May W-10
R	
Raceway Job Draws Harder to Weed Control (f)	Feb W-18
(Railroad Weed Control) Southern Weed Control Conference Report (nf)	Mar W-18
(Railroad Weed Control) Sterilize Soil from Air (ns)	Jan W-24
Railway Weed Control Jobs, Survey Shows Contractors Get Nearly Half of (f)	Jun W-6
(Research) What Do You Need To Know? (ed)	Jun W-5
(Resistance) How to Identify and Control Chinch Bugs (f)	May W-22
Respirators Shows Spraymen Which Mask to Use on the Job, Handy USDA Guide to (f)	Jan W-16
(Right-of-Way Weed Control) Railroad Survey Report (f)	Jun W-6
Russian Knapweed, Know Your Species (c)	Jun W-16
S	
(Safety) Be Cautious Near Power Lines (ns)	Jul W-15
(Safety) Handy USDA Guide to Respirators Shows Spraymen Which Mask to Use on the Job (f)	Jan W-16
Sago Pondweed, Know Your Species (c)	Nov W-11
(Sawflies) How to Control Pests of Ornamentals, by Dr. Donald L. Schuder (f)	Jul W-12
(Sawfly) How to Recognize and Control Major Shade Tree Pests, by Franklin R. Hall (f)	Aug W-12
(Scale Control) N. C. Entomologist Recommends Precautions for Dormant Oils (ns)	Nov W-13
(Scale Insects) How to Control Pests of Ornamentals, by Dr. Donald L. Schuder (f)	Jul W-9
(Scale Insects) How to Recognize and Control Major Shade Tree Pests, by Franklin R. Hall (f)	Aug W-12
(Seeding) Business Opportunities in Turf Reseeding by Dr. Robert W. Schery (f)	Sep W-6
Sevin Insecticide: New Carbamate for Turf, Trees, and Ornamentals, by Dr. J. B. Harry (f)	Aug W-16
Shade Tree Conference in Toronto, Seek Replacements for Dying Markets, Treemen Urge at 39th International (nf)	Sep W-10
Shade Tree Conference Laments Severe Winter and Hot Dry Summer, Ohio (ns)	Aug W-20
Shade Tree Pests, How to Recognize and Control Major, by Franklin R. Hall (f)	Aug W-8
(Sodium Chlorate) Soil Sterilization for Weed Control (f)	Mar W-11
(Sod Webworm Control) How to Identify and Control Insect Pests in Turf, I (f)	Feb W-14
Soil Sterilization for Weed Control (f)	Mar W-10
(Soil Sterilization) How to Fumigate Soil for Turf Weed Control, by Fred W. Fletcher (f)	Feb W-9

	Issue Pg.
(Soil Sterilization) Tritac: New Weapon for Weed Control, by L. S. Whitcomb (f)	May W-14
"Southern Weed Conference Proves Industry Growth," Holstun Tells Weedmen Gathered in Mobile, Jan. 16-18, "Record Attendance at 16th" (nf)	Mar W-16
Sterilization for Weed Control, Soil (f)	Mar W-10
Sterilize Soil From Air (ns)	Jan W-24
(Submersed Weeds) Aquatic Weed Control Manual, I (f)	Oct W-11
(Sweetgum Blight) International Shade Tree Conference Report (nf)	Sep W-14
T	
(Tanks) Aquatic Weed Control Manual, III (f)	Dec W-5
(Tanks) How We Built A Whole Fleet of Lawn Spray Trucks, by Larry Nipp (f)	May W-10
(Thatch Removal) Business Opportunities in Turf Reseeding, by Dr. Robert W. Schery (f)	Sep W-7
Thistle, Canada, Know Your Species (c)	May W-28
(Timing of Controls) Aquatic Weed Control Manual, II (f)	Nov W-4
Treemen Urge at 39th International Shade Tree Conference in Toronto, Seek Replacements for Dying Markets (nf)	Sep W-10
Turf Pests, How to Recognize and Control Major Shade, by Franklin R. Hall (f)	Aug W-8
Trees, and Ornamentals, Sevin Insecticide: New Carbamate for Turf, by Dr. J. B. Harry (f)	Aug W-16
(Triazine compounds) Soil Sterilization for Weed Control (f)	Mar W-30
(Tritac) Hooker Has New Herbicide (ns)	Mar W-25
Tritac: New Weapon for Weed Control, by L. S. Whitcomb (f)	May W-14
Turf and Aquatic Weed Control Surveyed at 15th Illinois Spray School (nf)	Apr W-22
Turf Chemicals, Guide to Suppliers of Weed and (f)	Oct W-18
Turfgrass Fertilization, A Basic Guide to, by Dr. D. P. Satchell (f)	Apr W-8
Turf Reseeding, Business Opportunities in, by Dr. Robert W. Schery (f)	Sep W-6
Turf, Trees, and Ornamentals, Sevin Insecticide: New Carbamate for, by Dr. J. B. Harry (f)	Aug W-16
Turf Weed Control, How to Fumigate Soil for, by Fred W. Fletcher (f)	Feb W-8
Turf-Grass Show Draws 1300; Delegates Study Soil Fumigation, Turf Diseases, 34th International (nf)	Apr W-18
(2,4-D Compounds) Soil Sterilization for Weed Control (f)	Mar W-12
U	
(Urea Compounds) Soil Sterilization for Weed Control (f)	Mar W-12
USDA Guide to Respirators Shows Spraymen Which Mask to Use on the Job, Handy (f)	Jan W-16
V	
(Vegetation Decay) Aquatic Weed Control Manual, II (f)	Nov W-4
(V-C 13) How to Identify and Control Chinch Bugs (f)	May W-22
W	
(Watercraft) Aquatic Weed Control Manual, III (f)	Dec W-5
Waterweed Control, Delegates to 3rd Aquatic Weed Society Meeting Told, Ecology is Keynote to Successful (nf)	Apr W-14
Weed and Turf Chemicals, Guide to Suppliers of (f)	Oct W-18
Weed Control, How to Fumigate Soil for Turf, by Fred W. Fletcher (f)	Feb W-8
Weed Control, Tritac: New Weapon for, by L. S. Whitcomb (f)	May W-14
(Winterseeding) Business Opportunities in Turf Reseeding, by Dr. Robert W. Schery (f)	Sep W-7
(Wireworm Control) How to Identify and Control Insect Pests in Turf, I (f)	Feb W-14
Woodsorrel, Yellow, Know Your Species (c)	Feb W-29
Wooster Field Day Updated on Lawns, Ornamentals, 535 at '63 (ns)	Nov W-12
X Y Z	
Yellow Woodsorrel, Know Your Species (c)	Feb W-29

AUTHOR INDEX

Anderson, Walter D., "Improved Management Techniques Stressed at 2nd Fla. Turf Show"	Jul W-16
Fletcher, Fred W., "How to Fumigate Soil for Turf Weed Control"	Feb W- 8
Hall, Franklin R., "How to Recognize and Control Major Shade Tree Pests"	Aug W- 8
Harry, Dr. J. B., "Sevin Insecticide: New Carbamate for Turf, Trees, and Ornamentals"	Aug W-16
Lambert, Dr. Margareta, "Panogen Turf Fungicide"	Apr W-12
Marrese, Dr. R. J., "New Herbicide, Dacamine, Combines Safety of Amines, Punch of Esters"	Jan W-19
Nipp, Larry, "How We Built a Whole Fleet of Lawn Spray Trucks"	May W-10
Satchell, Dr. D. P., "A Basic Guide to Turfgrass Fertilization"	Mar W- 8
Schery, Dr. Robert W., "Business Opportunities in Turf Reseeding"	Sep W- 6
Schuder, Dr. Donald L., "How to Control Pests of Ornamentals"	Jul W- 8
Schweers, Vincent H., "California Weedmen Focus on Application at 15th Annual Conference in Santa Barbara"	Mar W-20
Snetsinger, Dr. Robert, "How to Get More Nursery, Ornamental Spraying Contracts"	Jun W- 8
Sprayberry, Dr. B. A., "New Herbicide, Dacamine, Combines Safety of Amines, Punch of Esters"	Jan W-19
Whitcomb, L. S., "Tritac: New Weapon for Weed Control"	May W-14
Wilson, Frank L., "Beware of the Hazards of Spray Mist Drift!"	Jan W-12