



3.5 h.p. Only 15 lbs.

Treemen **KNOW** they can Depend on
SOLO
 for Unmatched Power and Performance

For example—Arborists Everywhere Use the Versatile
Solo 630 Pruning Saw

Because of its
Dependability


Other solo Equipment Designed for and Used by Treemen Around the World:



SOLO 423 MISTBLOWER
 5 h.p. Only 26 lbs.



SOLO JUNIOR 410
 2.5 h.p. Only 15 lbs.



SOLO KNAPSACK HAND SPRAYER 425
 Capacity 4 gallons. "Lightweight" weighs 8 lbs.
 Delivers up to 16 feet in height.

Mail This Coupon Today →

Dealer Inquiries Invited!

We can serve you coast to coast.

SOLO Industries, Inc.

P. O. Box 128, Dept. 76

37-41 57th St. Woodside, New York 11377

SOLO Industries, Inc.
 P. O. Box 128, Dept. 76
 Woodside, N.Y. 11377

**MAIL
 TODAY**

Please send me complete information on SOLO's new Power
 Unit 410 — 423 — 425 — 630 (Circle one of interest)

Name

Firm

Address

City..... State..... Zip Code.....

I'm interested in a dealership.

**SAVE TIME
SAVE LABOR**

WITH  **THE BEST**



**TWIN TANK
MISTBLOWER DUSTER**

Liquid Payload: 3.5 gallons
OR 1 3/4 gals. and 15 lbs. dust.
Use the same durable TWIN
TANKS to spray, dust, wet-
dust and spread granules. No
dismantling, no rebuilding.

DEEP PENETRATION
BETTER COVERAGE
BUILT BETTER TO LAST LONGER



BRUSH CUTTER

with Flexible Drive Shaft

powered by 2 1/2 HP Back-Pack engine
of the same famous brand used on
our Knapsack mist sprayer. World's
most reliable 2-cycle engine. 8" cir-
cular blade; 3" clear cut, tilt head.

Other TARPEN-FLEX tools can be attached
to the same flexible drive shaft:

WEED CUTTER

Chain Saw—Pruning Saw
Hedge Cutter—Hoe/tiller

Flexible shaft can also be driven by
wheeled power unit with Clinton en-
gine or from PTO of your tractor.

VANDERMOLEN EXPORT CO.

378 Mountain Ave. N. Caldwell, N.J. 07006

Write for complete information



Rainfall to order. Specially constructed mechanical rainmaker, used on a research farm in Ambler, Pa., can deliver any desired amount of "rainfall" simply by setting a timer. Upper part of rainmaker device rolls back and forth on tracks discharging water from 12 sprinkler nozzles mounted on a 22-ft. boom. Entire machine is portable and is wheeled from plot to plot. Primary application is to determine effectiveness of new weedkiller compounds and combinations. To eliminate variables caused by normal rainfall, test plots are covered by a plastic film tent after being saturated by machine-made rain.

Rainfall Influence on Preemergence Herbicides

"How much rainfall is necessary to activate a preemergence herbicide? How much rain must fall before the herbicide is leached from the zone of germinating weed seeds? How much rain does it take to move the herbicide to where the crop seed is germinating, with resulting injury to the crop?"

In a controlled study concentrated into a single growing season, Dr. Anson R. Cooke, Director of Biological Research, Amchem Products, Inc., attempted to answer these three questions.


While delivering a paper on the subject at the Southern Weed Conference in Jacksonville this year, Dr. Cooke pointed out how tests proved that various amounts of artificial rainfall at certain periods after application greatly influenced the performance of certain pre-emergence herbicides.

It was also noted that by substituting common soluble formulations of a product such as Amiben with less soluble derivatives of the same product, weed control often remained constantly high even when initial rainfall

varied from 0.5 to 2 inches. The more soluble forms, on the other hand, often gave poorer weed control when carried too deeply by a single heavy rain of perhaps 1 or more inches.

How were the exact amounts of moisture obtained without interruption from natural rainfall? Dr. Cooke and his colleagues worked with a unique machine which applies controllable amounts of rainlike irrigation on selected test plots. After the desired amount of water is applied, each plot is covered with a plastic tent to prevent any further natural rain from falling on the plot.

With such knowledge, Dr. Cooke concluded, it may soon be possible for a herbicide manufacturer to formulate pre-emergence herbicides on a more-or-less custom basis depending on the average normal rainfall for a given area. For example, in a normally high rainfall area a rather insoluble form of a herbicide might be provided while a relatively soluble form of the same herbicide might be supplied to areas of normally low rainfall.



Oh, the shade of the
old apple tree
is as bug-free
as bug-free can be...

Thanks to Penick's versatile line of shade-tree insecticides. For total protection of shade trees, shrubs and ornamentals, Penick is your best basic source of pesticides. Pioneers in pest control chemistry for more than thirty years, we offer a wide range of highly effective concentrates. Take your pick of any of the formulations listed below and make short work of aphids, mites, elm bark beetles, Japanese beetles, leaf hoppers, tent caterpillars, canker worms and other tree pests. Write for information and suggested applications.

PENICK

Farm Chemicals & Insecticide Division

S. B. PENICK & COMPANY

100 CHURCH ST., NEW YORK, N. Y. 10008
735 WEST DIVISION ST., CHICAGO, ILL. 60610
4161 BECK AVENUE, ST. LOUIS, MO. 63116

Insecticide formulations prepared exclusively by S. B. Penick & Company:

SHADE TREE INSECTICIDE SPRAY FORMULA No. IN-4161

Emulsifiable concentrate containing DDT, Rotenone, Kelthane and Ovx

FOLIAFUME® and BI-FOLIAFUME®
Emulsifiable concentrates containing Pyrethrins and Rotenone

MALATHION E-5
Emulsifiable concentrate containing 5 pounds Malathion per gallon

SHADE TREE INSECTICIDE SPRAY FORMULA No. 516
Emulsifiable concentrate containing DDT and Rotenone

SPECIAL FOLIAR SPRAY No. 482
Emulsifiable Pyrethrins concentrate

Bluegrass Perils, All-in-One Sod Harvester Shown at Rutgers Sod and Research Field Days, June 20-22

The sod industry's greatest needs are for improved disease-resistant turfgrasses and new harvesting and production equipment, turfmen were told at the Rutgers Sod Producers Field Day, June 22. More than 100 turf specialists toured Rutgers research plots and saw equipment demonstrated at Princeton Turf Farm's Croshaw Farm, Hightstown, N. J. Sponsored by the Cooperative Extension Service, Rutgers University, New Brunswick, N. J., and the Cultivated Sod Association of New Jersey, the sod producers day climaxed three days of lawn and turf activities at Rutgers.

New grass varieties may soon be available to the sod grower. Dr. C. Reed Funk, research specialist in turfgrass breeding and selection at Rutgers, cautioned that new varieties would probably be expensive. "Almost inevitably, when we select for good turf potential we get poor seed potential," the Rutgers expert noted. "Nevertheless," he continued, "though their cost is

greater than Merion bluegrass, some experimental varieties could be adapted for use by the sod industry."

Stripe Smut Attacks Merion

"The sod industry is in danger of becoming a one-variety industry in the Northeast," Dr. Funk told the CSANJ dinner meeting, held in conjunction with the field day. Emphasizing the need for developing new grasses, he pointed out that Merion, though popular and an excellent performer, is highly susceptible to stripe smut disease, for which there is no effective control at present. Stripe smut may be described as an old age disease that limits the life expectancy of Merion to about 7-8 years in infested areas.


Dr. P. M. Halisky, department of plant biology, Rutgers, described the disease as a parasite affecting Merion lawns in their second or third year, becoming progressively worse until the lawn is destroyed. Many grass varieties are attacked by smuts,

but bluegrass smuts do not affect other plants. Adding that stripe smut is both seed borne and soil borne, Dr. Halisky concluded that there is hope for eventual control of the widespread disease by soil treatment, seed treatment, or development of a selective, systemic fungicide. "I believe that stripe smut can be knocked out or greatly reduced in Merion," the plant biologist said.

Hybridization Holds Hope

"I'm optimistic on the future of hybridizing rather than simply selecting bluegrasses," Dr. Funk told an interested group at the Turfgrass Research Field Day, June 21. Sponsored by Rutgers' Cooperative Extension Service and College of Agriculture and Environmental Science, this field day gave participants a chance to look closely at the turf research program.

Showing plantings of about 6,000 bluegrasses collected, or "selected," from pastures, parks, and golf courses, the research



Princeton Turf Farm's experimental sod harvester, demonstrated at Princeton's Croshaw Farm for Rutgers June 22 Sod Producers Field Day. Self-propelled, hydraulically operated harvester requires 3 men, a driver and 2 handlers, to cut, convey, and palletize sod in a single operation. Future developments will aim for automatic palletizing.

FOR SMALL JOBS — 5'4" unit puts seed in top ¼" of soil, the ideal depth for closely controlled moisture and growth conditions.

FOR BIG JOBS — 8' and 10' seeders tuck seeds at ½" depth, as recommended for parks, golf courses, free ways, sod farms and other large acreage seedings where natural moisture and growth conditions prevail.



Why bury or waste lawn seed when you can lay up to 10-foot carpets of lawn per pass with

BRILLION LANDSCAPE SEEDERS!



NEW SMOOTH-WHEEL ROLLERS for smoothening humps and winter-heaves in established lawns. Ideal for parks, stadiums, golf courses, institutional, and turn-pike turf. In 9', 10'6" and 12' single rollers and triple gang models up to widths of 20'.

Only Brillion enables you to choose the seeder that fits your operation — in 5'4", 8' and 10' seeding widths. And all are precisely built and calibrated to tuck your seed accurately and uniformly in the top ¼" or ½" of the soil for fast, complete germination and healthier growth.

A Brillion crushes the small lumps, presses down small stones and gently packs the soil into a firm, clod-free seedbed — in one operation. One man can seed up to 50 acres per day. No extra equipment or operations are needed for seedbed conditioning.

Large hoppers minimize re-fills. And you can hug fences, trees and building foundations to keep hand broadcasting to a minimum. Options include acreage meters and transport wheels for the 8' and 10' seeders. So to seed more lawn and save more money, include a Brillion Landscape Seeder in your budget. Send coupon for complete information.

NEW — 3-point Category 2 pick-up now available on 8-foot seeders.



BRILLION IRON WORKS, INC., Dept. LS-59-8, Brillion, Wisconsin 54110

Please send me information on:

- New 8' Seeder
 New 10' Seeder
 5'4" Seeder
 Name of nearest Brillion dealer
 New Smooth-Wheel Roller

Name.....

Address.....

City..... State..... Zip.....

LS-9

specialist noted that most of these selected plants are rejected because of poor disease resistance. Though valuable plants can be obtained in this manner, Dr. Funk reported that the greatest promise for future turfgrass development lies in hybridization of the finest selections with each other.

Anheuser dwarf bluegrass, a Purdue University, Lafayette, Ind., development of a grass selected in St. Louis, was called one of the most promising experimental varieties. Some of the wider bladed varieties are more resistant to leaf spot infection, Dr. Funk explained. Dark-colored and wide-leaved, Anheuser shows good resistance both to stripe smut and leaf spot, and is being tested as a parent in hybrid plants. Though this variety does not form an extremely dense turf, the researcher also remarked that too dense turf often poses more problems than grasses with less density.

Other promising bluegrasses include K5(47), an experimental variety that dates back to 1947; 0217, commercially developed; N.J. P30, a New Jersey grass; and Pennsylvania State University's varieties, K-106 and K-107. None of these varieties is commercially available at present, since wide regional testing always precedes release. If made available, all would have high seed cost because of



Promising experimental variety of hybrid bluegrass has shown excellent disease resistance, Dr. Reed Funk, Rutgers University turfgrass research specialist, tells field day gathering.


poor germination characteristics. Adding that only 1 out of 5 bluegrass plants will reproduce by apomixis (without fertilization), Dr. Funk explained that reproduction by apomixis is necessary to insure uniformity of characteristics in a grass variety. Rutgers research also seeks to develop fundamental information on genetics and breeding procedures, according to the researcher. "Turfgrass breeding is a relatively untouched area," he said, "and our work can't be accomplished in a year's crash program; it will take 10 to 20 years."

New perennial ryegrasses that form a more dense turf, and are

finer leaved than current ryegrasses, are also being developed by Rutgers. Noting that a new ryegrass could be available in about 3 years, the question was asked: "Would you object to having this grass in your own lawn?" Many who attended the field day weren't too certain. Though attractive, the new ryegrasses still are difficult to mow.

Advantages of the hardy, experimental ryegrasses include ease of establishment and growth under many soil conditions. Perennial ryegrasses may find a place in roadside, school ground, and athletic field sites. Better summer and winter performance, and greater resistance to brown patch, chinch bugs, heat, and drought are also sought in the new varieties. Experiments have been conducted with mixed seedings of Merion and ryegrasses, with the bluegrass generally crowding out the ryegrasses.

Other grasses being tested include zoysia, bentgrasses, and red fescues. Several rapidly spreading types of fescue have been developed. Field day participants were also shown turfgrass fertilization tests in progress. Dr. Ralph E. Engel, turfgrass research specialist at Rutgers, counseled that moderate application of nitrogen will help control poa annua in bent-



New automatic sod roller is demonstrated for turfmen by the maker, Ryan Equipment Co., St. Paul, Minn. Not yet in production, pilot rollers are under test throughout country.

grasses. "With herbicides, we can work with lower levels of nitrogen," he continued. Fertilize more than twice a year for best color and performance, and discourage poa annua by avoiding heavy fertilization in the cooler months. May to August applications were suggested.

Nematocides on bentgrass, turf thinning experiments, and cutting height experiments were also included in the research tour. These tests are in their early stages with results inconclusive.

Disease is Encouraged

Rutgers research plots are mistreated to encourage disease. Herbicides are not applied to most plots. Irrigation is irregular. Fertilization is apt to be either indifferent or excessive. Some plots are closely barbered and others allowed to grow as high as 3½". Such mistreatment is part of a studied attempt to find the limitations and susceptibilities of the grasses under test. Whenever a particular grass variety comes down with a disease,

the researchers have a new problem, but they also have more information about that variety.

Merion is a case in point. Said to be resistant but not immune to the leaf spot disease and consequent melting out of turf, much of the established Merion was attacked by the disease this spring. Cool, wet weather favored the disease, but questions have been raised. Could the resistance of Merion be breaking down, or is there a new strain of the fungus, or was it attacked because stripe smut had previously weakened it? The only answer lies in further observation.

For the turfmen, the answer to leaf spot lies in good management, the experts say. Watering too often keeps the leaves wet and encourages the disease. Excessive fertilization and too-close mowing also encourage leaf spot. Water to a depth of 6" to 8" about every 10 days, depending on local soil and weather conditions. Fertilize moderately, preferably in the cooler months of April, May, Sept., and Oct.,

applying over half the fertilizer in the fall. In New Jersey, with grass clippings left on the ground, 3 to 4 pounds of nitrogen per 1,000 square feet a year is adequate for Merion. Other bluegrasses take less, 1 to 2 pounds of N. Finally, mow 1½" to 2" at 7-day intervals. Regular mowing is important.

New Varieties Needed

While leaf spot is not a serious problem in Merion, Rutgers researchers describe it as "the most destructive disease of Kentucky bluegrass in New Jersey." Often confused with drought or heat injury, the leaf spot fungus attacks the roots and rhizomes of bluegrass plants in the late spring and early summer, causing the turf to "melt out." The leaf spot phase will often clear itself up, but melting out is far more serious. The disease may be seen from dark, red-purple lesions on the leaves and brown, thin or bare turf. Tests show that, in general, the greater the area of turf loss from melting out, the greater the takeover by

CROWN VETCH

**Controls Erosion and
Greatly Enhances Hillside Beauty**

• • •
**ZERO MAINTENANCE!
NO MOWING!
NO WEEDING!**

• • •
Our seed meets state highway department specifications. Packed in 10-pound sealed, poly bags.

• • •
Write for Price Information
and Attractive Brochure

• • •
STANFORD SEED CO.

P. O. Box 230 Plymouth Meeting, Pa. 19462
215-825-1240

or

P. O. Box 366 Buffalo, N. Y. 14240
716-825-3300

Builds fast, luxuriant turf this new, proven way



one-step HYDRO-MULCHING

seeds or sprigs, fertilizes and mulches, colors and establishes turf faster than any other method . . . using the Bowie Hydro Mulcher. Proven by leading agronomists, coast-to-coast and abroad.

Write for "Facts about Hydro-mulching" today!

BOWIE MACHINE WORKS BOWIE, TEXAS



Ryan Jr. Sod Cutter works fast. Cuts sod clean and even, 12" wide, up to 2½" thick.

Low-cost Ryan cuts 11 sq. yds. of perfect sod per minute

Rugged and easy-to-use, a low-cost Ryan Jr. Sod Cutter has become a "must-have" tool for anyone working with turf. Propels itself, maneuvers easily, gives you up to 11 sq. yds. of perfect sod per minute.

Does many jobs. Strips dead sod, cuts fresh replacement sod fast. Optional blades available for laying flexible pipe (see photo below), edging, tilling, stripping, etc.



New "Mole" Blade attachment pulls flexible pipe, tubing or cable underground and continuously lays it at a depth adjustable to 7". One-man method is fast, economical, almost invisible. Ideal for installing sprinkling systems, gas lines, telephone cables.

WRITE for illustrated literature on the full line of Ryan Turf Equipment . . . golf-course-proved, golf-course-approved. Aerators, Renovators, Vertical Mowers, Spreaders, Vibratory Rollers, Sod Cutters and Sod Rollers. Get details today!



**EQUIPMENT
COMPANY**

2055 WHITE BEAR AVE., ST. PAUL, MINN. 55109

broad-leaved weeds and crabgrass.

Underlining the need for new varieties to supplement Merion, the June 21st and 22nd field days observed plots of Merion weakened by stripe smut, called Merion's worst enemy. Pausing to examine an infected plant, Dr. Funk said that, "though good management will help grass recover from stripe smut, it will still get progressively worse." The disease may be identified by gray stripes on leaves. In later stages, leaves turn black, curl and tear, exposing the smut spores.

Thatch accumulation is another problem causing frequent deterioration of Merion. According to Dr. Henry Indyk, extension specialist in turfgrass management at Rutgers, grass clippings do not, in themselves, create thatch. With regular mowing, and under normal conditions, clippings do not have to be removed.

Zoysia nursery plants and test plots were another field day stop. Recalling that zoysia was once considered nearly disease-free, Dr. Engel reported that plants have shown susceptibility to disease in New Jersey tests. Later, Dr. Funk remarked to an evening session that "It is safe to assume that any variety will develop problems after a few years." In other words, it is unlikely that cure-all grass varieties will be developed, underscoring the need for continued research to make new, disease-resistant grasses available through the sod producer. Dr. Funk also suggested that organizations, such as the Cultivated Sod Association of New Jersey, could aid in testing new sod grasses if member growers would plant and evaluate samples in their locations.

Sod Mechanization Shown

Predicting that the sod industry will move more and more toward mechanization, Dr. Henry Indyk added that the need is for strictly specialized equipment for sod producers faced with a labor shortage. Mechanization will bring costs down and increase the popularity of

sod, the extension specialist indicated.

Mechanization from stone picking to boom loading of pallets was demonstrated in the June 22 afternoon session, hosted by Princeton Turf's Croshaw Farm. First to be demonstrated was the Anderson Rotary Rock Picker, manufactured by Armor Metal Products, Helena, Mont. Said by the maker to be capable of picking rocks from 1½" to 200 pounds, the Anderson picker works as deep as 6" at speeds of 1 to 5 mph, with a hopper capacity of 4,000 pounds. It is claimed the equipment can remove 100 tons of rock in a day.

Next shown was the Howard Rotavator, which the manufacturer says is suitable for turf thinning and light tillage. Howard Rotavator Co., Harvard, Ill., makes the rotavator which has a tillage width of up to 130" and a tillage depth of about 8".

Land Leveler Shown

The Eversman Land Leveler demonstrated is used by Princeton Turf Farms to prepare areas for seeding. Made in Denver, Colo., the leveler operates by cutting through highs and dumping in low spots.

Also shown were 3 types of seeders: the Brillion, made by Brillion Iron Works, Brillion, Wis.; the Viking, Viking Manufacturing Co., Manhattan, Kans.; and a new model grader, seeder, fertilizer, introduced by the John B. Adt Co., Timonium, Md., which claims the equipment will pulverize dirt, mix seed, plant, and roll in one operation.

Jacobsen Manufacturing Co., Racine, Wis., demonstrated its Model F-10 mowing tractor. With 5 or 7 gang combinations, the mowers can be raised or lowered hydraulically from the operator's seat while the tractor is moving. Front-mounted cutters are claimed to permit closer trimming and mowing before grass is packed down by wheels.

Other equipment shown included irrigation pipe by Johns-Manville; a soil fumigation injector by Morton Chemical Co.; Rainbird sprinkler heads; sweepers by Rogers Manufacturing,

and Giant-Vac; Travelite and Side-O-Matic boom loaders-unloaders; and fertilizer spreaders.

Harvesting Need Critical

"One of the most critical needs in sod production is in the area of harvesting," according to Dr. Indyk. Harvesting equipment shown at the field day included an 18" Ryan Sod Cutter with cutoff unit. Ryan Equipment Co., St. Paul, Minn., also demonstrated its experimental automatic sod roller. Though not yet in production, 40 units are being tested throughout the country. It is said to be able to roll 1,000 to 1,200 yards of turf in an hour.

The Finland Turf Cutter combines the best features of an oscillating blade cutter and the old-style drag cutter, according to its maker, Finneyfrock's, Olney, Md. The recently introduced equipment has been dubbed "Big Brute" by the manufacturer, who says machines with cutting widths of up to 24" will soon be available.

Highlight of the demonstrations was Princeton Turf Farm's experimental harvester. Princeton feels it is getting closer to perfecting the one-step harvester in this latest reworking of its own development, but emphasizes that there is still a lot of work to be done. The self-propelled, hydraulically operated harvester requires 3 men, a driver and two handlers. With the capacity to harvest 6,000 to 8,000 feet per hour, the machine can strip off excess top soil to reduce weight and insure uniformity of cut sod. Future developments, Princeton says, will aim for complete reliability, automatic stacking to eliminate handlers, and a hydraulic "feeler" steering system.

In addition to the Sod Producers Field Day and Turf Research Field Day, Rutgers' '66 Lawn and Turfgrass Equipment and Products Show was held on June 20-21. With a clinic to advise lawn owners on their weed and turf problems, and nearly 40 manufacturers showing their equipment, the show also gave homeowners an opportunity to see the research plots and, perhaps, their lawn of the future.

Control all these weeds with one time-tested, time-proven weed killer... **HOOKER SODIUM CHLORATE**



This low-cost soil sterilant kills almost any weed you can name. More than 35 years of weed control prove it.

One treatment usually does the job. Hooker sodium chlorate goes deep to kill growing roots and germinating seeds. It can sterilize heavy soils for as long as two years and sandy soils for as long as one.

For more complete information or the name of the Hooker distributor nearest you, please write us. Hooker Chemical Corporation, Agricultural Chemicals, 408 Buffalo Avenue, Niagara Falls, N.Y. 14302.



AGRICULTURAL CHEMICALS

Helicopter Tree Planting, Talks, Exhibits, Tours, Set for 42nd ISTC Convention in Cleveland This Month

An unusual out-of-the-sky tree planting ceremony is part of the outstanding five-day International Shade Tree Conference convention and trade show, being held this month in Cleveland, Ohio, August 28-Sept. 2. While delegates watch, a helicopter will maneuver in and lower to its new site a young tree for one of Cleveland's lake-front malls.

After this special feature Tuesday morning, Aug. 30, conventioners return to the Cleveland-Sheraton Hotel convention headquarters for the keynote luncheon highlighted with an address by U. S. Senator Frank J. Lausche.

The '66 convention and show will open on Sunday, Aug. 28, with registration, a business session, and a reception and hospitality party for delegates. Some 50 trade and educational exhibits are planned for the show; these will be open on Sunday. ISTC President, O. J. Anderson of Houston, Tex., will officially call the meeting to order and inaugurate convention activities at 9:30 a.m. on Monday, Aug. 29.

"Dieback and Decline of Hardwoods: Some Possible Causes," and "Use of Soil Wetting Agents



John Michalko, Cleveland's Shade Tree Commissioner, and general chairman of 42nd ISTC meet.



William P. Lanphear, III, of Forest City Tree Protection Co., of Cleveland, is co-chairman for '66 show.

in Arboricultural Practices" will be discussed at the Monday morning session. Speakers are, respectively, Dr. Wayne Sinclair, Department of Plant Pathology, Cornell University, Ithaca, N. Y., and Robert A. Moore, Aquatrols Corp. of America, Camden, N. J.

Many Experts Address Afternoon Session

The afternoon session will include: "Recommendations for Treatment of Soil Fills around Trees," by John Z. Duling, Dul-

ing Tree Expert Co., Muncie, Indiana; "Problems and Solutions in Curbside Tree Plantings in Excavations," by Edward J. Brarmann, Jr., Supervisor of Forestry for the Jersey Central Power & Light Co., Morristown, N. J.; and "Industrial Landscaping—Problems and Solutions," by Ralph G. Carmichael, Davey Tree Expert Co., Bettendorf, Ia.

Tuesday's concurrent sessions on commercial, municipal, and utility arboriculture will be marked by specialized talks and panels of experts in each area. The program on commercial arboriculture, arranged by the National Arborist Association, Clarke W. Davis, executive secretary, will feature a panel discussion on "Shade Tree Fertilization and Aeration Practices," to be moderated by Edward E. Irish, Chas. F. Irish Co., Warren, Mich. In addition, "Systemic Insecticides, Up-to-Date" will be discussed by Dr. R. B. Neiswander, professor emeritus, Department of Entomology, Ohio Agricultural Research and Development Center, Wooster, Ohio. "A Look at Business," the annual business meeting for members of the National Arborist Association, and a dinner for NAA members and guests are



Cleveland's famous landmark, Terminal Tower, dominates skyline of 42nd ISTC host city.