Dacthal is number one in its field. Not only because it is so effective, but because it controls more than 20 unwanted weeds and grasses. Applied properly, it lays down a barrier that stops early and late germinating annual weeds without affecting healthy, growing turf grasses. Tough weeds like crabgrass and Poa annua can't stand up to Dacthal.

### The help you need for total turf care.

Dacamine® provides postemergence control of over 70 broadleaf weeds including dandelion, annual chickweed, knotweed and Canada thistle. It works right down to the roots. So tough perennials don't return. Daconate® is the postemergence herbicide that knocks out nutsedge, chickweed, wood sorrel, sandbur and other grassy weeds. It's a ready-to-use liquid herbicide with a built-in surfactant for uniform wetting.

Daconil 2787® is the broadspectrum fungicide that stops nine fungus diseases on turf. Use it from spring to fall to prevent dollar spot, leaf spot, red thread, stem rust of blue grass, large brown patch. It's effective even in hot weather. Provides disease control on a number of ornamentals.

Count on the big four from Diamond Shamrock to make your job easier.

Circle 132 on free information card





# Diamond Shamrock The resourceful company.

See your turf chemicals supplier, or contact the Diamond Shamrock Agricultural Chemicals Division sales office nearest you:
Three Commerce Park Square, 23200 Chagrin Blvd., Beachwood, OH 44112 • 1760 The Exchange, Suite 100, Atlanta, GA 30339 • 5333 Westheimer, Suite 850, Houston, TX 77002 • Commerce Plaza Bldg., 2015 Spring Rd., Oakbrook, IL 60521 • 617 Veterans Blvd., Redwood City, CA 94063.





# Six great gas-power-tough trimmers:



MODEL 1900 High-quality economy trimmer.

Here is famous Green Machine quality and performance built into a new, low-priced 14.9 cc gas-trimmer. Unlike many low-end gas trimmers, The Green Machine Model 1900 has plenty of power—so much power that it comes equipped with two heavy-gauge long-wearing .080 Green Line cutting strings.

Coupled with great engine performance is a simple but effective 2-string, manual-feed cutting head. A TFC™ automatic-feed head is available as an option, as well as a new flexible rubber blade for fast trimming of weeds. Other features of the 1900 include a flexible, enclosed drive shaft, light overall weight for ease of operation, multi-position molded handle.

### SPECIFICATIONS:

Engine Type: Inverted 2 Cycle Air Cooled Cylinder
Type: Single Alum, Alloy Chrome Plated Displacement:
14.9 cc Bore & Stroke mm 27 x 26 Compression Ratio:
6.2:1 Max H.P. (H.P/RPM) 65/6500 Carburetor: Butterfly
Type All Position Ignition: Contact Point Type Clutch
Housing: Direct Coupled Lubrication (Fuel Mixture) 20 to 1
Fuel Capacity: (4L) 42Qt. Shaft: Flex Type
Reduction: None Cutting Head (Std): 5" Dia.
Cutting Swath: 17 in. Weight (with cutting head) 10 lbs




MODEL 2000 Loaded with Power.

This model is equipped with the popular 22.5 cc Green Machine engine. There's power to spare for the toughest string trimming operations. Standard equipment includes the reliable, manual-feed head. You can also use it with the optional TFC™ Tap-For-Cord head. A light tap on the ground automatically releases fresh cutting string. The Model 2000 can also be used with the new fixed-line head (.105 line). Other features include an all-position diaphragm-type carburetor with positive fuel shut-off. Power is transmitted through a rugged, enclosed flexible drive-shaft. As with the 1900, the mid-handle is easily adjustable to the operators height and can be quickly reversed when the unit is used for edging. It's a beautifully built unit, ideal for those that want additional power and efficiency.

### SPECIFICATIONS:

Engine Type: Upright 2-Cycle Air Cooled Cylinder
Type: Single Alum. Alloy Chrome Plated Displacement:
22.5 Bore & Stroke mm: 32 x 28 Compression Ratio:
6.5:1 Max H.P. (H.P/RPM) 1.2/6500 Carburetor: Slide
Type All Position Ignition: Contact Point Type Clutch
Housing: Direct Coupled Lubrication (Fuel Mixture) 20 to 1
Fuel Capacity: (.6L). 640t. Muffler: Spark Arrestor Shaft:
Flex Type Reduction: None Cutting Head (Std) 5° Dia.
Cutting Swath: 18 in. Weight (with cutting head): 11 lbs



MODEL 2500
A great string trimmer—and more.

Powered by the proven 22.5 cc engine, her is a string trimmer-that's more than a strin trimmer. Model 2500 comes equipped with a new Universal TFC™ head for fast, efficient grass and weed trimming. Just switch to one of the optional quick-change metal blades and you've got a great brush cutter or tree pruner. The performance of this unit in tough brush and pruning operations has to be seen to be fully appreciated The brush blade lets you cut through heavy brush and vines up to ¾ inch in diameter. The saw blade, used with a combination chopping/sawing action can slice easily through branches up to three inches in diameter. It is equipped with a straight solid steel shaft with spiral-bevel gears. Four optional heads are available for this unit-se chart on back page.

### SPECIFICATIONS:

Engine Type: Upright 2-Cycle Air Cooled Cylinder Type: Single Alum. Alloy Chrome Plated Displacement: 22.5 Bore & Stroke mm: 32 x 28 Compression Ratio: 6.5.1 Max H.P. (H.P/RPM) 1.2/6500 Carburetor: Slide Type All Position Ignition: Contact Point Type Clutch Housing: Direct Coupled Lubrication (Fuel Mixture) 20: Fuel Capacity: (6L) 640t. Muffler: Spark Arrestor Shaft: Solid type 8mm Reduction: 1.26 Gear Drive Cutting Hea (Std) 5" Dia. Universal TFC Cutting Swath: 18 in. Weight (wcutting head): 13 lbs (5.9kg)

- \* Blades and blade guards shown in top photo are optional items
- Fuel mixture ratios shown in specifications are with conventional 2-cycle oils. For convenience and long engine life we recommend ONE-MIXI\*, the great new multi-ratio

# "STANDARD OF THE INDUSTRY" Commercial-quality TFC<sup>™</sup> Tap-For-Cord head equipped with Green Line extra longlife nylon string. (Model 3000SS, as well as 2500, 4000, and 4500, also accept metal blades for brush cutting and tree pruning.)



# **MODEL 3000SS**

This Green Machine has set the standard for commercial-quality trimmers. Thousands are nuse by professional gardeners, grounds maintenace crews, and large-acreage owners. The 3000SS has been made even better with anew, more powerful engine and solid-state ignition. Like the 2500, these units can also be used for brush cutting and tree pruning, using the accessory metal blades. Model 3000SS comes equipped with the commercal quality TFC™ Tap-For-Cord string trimmer head-the first automatic-feed head built for the professional. Other heads available include the ultra-simple, 2-string (.105) manual head designed specifically for rentalyard and other special uses. Quality features include: solid, heat-treated drive-shaft and spiral-bevel gears; anti-vibration clutch housing with dual bearings; larger, quieter muffler and air cleaner; larger gas tank.

### SPECIFICATIONS:

Engine Type: Upright 2-Cycle Air Cooled Cylinder
Type: Single Alum. Alloy Chrome Plated Displacement:
24;1 Bore & Stroke mm: 32 x 30 Compression Ratio:
65;1 Max H.P. (H.P/RPM): 1.3/6500 Carburetor: Slide
Type All Position Ignition: Solid-State-Transistor Type Clutch
Housing: Anti-Vibration Lubrication (Fuel Mixture): 25 to 1
Fiel Capacity: (7L). 74Qt. Muffler: Spark Arrestor Shaft:
Solid type 8mm Reduction: 1.26 Gear Drive Cutting Head
(Sid): 6" Dia. TFC Cutting Swath: 18 in. Weight (with
cutting head): 15 lbs (6.8kg)



### 4000

The high-production trimmer, brush cutter.

This is the high powered Green Machine designed specifically for specialized, day-after-day trimming of grass, weeds, and brush. A harness with hip-pad and wide handle bars provides maximum operator efficiency for such demanding operations as highway road-side maintenance. The 37.4 cc easy-starting engine has power to spare to operate the commercial TFC™ head with .105 cutting string. Other heavy-duty features include larger drive shaft and larger spiral-bevel gears. With accessory blades, the swiveling center shaft of the 4000 makes it ideal for hillside brush cutting and pruning of low-hanging tree branches.

### SPECIFICATIONS:

Engine Type: Inverted 2-Cycle Air Cooled Cylinder Type: Single Alum. Alloy Chrome Plated Displacement: 37.4 Bore & Stroke mm: 38 x 33 Compression Ratio: 9.1:1 Max H.P. (H.P/RPM): 2.7/7500 Carburetor: Slide Type Float Ignition: Contact Point Type Clutch Housing: Direct Coupled With Swivel Lubrication (Fuel Mixture): 20 to 1 Fuel Capacity: (1.1L) 1.17Qt. Muffler: Spark Arrestor Shaft: Solid 10mm Reduction: 1.26 Gear Drive Cutting Head (Std): 6" Dia. TFC Cutting Swath: 20 in. Weight (with cutting head): 21 lbs (9.5kg)



### **MODEL 4500**

The Green Machine Forestry unit.

Modern forestry practice demands fast, efficient tree and brush clearing. Here is the tool for the job. Using a combination chopping-sawing action, saplings up to 4 inches in diameter can be felled in a single stroke. One man equipped with the 4500 becomes a formidable system of forestry maintenance. This unit is specially-designed to withstand the continuous side-shock impact imposed by this type of work. Extra anti-vibration features as well as an exceptionally heavy-duty shaft are included. The special handle guards help protect the operator. The 4500 comes equipped with brush blade, saw blade and blade guard. The commercial quality TFC™ Tap-For-Cord head is available as an option.

### SPECIFICATIONS:

Engine Type: Inverted 2-Cycle Air Cooled Cylinder Type: Single Alum. Alloy Chrome Plated Displacement: 37.4 Bore & Stroke mm: 38 x 33 Compression Ratio: 9.1:1 Max H.P. (H.P/RPM): 2.7/7500 Carburetor: Slide Type Float Ignition: Contact Point Type Clutch Housing: Direct Coupled With Swivel Lubrication (Fuel Mixture): 20 to 1 Fuel Capacity: (1.1L) 1.17Qt. Muffler: Spark Arrestor Shaft: Solid 12mm Reduction: 1.26 Gear Drive Cutting Head (Std): Blades Weight (with cutting blade): 22 lbs (10kg)

Circle 173 on free information card

Contact your distributor or write today!

ics from The Green Machine. No guess, no mess!



# 4-wheel drive tames the ups & downs.

The first 4-wheel drive 72" out-front-cut mower has a fan club: operators who mowed roadside berms and hilly parks during its first year in the field.

They rave about its selfleveling operator station and engine platform, and how it crawls in and out of ditches.

The EXCEL HUSTLER twin hand levers control its dual hydros and steer the big 402 mower at a touch-with positive control and no "steering wheel fatigue."

They trust its surefootedness... its stable weight distribution on slopes or rough terrain... its ROPS with optional enclosure.

Besides the heavy duty 72" rotary deck, other attachments include 60" flail mower, 72" dozer blade, 72" rotary broom, and a powerful 60" snow thrower to keep it working the year around.

Watch for a field demo or write for free literature and Distributor's name. Call toll-free (800) 835-3260; in Kansas or Canada, call (316) 327-4911 collect. EXCEL HUSTLER turf and groundskeeping equipment is built right by Excel Industries, Inc., Box 727,

Hesston, Kansas 67062.

For GSA: GS-07S-03665 For HUD: OAH(CO)m 2635



# WISTW

# **ADVERTISERS**

Adelphi Kentucky Bluegrass	
Agro-Chem	89
Allied Chemical Corp	83
Alpine Mfg. Co	95
Boots Hercules30	0.31
Briggs & Stratton	37
Brouwer Turf Equip. Ltd	27
Samuel Cabot Inc.	
Ciba Geigy Corp4	
Continental Custom	99
Cushman/OMC lincoln1	3,79
Creative Sales Inc	
John Deere & Co	.4,5
Diamond Shamrock100	,101
Dow Chemical USA9	
Elanco Prod. Co., Eli Lilly 6,7	,105
Excel Industries	
FMC Corp	21
Foxcroft Dev. Corp	60
PBI Gordon Corp1	0,11
Grasshopper	57
Green Machine102	,103
Groundhog	76
Heckendorn Mfg. Co	36
Hoffman LaRoche	75
Howard Price Equip	15
Hypro, Div. Lear Siegler	
Jacobsen Mfg. Co4	0,41
F.D Kees	
Kubota Tractor6	2,63
Lakeshore Equip. & Supply	39
Limb Lopper	
Lofts Pedigreed Seed	

Mallinkrodt Chemical Corp	97
Maruyama Corp	
Mathews Co	84
Merck & Co., Inc	67
Monsanto	
North American Plant Breeders	45
Olathe Mfg. Co	96
Princeton Mfg. Co	82
Rain Bird	23
Rhone Poulenc 16,17,	81,85
Ross Daniels	64
Ryan/OMC Lincoln	43,51
Safe-T-Lawn	32
Safety Test	
Samson Ocean Systems	74
SPIC	56
Satoh	
Snow Co	78
Stauffer Chemical	
Stephenson Chemical Co	68
Tee-2-Green Corp	2
Telsco Mfg. Co	
Toro Irrigation	
Toro Equip. Co	69
Track N Combo	99
Union Carbide Corp	76
U.S. Gypsum	
Vandermolen	88
Van Pines Nursery	50
Velsicol Chemical Corp	72
Vemco	88
Vermeer Mfg. Co	
Wisonsin Marine	93

### **Advertising Sales Offices**

### ATLANTA

Dick Gore, National Sales Manager 3091 Maple Drive Maple Center One Building Atlanta, GA 30305 404+233-1817.

### SEATTLE

Robert A. Mierow 1333 N.W. Norcross Seattle, WA 98177 206+363-2864

### **NEW YORK**

Brian Harris 757 Third Ave., New York, NY 10017 212+421-1350

### CHICAGO

Jeff Dreazen 333 N. Michigan Ave. Chicago, IL 60611. 312+236-9425

Materials and orders for display advertising or classified advertising should be sent to Chris Simco, Harvest Publishing Co., 9800 Detroit Ave., Cleveland, OH 44102. Deadlines are generally the first week of the month prior to publication.

# **Vegetation Problems?**

# Tryle spike spike granular granular granular is the tough one!

# **Spike** lasts longer than most other herbicides with fewer pounds per acre!

When applied in accordance with label directions, commercial field use has proven that Spike remains effective longer than other products tested, preventing regrowth and permitting lower application rates in succeeding years.

### **Spike** resists lateral movement!

Spike is non-volatile, control stays where it is needed instead of "shifting" into unwanted areas, enabling specific placement.

## **Spike** gets many vines, brambles and woody plants!

Years of commercial use have proven Spike's effectiveness against a wide spectrum of undesirable and unwanted vegetation, especially the tough perennials tenacious vines, and so called hard to control species, like mullein, pigweed, curley dock, and kochia.

# **Spike** gets many of the brush species the others leave behind!

The most persistent vegetation control problem is **brush.** Spike helps solve that problem almost any time of year ... and Spike is really tough on white oak, white ash, and big leaf maples.

# **Spike** provides versatility and easy application?

Commercial use has proven equal effectiveness for both of Spike's principal product forms . . . wettable powder for spray application, or granular for mechanical application.

Wherever weed and brush control is the problem . . . in storage yards, parking areas, tank yards, around buildings and warehouses, along road shoulders, fence rows, ditchbanks and railroad spurs . . . the ideal remedy is SPIKE. It does what it promises!

Order Spike from your Elanco Distributor today. Spike should be the **foundation** of your vegetation control program.

Also available as a granular form in 50 lb. bags and a convenient to use dispenser box.

SPIKE is a registered trademark for Elanco Products
Tebuthiuron

To avoid killing desirable vegetation, read label before application.



Circle 147 on free information card

EIANCO

Elanco Products Company, A Division of Eli Lilly and Company, Dept. E-455, Indianapolis, Indiana 46206 U.S.A.

### **WEEDS TREES & TURF Magazine** The business journal of vegetation management. Please enter my introductory subscription to WEEDS TREES & TURF for just \$12 (12 monthly issues). I understand that if WEEDS TREES & TURF doesn't meet my expectations I can cancel and receive prompt refund. ☐ Bill company ☐ Bill me ☐ Payment enclosed ☐ 1 YEAR (\$12) ☐ 2 YEARS (\$22) ☐ 3 YEARS (\$30) Name Firm **Business Address** State Zip Signature Date What is your primary business/industry? (Check one only) □ Seed Grower□ Tree Service Company/ ☐ Rights-of-Way Maintenance ☐ Cemetery Grounds ☐ Airport Grounds (highway, utility, railroad) Commercial/industrial Maintenance Management Athletic Fields Management Industrial Park Grounds ☐ Military Installation Arborist contract chemical Management ☐ Land Reclamation/Erosion Wholesale nursery Tree Farm applicator Maintenance ☐ Aerial applicator ☐ Extension Services/Federal Control Specialist □ Dealer/Distributor **Shopping Centers Grounds** ☐ Lawn Care Company Maintenance or State Regulatory Agency ☐ Hospital, Nursing Home Lawn Maintenance Other (Specify) (grounds maintenance) ☐ Parks or Grounds Company School, College and University (grounds ☐ Landscape Contractor Management (Federal, State, Municipal) Forestry Landscape Architect ☐ Golf Course Management maintenance) ☐ Sod Grower If this is a pass-along copy please order your subscription now if you are not currently receiving our publication. **WEEDS TREES & TURF Magazine** The business journal of vegetation management. Please enter my introductory subscription to WEEDS TREES & TURF for just \$12 (12 monthly issues). I understand that if WEEDS TREES & TURF doesn't meet my expectations I can cancel and receive prompt refund. ☐ Bill company ☐ Bill me ☐ Payment enclosed ☐ 1 YEAR (\$12) ☐ 2 YEARS (\$22) ☐ 3 YEARS (\$30) Name Firm **Business Address** City State Zip Signature Date What is your primary business/industry? (Check one only) ☐ Rights-of-Way Maintenance □ Cemetery Grounds ☐ Airport Grounds □ Seed Grower (highway, utility, railroad) Commercial/industrial Management Military Installation Maintenance ☐ Tree Service Company/ Athletic Fields Management Arborist Management Land Reclamation/Erosion contract chemical Industrial Park Grounds □ Wholesale nursery applicator Maintenance ☐ Tree Farm Control Specialist Lawn Care Company ☐ Aerial applicator☐ Extension Services/Federal ☐ Shopping Centers Grounds □ Dealer/Distributor Maintenance or State Regulatory Agency ☐ Lawn Maintenance ☐ Hospital, Nursing Home ☐ Other (Specify)

(grounds maintenance) School, College and

University (grounds

maintenance)

Company

☐ Sod Grower

□ Landscape Contractor

Landscape Architect

Parks or Grounds

Management (Federal, State, Municipal) Forestry

Golf Course Management



BUSINESS

REPLY

MAIL

First Class

Permit No. 2675

Cleveland, O.

Postage will be paid by addressee

# WEEDSTREESETURE

Attn: Circulation Department 9800 Detroit Avenue Cleveland, Ohio 44102



# SUBSCRIBE TODAY To this Specialized Business Publication



BUSINESS

REPLY

MAIL

First Class

Permit No. 2675

Cleveland, O.

Postage will be paid by addressee

# WEEDSTREESEILRE

Attn: Circulation Department 9800 Detroit Avenue Cleveland, Ohio 44102 NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

