SHAPERS



can load, backfill, scarify, scrape and level with one MF machine.

MF tractor loaders are equipped with all the features you need to help keep your operation profitable. There's MF Instant Reverse transmission, Ferguson set-and-forget draft control and tight-turning hydrostatic power steering for precision land-scaping, even in close quarters. And all Loader Leaders offer economical Perkins diesel

engines, heavyduty front axles, single lever loader control, and hard-nose construction. Stop in and check out one of the four Loader Leader models at your Massey dealer. Massey-Ferguson Inc., Des Moines, Iowa 50315.

Massey Makes Sense

ME

Massey Ferguson

MF TRACTOR LOADERS -- BASIC SPECIFICATIONS MF20C MF30B MF40B MF50C Net F.W. HP 45 45 54 62 Loader Cap. Yd.3 5/8 3/4 3/4 1 Lift Cap. Lb. 4700


Circle No. 121 on Reader Service Card

Ford continued														
Manufctr. & Model	H.P.	Cylin- ders	Weight	Wheel	PTO Speeds (RPM)	Hitch Type	Gas or Diesel (G or D)	Hydraulic Attchmnt. Cpblty.		Turf Tire Option	Price	# of Dist.	Regional Limitations	Years in U.S. Market
540A	55	3	4490	2	540	1-3 pt. & Swinging Draw Bar	G or D	Yes	6 or 8	Yes	NA	Multiple	U.S.	64
445	47	3	4950	2	540	1-3 pt. & Swinging Draw Bar	G or D	Yes	6 or 8	Yes	NA	Multiple	U.S.	64
545	55	3	5000	2	540	1-3 pt. & Swinging Draw Bar	G or D	Yes	6 or 8	Yes	NA	Multiple	U.S.	64
Gravely Trac 3505 Gravel Clemmons, I 919-766-472	y Lane NC 270													
8122	12	1	900	4	1000	Bar Type- "U" Shaped	G	Yes	4	Yes	\$3100	Direct	U.S.	65
8123	13	1	900	4	1000	Bar Type- "U" Shaped	G	Yes	4	Yes	\$3500	Direct	U.S.	65
8163B	16	1	900	4	1000	Bar Type- "U" Shaped	G	Yes	4	Yes	\$3900	Direct	U.S.	65
8179-KT	17	2	935	4	1000	Bar Type- "U" Shaped	G	Yes.	4	Yes	\$4500	Direct	U.S.	65
8199-KT	19	2	935	4	1000	Bar Type- "U" Shaped	G	Yes	4	Yes	\$4900	Direct	U.S.	65
Hako North 111 Bell St. West Babylo 516-420-821	n, NY 1	-												
2000G	20	2	1555	2	Constantw/ engine 825 gpm	3 pt.	G	Yes	5	Yes	\$6064	Direct	NY Metro Area	6
2300D	20	3	1705	2	Constantw/ engine 825 gpm	3 pt.	D	Yes	5	Yes	\$6800	Direct	NY Metro Area	6
3800D	42	4	2174	2	825 at Rv 3100 RPM	special Hydr. lift w/pin	D	Yes	3 variations- Hydro	Yes	\$7000	Direct	NY Metro Area	6

TRACTORS COMPACT UTILITY TRACTORS

Jacobsen, D 1721 Packar Racine, WI 414-637-671	rd Ave. 53403	extron Ir	ic.											
G20	46	3	3355	2	540	rigid or 3 pt.	D	Yes	6	Yes	\$13,429	48w/25 Branches	U.S.	12
JI Case 700 State S Racine, WI 414-636-60	53404													
648	18	2	815	2	Front Mount for 3600 engine speed, high idle	3 pt.	G							
John Deere John Deere Moline, IL 6 309-752-44	Road 1625													
650 650-4 750 750-4 850 950 950-4 1050 1050-4	14.5 14.5 18 18 22 27 27 27 33 33	2 2 3 3 3 3 3 3 3 3 3 3	1420 1530 1700 1896 2580 2810 3010 2933 3142	2 4 2 4 2 4 4 2 4	540 540 540 540 540 540 540 540 540	1-3 pt. 1-3 pt. 1-3 pt. 1-3 pt. 1-3 pt. 1-3 pt. 1-3 pt. 1-3 pt. 1-3 pt. 1-3 pt.	D D D D D D D D D D D D D D D D D D D	Yes	8 8 8 8 8 8 8	Yes Yes Yes Yes Yes Yes Yes Yes	NA NA NA NA NA NA NA NA	2700 2700 2700 2700 2700 2700 2700 2700	U.S. U.S. U.S. U.S. U.S. U.S. U.S. U.S.	63 63 63 63 63 63 63 63
Kubota Trac 550 W. Arte Compaton, 0 213-537-25	sia Blv CA 902	d.												
B5100	12	2	960	2 or 4	540/1000	1-3 pt.	D	Yes	6	Yes	NA	Direct (964 Dealers)	U.S.	11
B6100 B7100 L185 245 245 High Clearance (Cultivator)	14 16 17 25 25	3 3 2 3 3	945 1035 1080 2015 2572	2 or 4 2 or 4 2 & 4 2 & 4 2 & 4	540/1000/1500 540/1000/1500 540/700/1000 540/700/1000 540/700/1000		00000	Yes Yes Yes Yes Yes	6 6 6 6	Yes Yes Yes Yes Yes	NA NA NA NA	Direct Direct Direct Direct Direct	U.S. U.S. U.S. U.S. U.S.	11 11 11 11 11
285 L295 305 345	30 30 30 34	4 3 3 4	2785 3020 2864 2706	2 2 & 4 2 & 4 2 & 4	540/700/1000 540/700/1000 540/1000 540/1000	1 1 1 1 1	D D D	Yes Yes Yes Yes	6 6 6 6	Yes Yes Yes	NA NA NA NA	Direct Direct Direct	U.S. U.S. U.S. U.S.	11 11 11 11
												Con	ntinues on pag	0 30





When the top 9 of 10 lawn care firms in America all choose DURSBAN* brand insecticides as their predominate insecticides for surface insect control...there has to be a good reason. Or two.

Well there are two.

- 1. DURSBAN insecticides last longest of all leading insecticides.
- 2. DURSBAN insecticides cost less to use than other leading insecticides.

In fact one application of DURSBAN 4E, ¾ oz. per 1,000 sq. ft., costs only about 45. Yet with this small amount, you get six to eight weeks of unsurpassed residual control of dozens of turf pests.

Compare this to two to four weeks with any of the other leading insecticide

And although DURSBAN insecticides are highly effective against insects, they are kind to turf, to people and to pets.

You also use a lower dosage rate with DURSBAN than with other leading insecticides. That means you handle fewer drums to do the job. So ask your supplier for the turf insecticide that saves you time, trips, storage space and money. Ask for DURSBAN 2E insecticide or double-strength DURSBAN 4E insecticide. Just be sure to read and follow all label directions and precautions. Agricultural Products Department.

Midland, Michigan 48640.

Dow

DOW CHEMICAL U.S.

Manufctr. & Model	H.P.	Cylin- ders	Weight	Two or Four Wheel Drive	PTO Speeds (RPM)	Hitch Type	Gas or Diesel (G or D)	Hydraulic Attchmnt. Cpblty.		Turf Tire Option	Price	# of Dist.	Regional Limitations	Years in U.S. Market
Long Manufacturing N.C. Inc. Box 1139 Tarboro, NC 27886 919-823-4151														
260-C 310-C 360-C	24 28 35	2 2 3	3180 3195 3630	2 2 2	540 540 540	1-3 pt. 1-3 pt. 1-3 pt.	D D D	Yes Yes Yes	6 6	Yes Yes Yes	\$5472 \$6542 \$6958	7 Branches 7 Branches 7 Branches	U.S.	38 38 38
Massey-Ferguson 1901 Bell Ave. Des Moines, IA 50315 515-247-2015														
MF205	16	2	1500	2	540	1 (narrow)	D	Yes	6	Yes	\$6160	Direct 7 Regional Sales)	U.S.	34
MF205-4 MF210 MF210-4 MF220 MF220-4 MF230 MF245 MF255	16 21 21 26 26 34 42 52	2 2 2 2 2 3 3 3 4	1850 1970 2260 2310 2710 3625 3760 4900	4 2 4 2 4 2 2 2 2	540 540 540 540 540 540 540 540	1 1 1 1 1 1 1 1 1 1	D D D D D D D	Yes Yes Yes Yes Yes Yes Yes	6 12 12 12 12 12 6 6/8/12 8 & 12	No Yes No Yes No Yes Yes	\$6850 \$7160 \$8066 \$8350 \$10,222 \$11,577 \$15,063 (8 speed) \$16,133 (8 speed)	Direct	U.S. U.S. U.S. U.S. U.S. U.S.	34 34 34 34 34 34 34 34
Snapper Tractor McDonough Power Equipment 535 Macon Rd. McDonough, GA 30253 404-957-9141														
1600 1650 1855A	16 16 18	1 1 2	910 974 1022	2 2 2	2000 2000 2000	Sleeve 0-3 pt. 0-3 pt.	GGG	No Yes Yes	3 InfHydro InfHydro (w/memory setting)	Yes Yes Yes	NA NA NA	85 85 85	U.S. U.S. U.S.	81 81 81
Pasquali-US 116 Paoli S Verona, WI 608-845-64	t. 53593													
986 Continued	21	1	2000	4	760/540	3 pt., drawbar, or 2 pt.	D	Yes	9	Yes	NA	100 Con	U.S. tinues on page	4 9 38

TRACTORS COMPACT UTILITY TRACTORS



In my business, I demand pro performance, the first time and everytime. That's why I want to tell you about the Mitsubishi line of two and four-wheel, mid-size tractors. Tractors built tough, to tackle all your landscaping and turf maintenance jobs, reliably and economically year after year.

Whether it's the compact Beaver, the economical Bison Diesel or the 38 hp, rugged Stallion, all Mitsubishi tractors can handle the implements you need for mowing, loading, grading, snow removal and lots more. And Mitsubishi's multi-cylinder, water-cooled, diesel engines keep fuel consumption low and performance consistently high.

Designed with you, the grounds maintenance professional in mind, Mitsubishi tractors have tough-job features like a differential lock for greater traction, live hydraulics for really accu-


rate implement control and multi-speed PTO for equipment flexibility.

So, as one pro to another, if quality performance is the name of your game, check out the winning team of mid-size tractors built by the pros—Mitsubishi.

MITSUBISHI

Built by the PROS

IR GO MPAC Y TRAC AP m D S



Throughout the world the familiar indianhead trademark has come to mean engineering excellence, product reliability and responsible business conduct.

Tecumseh's dedication to product quality is clearly expressed in the construction features of the Model TVS105XL (xtra life) heavy duty commercial rotary mower engine.

The TVS105XL design embodies components of proven durability - -Cast Iron Cylinder Liners, Bronze Main Bearings, Hardened Crankshaft Journals, Solid State Ignition, Twin Element Air Cleaners

Components and design so rugged that in-warranty time has been extended to eighteen months.

Easy topside accessibility encourages routine maintenance.

Tecumseh's TVS105XL - Today's better long-term engine value for the commercial user, rental service, and discriminating homeowner.



TECUMSEH PRODUCTS COMPANY — ENGINE DIVISIONS
GRAFTON and NEW HOLSTEIN, WISCONSIN

Manufetr. & Model	H.P.	Cylin- ders	Weight	Two or Four Wheel Drive	PTO Speeds (RPM)	Hitch Type	Gas or Diesel (G or D)	Hydraulic Attchmnt. Cpblty.		Turf Tire Option	Price	# of Dist.	Regional Limitations	Years in U.S. Market
C-175 Automatic	17	2	650	2	Belt (No PTO)	Clevis	G	Yes	Inf.	Yes	\$3695	Direct (Except OH & PA)	U.S.	30
D-160	16	2	815	2	2000	0	G	Yes	Inf.	Yes	\$4195	Direct (Except OH & PA)	U.S.	30
White Farm 2625 Butte Oak Brook 312-887-01	rfield R	d.												
230 235 245	28.3 32.8 43.5	3 3 4	2774 2939 5000	Both 2 Both	540 540 540	1 1 1 8 2	D D D	Yes Yes Yes	8 8 20	Yes Yes No	NA NA NA	NA NA NA	U.S. U.S. U.S.	3 3 2
476 Countr Bensenville	Yanmar Tractor Company-USA 476 Country Club Drive Bensenville, IL 60106 312-860-5370													
YM-135 YM-155 YM-165 YM-186 YM-195 YM-240 YM-226 YM-276 YM-336	13 15 16 18 19 24 22 27 33	2 2 2 3 2 2 3 3 3 3	1090 1145 1213 1530 1840 1960 1485 2330 2900	2 or 4 2 or 4	540/770 540/770 540/1000 540/1000 540/1000 540/1000 540/1000 540/1000 540/1000	Short-1 1 1 1 1 1 1 1 1 1 1 1 1	D D D D D D D D	Yes Yes Yes Yes Yes Yes Yes Yes	6 6 6 9 8 8 9 12	Yes Yes Yes Yes Yes Yes Yes Yes	NA NA NA NA NA NA NA NA	Direct	U.S. U.S. U.S. U.S. U.S. U.S. U.S. U.S.	5 5 5 5 5 5 5 5
Yard Man Company Box 36900 Cleveland, OH 44136 216-273-3600														
132786	16	2	760	Trans-	None (snowblower)	Sleeve	G	Yes	InfHydro	No	NA	NA	U.S.	24
142824	16	2	755	Trans-	The state of the s	Sleeve	G	No	4	No	NA	NA	U.S.	24
142836	18	2	760	-	None (snowblower)	Sleeve	G	No	3	No	NA	NA	U.S.	24
142990	16	1	968	. 700	- None	3 pt.	G	Yes	InfHydro	No	NA	NA	U.S.	24

COMPACT I TY TRACTORS LANDSCAPE