

Nourish Your Turf With **NITROFORM**[®]

Nourishing your turf with NITROFORM[®] assures better root development and healthier turf by providing six important benefits.

- 1** Consistent 38% nitrogen.
- 2** Sustained, predictable release by soil bacteria to provide nitrogen when needed most by roots and vegetative parts.
- 3** Provides organic nitrogen and carbon to enhance bacterial activity, even in sandy soils.
- 4** Non-burning to turf, trees, or ornamentals when used as directed.
- 5** Environmentally sound... resists leaching, even in porous soils.
- 6** Fewer applications a year are required.

For a complete information kit on nourishing and protecting your turf, join the NOR-AM Turf Management Program. Write to the Communications Department, NOR-AM Chemical Company, 3509 Silverside Road, P.O. Box 7495, Wilmington, DE 19803.

NITROFORM[®] is available as BLUE CHIP[®] or GRAY CHIP[™] for dry application, or as POWDER BLUE[®] or POWDER GRAY[™] for liquid application.



NOR-AM
NOR-AM CHEMICAL COMPANY

3509 Silverside Road, P.O. Box 7495
Wilmington, DE 19803

IMPORTANT: Please remember always to read and follow carefully all label directions when applying any chemical.

Circle No. 143 on Reader Inquiry Card



For Quality Nitrogen
NITROFORM

THE EFFECT OF MOWING ON TURFGRASS WATER USE RATE AND SUPPLEMENTAL IRRIGATION NEEDS

	SHOOT DENSITY	CANOPY RESISTANCE	ROOT DEPTH	WILTING TENDENCY	WATER USED BY TURF (WUR)	IRRIGATION		
						FREQUENCY	AMOUNT PER IRRIGATION	TOTAL
INCREASED MOWING HEIGHT	-	-	+	-	+	-	+	-
INCREASED MOWING FREQUENCY	+	+	-	+	-	+	-	-
NET EFFECT OF INCREASED MOWING HEIGHT AND FREQUENCY	0	+	+	0	+	-	+	-

Note: 0 = no effect, + = increased effect, and - = decreased effect

taller mowed turf than that associated with creeping red fescue is responsible for reducing the need for supplemental irrigation. The deeper root system is able to extract water from a larger volume of soil compared to a shallower less extensive root system.

In time, research will define lower water use in terms of a reduced need for irrigation. Until then, research results associated only with WUR should not become management policy. Soil and plant systems that use less water and need less irrigation are key components of a water conservation program.

Mowing

The two major aspects of mowing that influence water use are height and frequency. Grasses mowed at higher cutting heights have a reduced canopy resistance and, therefore, use more water than short mowed grass. Mowing frequently and short increases turf density.

Dense turf resists the upward movement of water vapor through the turf canopy. A dense turf with a tight canopy also resists air movement down into the turf canopy.

The net result is less moisture lost from the turf canopy to the atmosphere. This process ultimately reduces turfgrass evapotranspiration (ET). With higher mowed turf the leaf canopy that expands above the mowing height is less dense. This allows for more air mixing that results in higher water use rates.

It is important to note that taller grass transpires more water, but has a

more extensive root system that draws water from a larger soil reservoir than shorter grass. Thus, taller grasses avoid soil drought and plant wilt by expanding their roots into soil areas with enough moisture.

In contrast, lower mowing heights result in limited root systems that need more frequent irrigation to supply water to a shallower root system.

Therefore, turf managers interested in reducing irrigation needs should mow frequently at the highest feasible height. These management practices enhance canopy resistance and minimize detrimental rooting responses.

Nutrition

Fertilization is often needed to manipulate turfgrass function. Grass performing well with little help from fertilization is already at maximum water use efficiency with regard to quality. The primary goal of turf fertilization should be an increased shoot density with less emphasis on a darker green color. Turfgrass managers should strive to meet, but not exceed, the nutritional needs of the turf.

Nitrogen is the primary nutrient used to regulate turfgrass density and color. Water use rate increases with increased nitrogen nutrition. This occurs because leaf expansion above the normal mowing height occurs at a much faster rate. Leaves forced into this upper boundary layer lose water at a faster rate because they are in an area of greater air movement and reduced canopy resistance.

It is difficult to determine the level

of nitrogen that will result in efficient water use. Many factors such as soil type, organic matter content, turf species and cultivar and use are involved.

In general, the soluble component of a nitrogen fertilizer should not be applied at rates that exceed 1 lb. N/1000 sq. ft. per application. Over-stimulation of growth with nitrogen is easily detected by excessive vertical leaf growth and an increased need for mowing.

Under these conditions, turf will have high WUR, and rooting development will be reduced. In time, excessive leaf growth will demand a greater water supply that cannot be met by the reduced root system. Turf wilt occurs more frequently as this imbalance develops.

What follows is usually a decision by the turf manager to increase the frequency—and sometimes the amount—of irrigation to offset the symptoms of wilt.

In severe situations, excessive irrigation can lead to reduced oxygen levels in the soil. The end to this scenario is usually "wet wilt," which occurs when the plant's demand for water cannot be met even though soil is visibly moist.

In this case, a poor functioning root system resulted from an increased water demand. This increase was, in turn, caused by improper nitrogen fertilization and frequent irrigation. Turf managers interested in conserving water should use the lowest amount of nitrogen that gives the desired turfgrass quality and function.

Potassium and iron are two additional elements that may give the turf

continued on page 64

MOWING SLOPES DOESN'T HAVE TO BE AN UPHILL BATTLE.

The Jacobsen Tri-King 1471 is king of the hill with exclusive 3-wheel drive.

No other triplex mower flattens hills like the Jacobsen Tri-King 1471. No-slip direct-drive traction pump and optional 3-wheel drive take you to the top while other mowers are spinning their wheels. And with automotive-type drum brakes, no one lets you hold your ground better.

With the Tri-King 1471 you get both high performance and the legendary Jacobsen quality cut. Pick either 5- or 10-blade reels to match your mowing needs. Use them in fixed position for higher cutting, or floating position to hug contours and eliminate scalping. Time-saving on-machine backlapping is another Jacobsen advantage.

Operators will like the foot-controlled hydraulic lift with automatic reel shutoff; and positive aircraft-yoke-type steering. Together, they deliver the fastest, most convenient lift, turn and mow capacity of

any triplex. Plus, rubber-cushioned isolation mounting of the engine reduces vibration and noise for better operator comfort.

The Tri-King 1471 is also tops in serviceability. Interchangeable reel drive belts make replacement easy without tools. Ducted air flow keeps the engine clean and cool. And the efficient drive system design eliminates constant adjustment and replacement of drive belts.

Stay on top of your mowing schedule with a Jacobsen Tri-King 1471. See your Jacobsen distributor today. Attractive lease and financing plans available. Jacobsen Division of Textron Inc., Racine, WI 53403.

**JACOBSEN
TEXTRON**

Jacobsen Division of Textron Inc.

© Jacobsen Division of Textron Inc. 1988

J-7-8



Chemicals and turf water use

Various chemicals, such as pesticides and plant growth regulators (PGRs), are used in turfgrass management. Since they influence turfgrass growth, leaf area, rooting and canopy resistance, they also influence water use.

Anti-transpirants are not routinely used in turf culture but have received some attention since they have the potential to reduce ET. They reduce water use by inducing stomatal closure or by covering the stomata with a film.

Anti-transpirants may cause a detrimental effect on photosynthesis and evapotranspirational cooling. Manipulation of turfgrass morphology or canopy offers a greater potential for reducing ET than does regulation of stomatal functions by anti-transpirants.

Wetting agents have received limited testing in terms of water conservation. They do offer the advantage of increasing water infiltration rate on compacted soils, thatchy turf and hydrophobic sands.

Moving water into the soil faster may or may not effect ET. But it will make scheduling irrigation easier and reduce the chance for wasteful water runoff. Wetting agents used on steep slopes or mounded areas can reduce the need to over-irrigate or hand water contoured areas to maintain adequate soil moisture.

Pesticides are often needed in higher maintenance situations to provide a specific turfgrass function—generally improved appearance and density. In choosing a pesticide, more attention is given to efficacy. Little attention is given to what effect a product will have on the WUR, and more importantly the need for supplemental irrigation.

Herbicides, insecticides or fungicides are often applied alone or in combination with another. The information concerning the effect of pesticides on the WUR of turfgrass is limited.

At this time, we know that some pre-emergence herbicides cause reduced rooting. In high maintenance situations, reduced rooting may not evoke a visual response in turf appearance, since increased fertility and irrigation offset a decline in turf appearance.

As less water is available for turfgrass, additional injury from some pesticides may occur. Turf managers interested in conserving water

continued on page 66

WATER from page 62

manager an extra edge in managing turf exposed to drought stress. So far, research conducted in this area has shown improved turf performance under dry conditions, but no reports have documented the potential size for water conservation programs.

Potassium and iron have been reported to increase root growth which may account for their role in reducing wilt and improving drought avoidance. Reduced levels of nitrogen combined with iron can result in turf greening similar to normal rates of nitrogen. The implication here is that applications of iron plus nitrogen, especially in the spring, will result in a lower rate of vertical leaf growth and reduced WUR.

Irrigation

Current irrigation practices have probably evolved partly as a result of the equipment available for irrigation rather than a complete understanding of turfgrass water needs. Manual sprinkler systems, such as quick couplers, moveable pipe and traveling sprinklers required a lot of labor for a single irrigation. With these systems, it was desirable to provide as much water as possible during a single irri-

continued on page 66

SEE WHERE YOU SPRAY

Hi-Light™ Industrial strength colorant marks herbicide and sterilant treated spots and strips.

SPRAY COLORANT REDUCES SKIPS, DRIFT, OVERLAP



Bas-Oil™ hydrocarbon soluble basal dye promotes tree and brush application accuracy.



Turf Mark™ turf colorant defines broadcast treated areas on grass, turf, etc.

Easy-to-see B-U colorants indicate chemically treated areas, spots, strips and spray patterns — even spray drift.

They help reduce application errors (overlap, off target and non target applications) with a bold color.

And they help promote uniform, accurate

applications of critical herbicides, soil sterilants, plant growth regulators and insecticides — simply, visually.

Easy to use. All B-U colorants are concentrated, easy to mix, wash off quickly and are available for applications on turf, weeds, brush, small trees, etc. Write or call for brochures.

Becker-Underwood 701 Dayton Road
Ames, Iowa 50010 (515) 232-5907

SCHOOL
BUS
LOADING
AREA

Chemicals and colorants for Agriculture, Forestry, Industry and Turf use

THE ORTHENE[®] MACHINE PROTECTS TURF BOTH WAYS.

**IT'S
MEAN.**

Blasts sod webworms, mole crickets, and fire ants.

Continues to work systemically by remote control.

Sprayable by vehicle or on foot.

Gives effective, broad-spectrum control of armyworms, leafhoppers and greenbugs.

**IT'S
MILD.**


Reduces need for bulky protective equipment.*

Low toxicity to wildlife.

Convenient-to-use soluble powder. Compatible with most insecticides and fungicides—gentle on turf.

Once spray dries you can re-enter treated area immediately—ideal around golf courses and parks.

Gentle to streams and ponds fed by runoff.



*Refer to state regulations. Avoid accidents. For safety, read the entire label including precautions. Use all chemicals only as directed. Copyright © 1988 Chevron Chemical Company. All rights reserved.



ORTHO
Chevron Chemical
Company

ORTHENE[®]
TURF, TREE & ORNAMENTAL SPRAY

should avoid pesticides that have a history of causing slight phytotoxicity, reduced root growth or both. With or without visual symptoms of phytotoxicity some turfgrasses may be stunted by pesticides.

This can alter the turf canopy by making it more resistant to water loss. Turf leaves are less likely to expand into the upper boundary layer where air movement and water loss occurs more rapidly.

Thus, pesticides that reduce growth may also reduce water use. But the net result of reducing the need for irrigation may be negligible, especially where root systems are decreased.

Some chemicals are selective herbicides at one rate and plant growth regulators at another. Chlorflurenol is now used as a broadleaf herbicide, but was previously used as a plant growth regulator.

Plant growth regulators are used to reduce the need for mowing and to inhibit seed head development. Since they influence plant height and leaf extension rate, they also influence canopy resistance and transpiration rate.

A 30 percent reduction in turfgrass evapotranspiration has been reported with products such as EL-500, PP-333 and Embark. Some experimental PGRs have shown improved summer performance during periods of solid drought. It is possible that spring-applied PGRs cause a reduced growth rate that conserves soil moisture and also provides a better carbohydrate balance for summer growth.

Whatever the cause, PGRs offer a promising area of research to investigate turfgrass water conservation and improved summer performance. At this time, some caution should be used when water conservation is your main goal. It is likely that some PGRs will cause reduced root growth associated with less leaf growth. This may impair any drought avoidance mechanism inherent in a grass species. Also, some PGRs cause a flush of growth after the chemical wears off.

This additional growth may rapidly deplete stored soil water and negate any overall water conservation during the summer. It appears that PGRs which do not reduce root growth or cause a flush of growth may offer a means of water conservation.

—David Minner, University of Missouri

gation. That reduced the number of times irrigation was needed. Water application by this method is very similar to the standard recommendation: irrigate as deeply and infrequently as possible to promote an extensive root system.


This recommendation is ambiguous, since it does not provide a basis for actual amount or frequency of water application.

The main purpose for irrigating deep (to the bottom of the effective root zone) and infrequently is to develop an extensive root system that continually expands into regions of available soil moisture. This prepares the plant to avoid soil drought.

The main disadvantage of irrigating too frequently has been cited as a shallow root system that becomes dependent on continued frequent irrigation.

Research in Colorado has indicated that turf appearance was best when water lost by ET was supplied by irrigation every two days. In fact, Kentucky bluegrass maintained an acceptable turf quality with 25 percent less water by irrigating every two days compared to 4.7 and 14 days.

This may sound like a contradiction
continued on page 68



Alex Rey
Land Design Systems
Pompano Beach, FL

BC241

- 24.1cc Mitsubishi
- Dual .095 line
- Anti-vibration
- Electronic ignition
- Chromemoly gears
- Light—13.4 lbs.

QUALITY

"Florida's sand, salt, and high temperatures create the harshest conditions for our Maruyama BC241 brushcutters. They've held up better at less cost than all those we've tried over the years. Thanks to Maruyama quality and field support, we're now using Maruyama blowers, hedge trimmers, and sprayers, too."

Commercial businesses can depend on a full range of Maruyama equipment:

- Brushcutters ■ Hedge trimmers
- Sprayers ■ Mist dusters ■ Blowers
- Granule spreaders ■ Water pumps
- Soil injectors

**Call or write for more information:
(206) 885-0811**

Maruyama U.S. Inc.
15436 NE 95th St., POB 2167
Redmond, WA 98073-2167

The Very Best. . .
MARUYAMA™
Quality agricultural equipment since 1895.

Most companies feel that people
are their most important resource,
but are they the best managed resource?



From left:
James C. Cabrera,
President,
and William J. Morin,
Chairman.

Managing people in today's world has become a true challenge in these four critical areas:

- Using *Outplacement Counseling* for terminations and staff reductions.
- Offering Pre-retirement planning and actual *Retirement Counseling*.
- Increasing productivity through rejuvenation of "plateaued" employees—*Directional Counseling*.
- Training managers to improve in:
 - First-line supervising*—still a special need for most companies.
 - Employee selection*—proper recruiting minimizes problem employees later.
 - Performance appraisal*—in many cases, managers still don't know how to counsel employees properly.
 - Communication skills*—always the core challenge for most managers.

Over the last 20 years, Drake Beam Morin, Inc. has assisted over 3000 companies and organizations in managing their human resources effectively.

Call or write: William J. Morin, Chairman and James C. Cabrera, President,
100 Park Avenue, New York, NY 10017 (212) 692-7700

DBM

Drake Beam Morin, Inc.

Drake Beam Morin, consultants in career management with 53 offices located throughout the world.

tion to the accepted practice of deep and infrequent irrigation. But it instead should serve as a way to define what actual frequency of irrigation and amount of water are needed to provide a desired level of turf quality.

Another statement that often makes frequent irrigation unattractive as a possible water conservation technique is that WUR increases as irrigation frequency increases. This undisputed statement has been clearly documented by research.

These results have only observed water use as related to irrigation frequency rather than the water needed to provide the desired turf quality and function. Turfgrass managers should be more concerned with the amount of additional water that is needed by irrigation rather than the amount lost to the atmosphere. In many situations, turfgrass can perform quite well when water supplied by irrigation is less than the maximum WUR.

The advantages and disadvantages of irrigation frequency have been discussed. But no one fixed irrigation interval is better for plant growth or more efficient for water conservation than another.

Ideally, the interval between irrigation and amount of water applied at

each irrigation should be ever changing. ET rates, rooting depth and even turf function are dynamic and change on a monthly, weekly and daily basis.

In semi-arid regions of the country, very light rains may occasionally occur. These rains of only a few 100ths of an inch are not likely to make a significant change in soil moisture. Irrigating during or immediately after these light showers will add to the efficiency of a rain; the added irrigation will increase soil moisture.

Cloudy, cool conditions associated with occasional summer rains in semi-arid climates are also an efficient time to irrigate. At that time, the evaporative demand is lower than normal conditions which promote high ET.

Turf managers with labor intensive irrigation systems will have fewer options available for saving water by precise irrigation scheduling. Automatic systems programmed for site-specific irrigation can more efficiently play the odds of rainfall by irrigating more frequently with less water.

In addition to advanced irrigation systems, instruments and techniques exist that can help the turf manager interpret the need for irrigation.

Electronic moisture sensing devices, tensiometers, Class A pan

evaporation or combinations of these have been used to reduce water application by as much as 89 percent over conventional methods of scheduling irrigation.

Turfgrass managers should consult their local cooperative extension service and conduct on-site experimentation to determine if these techniques can help in water conservation programs.

Soil cultivation

Turfgrasses exposed to traffic often decline in growth because of soil compaction. Compacted soils are dense and poorly drained, resulting in less oxygen for root and shoot growth.

Reduced shoot and root growth are responsible for a lower water use rate. Soil coring and aeration will improve the quality of turf on compacted sites and also increase the water use rate. Even though core aeration increases water use, its advantages on compacted sites reduce the need for additional irrigation and enhance turfgrass drought avoidance.

Core cultivation should be avoided during hot, dry conditions. Excessive drying may increase the need for supplemental irrigation under these conditions.

LM

Before you fertilize . . .

GET THE THATCH OUT!

According to turf experts, **excessive thatch** must be **removed** after a hard winter in order to have healthy turf in the spring. Thatch prevents **nutrients** from reaching down into the root structure. Result: the lawn cannot breathe and grow properly.



BLUEBIRD INTERNATIONAL®



knife reel



flail reel

BlueBird has the **most complete line** of power rakes in the industry, a rake for every lawn and purpose. Spacings for every application. Interchangeable flail reels and knife reels are available for vertical mowing, and together they answer **every need** of lawn service professionals in every part of the country. Call your distributor **today** for a BlueBird catalog. For the name of your distributor call the BlueBird Action Center. BlueBird International Inc., 2778 South Tejon, Englewood, Colorado 80110. Phone (303) 781-4458.

YOUR HEAD. We'll change your thinking about compact diesels. We designed these tractors to fit your body and your needs. That's what Ford quality is all about. We took the work out of operating a tractor so you could get more work done.

YOUR BACK. The contoured seat cushion and side pads provide lateral support to keep you comfortable and secure. Unique isomounts reduce platform vibration.

YOUR EARS. Less noise means less stress and a more productive you. Compared to previous models, we reduced the noise levels on Models 1120 through 1720 by as much as 25%.


YOUR EYES. With up-front controls and easy-read instruments, you can quickly see what you're doing and where you're going, regardless of the work being performed.

YOUR ARMS. For ease of operation, we've moved all controls within comfortable reach. That includes positioning the main shift lever and throttle next to the steering wheel. That puts an end to the stretching, bending and twisting exercises.

YOUR SEAT. The new, inclined seat track rises as it slides back, lowers as it slides forward. You get an ideal seat position that puts you close to the pedals, yet away from the wheel.

YOUR LEGS. With the new, clean deck, it's easy on, easy off. You have a clear path to the seat. No more transmission tunnel, shift levers or controls to get in your way.

Is your tractor
built as well as a Ford?



Before we designed
the new Ford compact diesels,
we looked at how
you were designed.



MINIMIZING TREE AND SHRUB HEALTH PROBLEMS

In this age of valuable plant materials, the transplanting process must be done correctly. If it's not, the company stands to lose money.

by Terry A. Tattar, Ph.D., University of Massachusetts



Shown here is a properly planted shade tree. Note the wrap, staking and water well.

Tree health problems with nursery stock can be placed into two broad categories: (1) pre-sale failure and (2) post-sale failure. Due to the high value of plants at the time of sale and to the role of the customer, the category of post-sale failure is most important to landscape managers.

No one expects the failure of plant materials that have been recently sold. The customer expects (usually there is a written or oral guarantee for a specific time period after purchase) that the tree or shrub purchased will remain healthy and vigorous after it has been transplanted. If the initial quality of the sold plants, the proper placement in the planting hole, or the follow-up care after planting have not all been performed correctly, the customer may be disappointed with the result.

The customer also will not be pleased with the seller.

Replacement of trees and shrubs that fail is costly to the seller and does not address a practical solution to this problem.

Let's explore some ways that landscape managers can minimize their losses in recent transplants.

Placement in soil

The correct placement of the tree or shrub would seem to be a simple and straightforward matter with little chance for error. Unfortunately, it isn't.

The confusion is often caused by the uncertainty over exactly where the root system begins, due to wrapping and ties that are not properly removed during planting, and due to settling in the planting hold of large stock with heavy root balls. In addition to how a plant is set in a planting hole, the location and condition of the planting hole can often be sources of transplant failure.

continued on page 72