

You never know what's hit you when you see patch disease. It could be Fusarium blight. Or necrotic ring spot. Or summer patch. Or take-all patch. Or spring dead spot. Or any combination.

They all look very similar on turf. Only with a microscope can you tell them apart. So guessing which one's causing your patch disease still leaves your turf open to the other four.

That's why complete coverage pays. And only Rubigan is labeled to prevent and treat all five of these pathogens that cause patch disease.

Not to mention dollar spot, snow mold, copper spot, red thread and stripe smut. And this spring is an excellent time to begin your preventive program.


Why take chances controlling only part of the patch disease problem? Span the spectrum with Rubigan. See your Elanco distributor. Or call toll-free: **1-800-352-6776.**

Elanco Products Company  
A Division of Eli Lilly and Company  
Lilly Corporate Center  
Dept. E-455, Indianapolis, IN 46285, U.S.A.  
Rubigan® — (fenarimol, Elanco)



Circle No. 117 on Reader Inquiry Card

# Only Rubigan® spans the patch disease spectrum.





sion from run-off.

An irrigation system needs a sufficient quality and quantity of water. Lakes, rivers, wells and municipal water systems all may be used, if satisfactory and cost effective. It is advisable to have local experts make recommendations and provide data for both quality and quantity.

---

### 3. Analyzing water

Each source has individual concerns the designer must consider. Water should be analyzed for pollutants and organic matter that may harm the turf or cause problems with equipment.

Lakes tend to collect chemicals from turf via run-off and agricultural lands. Rivers and wells may have industrial or sewage contaminants; city water may contain harmful chemicals. Algae, marine plants and silt may clog pumps, valves and sprinklers, or sand may cause premature wear throughout the system.

Many solutions exist for the designer for quality problems. If, however, the quantity is insufficient, other measures must be taken.

---

### 4. Water sources

It is not uncommon to have a combination of water sources, at least as a recharge supply for the main source.

For example, a large turf system may use one or more ponds as the water supply but uses wells, rivers or city water to re-charge the ponds when the natural supply is weak.

The re-charge system can normally operate within a 24-hour window, while the irrigation system has a shorter watering time frame, such as 10 hours for many situations.

As the water supply becomes more complicated, it increases the cost to purchase and operate the system. The designer must derive the proper equipment balance for performance, efficiency, reliability and cost effectiveness.

Other information to gather regarding the water source includes static water pressure, pipe size, and type of connection for city water. Can a deduct meter be installed? Where would a pump station be installed? Is there electrical power close by sufficient to power a booster pump, including three-phase?

---

### 5. Pump system

Additionally, local backflow preventer codes must be determined and implemented into the design. In some areas, backflow protection is also required for wells.

Unless an abundant supply of

water, at the required pressures, can be obtained from a municipal water supply, the irrigation system will probably need a pump, or series of pumps, to supply water at the pressure and quantity required.

Whether as a pressure booster or as the supply pump, this phase of design should be left to an experienced pump station designer.

For many large turf systems the pump station may be 15 to 50 percent of the total system cost. Be sure to consider quality, performance, and service from the vendor.

While on site, many designers find it beneficial to mentally conceive the system as it would be installed. Installation problems can be foreseen and the design adjusted accordingly, instead of allowing the installer or owner to discover a problem during installation.

---

### 6. System prelims

The designer can double-check his preliminary work and form mental images of the area, which are helpful while working at the drawing table.

After creating the scaled drawing and reviewing the site, the designer can now make some preliminary decisions about the system, such as type of sprinklers, controllers, etc. Now is the time to consider the variations of plant materials and soil profiles in order to make the proper selection of equipment to be recommended.

At this time the brand and model numbers of the major components can be established as well as the overall concept concerning the system layout.

Also, some of the system operational guidelines can be established to help size the water supply and supporting equipment. For example, the designer should now know the soil conditions, the percolation rates, and the acreage to be covered.

---

### 7. Water amount

The designer now determines the amount of water to be applied on a weekly basis and the available watering window. With this information, the initial water requirements and the times of operation can be determined. From this, the designer will size the pumps, pipe, valves and sprinklers.

Armed with this data the designer can start the actual system layout, usually beginning with the sprinkler head placement. The most important criteria when laying out sprinklers is to insure an even amount of precipitation throughout the system's area of coverage. Normally this means the throw radius of one sprinkler reaching the next sprinkler, or "head-to-



Though today's irrigation equipment is engineered for quality and performance, proper application of the technology is crucial for a good installation.





# NUTRALENE

## The New Name in NITROGEN!

This advanced controlled-release material derived from methylene urea polymers is the ideal nitrogen source for all your turf needs. That's because NUTRALENE™ works **two** ways. First, it provides a quick-release nitrogen through hydrolysis. Second, NUTRALENE releases nitrogen more slowly through microbial action for sustained feeding. This dual action (the result of its unique molecular structure) makes NUTRALENE the superior controlled release nitrogen source. The following points show that NUTRALENE meets all the professional's requirements for a broad-use nitrogen.

### This quality nitrogen source offers...

- Quick greenup
- Controlled-release nitrogen feeding for up to 16 weeks
- Both hydrolysis and microbial action—not dependent on coating or particle size for release
- Minimal leaching and volatilization
- Consistent release of all nitrogen in one growing season, under all conditions, even during cool soil temperature situations
- Low salt and low burning potentials
- 40-0-0 guaranteed analysis



3509 Silverside Road, P.O. Box 7495, Wilmington, DE 19803

IMPORTANT: Please remember always to read and follow carefully all label directions when applying any chemical.

Copyright © 1989 NOR-AM Chemical Company. All rights reserved.

Circle No. 146 on Reader Inquiry Card



head" coverage.

Since the actual amount of water applied decreases toward the outer ranges of the sprinkler's throw radius, head-to-head coverage allows a more even application rate, or coefficient of uniformity (CEU), which means all areas receive about the same amount of precipitation.

## 8. Coverage patterns

There are two common sprinkler layout patterns, square and triangular spacing. Most systems include a combination due to the odd shapes of the irrigated areas.

Triangular spacing offers uniform coverage with fewer sprinklers. Instead of "head-to-head" coverage, or 50 percent diameter spacing (which is normally used in square spacing), triangular spacing allows 55 to 60 percent of diameter of throw spacing, therefore accomplishing the desired precipitation rate with fewer sprinklers.

Always remember, the wind factor can adjust these formulas up or down. Trying to save money by using the fewest heads should be discouraged, so always make sure the designer stays within the manufacturer's performance specifications.



The effects of a poorly-designed irrigation system include over-watering, pest and disease problems.

## 9. Money considerations

A poorly designed or installed sprinkler system is extremely difficult and costly to renovate. Do not allow price to overshadow quality. If funds are not available to install a quality system, consider installing it in phases instead of skimping on the materials.

Once the sprinklers are laid out according to the design criteria and manufacturer's specifications, the next step is to divide each area into "zones" or groupings of sprinklers. This is necessary because enough water to run all the sprinklers at the same time is not normally available. Also, sprinklers with different precipitation rates can cause unequal amounts of water to be applied in an area, if operated on the same zone.

## 10. Zoning

Separating into zones also allows greater control over each area, which will be important because of differing soil types, exposure and plant water requirements.

Some sprinkler manufacturers provide "matched precipitation rate" (MPR) nozzles for their sprinklers. This allows the designer to put part circle heads on the same zone with full circle heads and still maintain an

even precipitation rate throughout the area of coverage.

Each zone is controlled by a remote automatic control valve turned on by the controller. In the case of larger heads, such as those used on a golf course or large turf project, each head may have a valve built into it's casing, which means every head is, in effect, a separate zone.

## 11. Valves

Control valves, all of which are hydraulic, are normally operated by electrical solenoids, or a pressurized hydraulic valve block and tubing.

Both the electrical and hydraulic control systems have merits which should be explored. The number of heads on each zone would be determined by the amount of water needed by each head compared to the amount of water available from the water source. If a sprinkler needs 10 gallons per minute (gpm) to operate properly, then a 70-gpm water supply would allow seven sprinklers to run at the same time.

After all the sprinklers are located and zoned, the designer can now design the piping system. Since the volume of water to each zone is established, the size of the pipe and valves supplying each zone can be determined according to the flow and velocity characteristics of the pipe used. Pressure loss charts provide an easy way to size pipe and stay within acceptable velocity ranges.

## 12. Pipe materials

Pipe materials vary according to the requirements of the system, but most systems are now installed with polyvinyl chloride (PVC) pipe. An experienced irrigation designer will make recommendations concerning the pressure ratings and strength of the pipe. These should be followed explicitly.

Allowing lower-rated or undersized pipe to be installed will cause costly problems and may cripple the entire system. The pipe design should try to minimize the amount of trenching and pipe installation to help control the system's cost.

Certain methods for using smaller pipe sizes, such as designing in "looping," can reduce friction loss and the system cost, but the designer should never undersize pipe. If anything, use larger pipe sizes, especially if the system may be expanded in the future, or if friction losses are bordering on the unacceptable.

## 13. 'Accessorizing'

At this point, the ancillary items are designated, such as wiring and wire



# YAZOO!

## *"Something Worth Shouting About.."*

Yazoo mowers have earned a reputation for quality and endurance among customers throughout the most demanding lawn care regions in the country. For 45 years, commercial lawn maintenance firms and consumers have come to depend on our heavy-duty components, practical design, easy maneuverability

and operator comfort.

Whatever your application, Yazoo has a mower to maximize your time on the job. Choose a cutting width from 20" to 76"; with high performance engines strong enough to meet your needs. All Yazoo mowers are designed for tough turf, but their responsive handling will

leave your lawn with a smooth, professional finish.

You'll also like our prices. We're able to give you the features you want – the rugged construction you need – at a cost that may surprise you. If you are looking for superior performance and matchless value, you can stop looking; and start shouting... "Yazoo!"



## YAZOO

For nearly half a century, Yazoo has proven that they cut with the best. Join our thousands of loyal customers, throughout the country, as we introduce our 1990 product line from coast to coast.

To find out more about the complete line of Yazoo products, circle the appropriate number on your reader response card. Or better yet, give us a call, we have *something worth shouting about.*



sizes, valve boxes and controller accessories. The type of controller and controller location should also be decided.

Today's controllers range from the older style mechanical clocks to the newer computer-based systems.

Mechanical clocks are reliable and tend to be easier to learn how to operate, but lack the impressive array of functions provided by the computerized systems. Water management is now a reality with the computer-based controllers. Weather stations supply up-to-the-minute information about the field environmental conditions, which then alter the watering schedules to provide just the right amount of water when it is needed.

Another impressive feature is the ability to operate remote controllers via the telephone lines or radio communications, all from a central location. An irrigation computer can:

- control fountains and lighting systems;
- allow, because of "flow management," pump stations to run at their peak efficiency; and
- most importantly, water and power are saved, so the life of system components is extended.

After double-checking the hydraulic calculations, the plan is

nearly completed.

#### 14. Final design

To finish the design, a final copy is created with detail for each component of the system. Assumptions and bits of information that would be helpful to an installer should be included in the notes. The legend should include a complete list of material symbol designations. Even the hydraulic calculations can be part of the finished package.

Most designers will have completed an irrigation schedule by this time. It helps to have this prepared prior to installation as a double check of the design, and to aid in making changes in the field during installation.

Once the design is complete, the designer should develop a set of specifications for the installation of the system. This is crucial if the system is to be released for bids.

#### 15. Specifications

Specifications assist in establishing a level of quality and expectations for bidders. Substandard contractors will be obvious since they will fail to meet the requirements of the specifications. Subjects to consider including in the specifications are who is to lo-

cate all underground utilities; who arranges for permits and inspections; and who installs backflow preventers.

Include statements binding the contractor to install according to local building codes and the equipment manufacturer's recommendations. Outline in detail how components are to be installed and the procedure for starting up the system. Cover payment terms, retainers, and clean-up expectations.

Establish how the contractor is to store materials and equipment and any other special working conditions. But, most of all, be specific about what needs to be done. Don't force the contractor to make assumptions.

#### 16. The contractor

Several sources are available for assistance and to obtain sample specifications, including manufacturers, distributors, trade associations and some attorneys.

When a contractor is to be chosen to install the system, it pays to give careful attention to the selection process. Most contractors are honest, competent installers and are eager to provide the information you need for consideration. But, there are the bad apples.

A professional contractor is usually well prepared for meetings, knowledgeable about the product and the industry, and provides complete and accurate documentation. The poor contractor is usually ill-prepared, late for appointments and callbacks, offers vague answers and usually has the lowest price.

Ask for references, and really contact them. The questions asked will determine the quality of the information received, so ask specific questions about issues important to the job. Listen carefully about how problems were resolved and how well the contractor handled callbacks and service calls. Good contractors like to talk about their service because it is part of their success.

Inquire about their warranty and service procedures, especially if there is an emergency. Establish service costs up front; expect, and be willing, to pay a fair price for good service, because it is most definitely worth it.

A new irrigation system is a long term investment, offering the end user years of reliable performance, if proper care is applied to the planning phases. **LM**



Give a lot of thought to who you want as your irrigation contractor. Request and follow up on references and ask plenty of tough questions.

Scott Knowles is manager of turf and irrigation products for Wolf Creek Co., a Trotwood, Ohio-based distributor. He has a degree in agriculture from Ohio State University.



# WE REACH THE PEOPLE YOU NEED TO REACH!

Place a classified ad in any of these  
EDGELL COMMUNICATIONS' publications  
and you know your ad dollar is wisely spent.

Circulation	Magazine	Circulation	Magazine
22,587	AFTERMARKET BUSINESS	47,780	LANDSCAPE MANAGEMENT
13,252	AMERICAN AUTOMATIC MERCHANDISER	13,589	LAWN CARE INDUSTRY
135,134	AMERICAN SALON	15,209	LP/GAS
12,821	AQUA	17,322	MEAT PROCESSING
29,475	BEVERAGE INDUSTRY	14,496	NEUROLOGY
10,484	BODY FASHIONS/INTIMATE APPAREL	15,686	OPHTHALMOLOGY TIMES
3,119	CANDY INDUSTRY	13,797	PAPERBOARD PACKAGING
11,247	CANDY MARKETER	12,889	PAPER SALES
50,381	COMMUNICATIONS NEWS	16,335	PEST CONTROL
20,469	CONCRETE PRODUCER NEWS	19,656	PETROLEUM ENGINEER INTERNATIONAL
102,224	DENTAL MANAGEMENT	14,105	PETS SUPPLIES MARKETING
7,084	DERMATOLOGY TIMES	24,044	PIPELINE & GAS JOURNAL
12,777	DRUG & COSMETIC INDUSTRY	21,672	PIT & QUARRY
35,707	DVM NEWSMAGAZINE	10,100	POULTRY PROCESSING
24,546	FLOORING	20,281	ROOFING/SIDING/INSULATION
77,365	FOOD & DRUG PACKAGING	9,369	SNACK FOOD
62,170	FOOD MANAGEMENT	41,293	TELEPHONE ENGINEER & MANAGEMENT
19,051	HEARING INSTRUMENTS	9,056	UROLOGY TIMES
45,148	HOTEL & MOTEL MANAGEMENT	21,000	WORLD COGENERATION
13,833	HOUSEWARES		

Don't forget that classified advertising works just as effectively in locating employees as it does if you are looking for a position, have a line, machinery or a business to sell, are seeking representatives or wish to buy a specific item. Let it go to work for you!

EDGELL COMMUNICATIONS does a better job of reaching those who count (*your potential customers*) than any other business publisher.

## COUNT ON US TO REACH THOSE WHO COUNT!

Call Dawn Nilsen at 218-723-9200

Fax: 218-723-9615

**EDGELL**  
COMMUNICATIONS

One East First Street  
Duluth, Minnesota 55802

J

# INSECTICIDES AND MITICIDES IN THE LANDSCAPE

When landscape plants are introduced into new environs, concerns arise over susceptibility and resistance to foreign and familiar pests.

by James R. Baker, Ph.D, and Stephen J. Toth, Jr.

**P**est management in the landscape environment is unique due to the public's contact with plants and the large number of exotic plant species and varieties.

Some of these species have little natural resistance to insects and mites. In its native land, an exotic ornamental plant may have pests that are of little consequence because of naturally occurring parasites and predators. However, if the plant is introduced into a new environment containing pests but not parasites and predators, the pests may cause considerable injury.


In addition, insecticides or miticides applied for one pest may eliminate parasites or predators of that particular pest or another pest. For example, spraying for aphids may eliminate parasites of mites and, as a result, mites may suddenly become a major problem.

## Pests go for the green

Because well-maintained landscapes are usually verdant in spite of summer droughts, many ornamental plants in the landscape are susceptible to field crop pests, such as European corn borer, corn earworm and beet armyworm. This is in addition to the pests which are usually confined to ornamental plants, such as bagworms, whiteflies (on bedding plants), Japanese weevils and many others.



Woolly apple aphids can have a devastating effect on pyracantha.



Bifasciulate scale on English ivy can give a landscape manager headaches.

The genetic resistance to pesticides by insect and mite populations has greatly aggravated problems with pest management on ornamental plants.

In cases where an insecticide or miticide fails to control a pest it once controlled, a possible solution is to

switch to a chemical with a different mode of action. An insecticide or miticide in a different chemical group can have a different type of toxic effect on the pest.

## Cross-resistant pests

Pests are sometimes "cross resistant" to more than one class of chemical (for example, DDT and pyrethroids), but in most cases there is some benefit to switching to a different class of chemical when dealing with resistant pests.


Insecticides and miticides labelled for landscape use are listed according to their chemical classes in Table 1.

As a result of constant exposure to pesticides during the busy spraying season, the landscape manager has a greater risk of some deleterious effect caused by pesticides than does a homeowner who may only apply pesticides a few times a year for only a few hours at a time.

In addition to exposure during application of a pesticide, the landscape manager also encounters pesticide residues on the foliage of plants just treated or treated the week before.

The obvious ways of reducing the risks associated with pesticide use are to use less toxic pesticides and decrease the amount of exposure by using proper protective clothing or by observing optimal re-entry times after





# **WE'D LIKE TO TELL YOU ABOUT THE BIRDS AND THE BEES.**



We'd also like to tell you about pets and other animals, and hundreds of species of ornamental plants.

Because they are the biggest reasons to use Mavrik Aquaflow.<sup>®</sup>

Mavrik<sup>®</sup> is water-based, effective at very low rates, and gentle on beneficial species. It is a non-restricted product and can even be sent through the mail!

Mavrik won't harm plants either, not even when sprayed on open blooms.

Yet Mavrik has excellent broad spectrum efficacy against most insect pests as well as mites.

So switch to Mavrik. Then if your customers are concerned about the materials you use, you can tell them about the birds and the bees too.



**SANDOZ**  
CROP PROTECTION  
CORPORATION  
DES PLAINES, IL 60018

Use pesticides effectively. Read and follow label directions carefully.

© 1989 Sandoz Crop Protection Corporation  
Mavrik and Mavrik Aquaflow are registered trademarks of Sandoz, Ltd.





TABLE 1.

**Some insecticides and miticides labeled for use on landscape ornamentals.**

**Bacterial**

- Bacillus thuringiensis (Bactospeine, Biotrol, Dipel Thuricide, Vectobac)
- Bacillus popilliae (Doom, Japademic, Milky Spore)

**Carbamates**

- Baygon
- Dycarb, Ficam, Turcam
- Lannate\*
- Mesuroi
- Oxamyl 10 G
- Sevin
- Vydate L\*

**Chlorinated hydrocarbons**

- lindane
- Marlate
- Pentac
- Thiodan

**Pyrethroids**

- Mavrik
- Talstar
- Tempo 2

**Organophosphate**

- diazinon (D.z.n., Knox-Out)
- dimethoate (Cygon)
- Di-Syston
- Dursban
- Dylox, Proxol ethion
- Imidan
- Malathion (Cythion)
- Metasystox-R2
- Mocap
- Oftanol
- Orthene
- Pestroy, Sumithion
- Triumph

**Miscellaneous**


- Amdro
- Avid
- Insecticidal soap
- metaldehde
- Morestan
- Ornamite
- Vendex

\*Do not use on home landscapes.

Source: James R. Baker, Ph.D. and Stephen J. Toth, Jr.

FIGURE 1.

**Dermal toxicity of insecticides and miticides labeled for use on landscape ornamentals.<sup>1</sup>**



<sup>1</sup> Dermal toxicity is determined by the lethal dose required to kill 50 percent of the test animals (LD<sub>50</sub>). The lower the LD<sub>50</sub> (i.e., the shorter the bar), the more toxic a chemical is when applied to the skin. LD<sub>50</sub>s for Ficam W, Turcam 76 WP, Lindane 20 EC, Proxol 80 SP and Vendex 50 WP are based upon tests on rats; LD<sub>50</sub>s for all other products are based upon tests on rabbits. Sources for the dermal LD<sub>50</sub> data were the companies' product material data safety sheets. In each case, the lowest LD<sub>50</sub> reported for the formulated products was used. Moderately toxic pesticides are those with dermal LD<sub>50</sub>s ranging from greater than 200 mg/kg to 2,000 mg/kg. Slightly toxic pesticides are those with dermal LD<sub>50</sub>s ranging from greater than 2,000 mg/kg to 20,000 mg/kg.

treatment.

**Factoring toxicity**

When choosing a pesticide to control insects and mites in landscapes, the chemical's toxicity should be consid-

*An insecticide or miticide in a different chemical group can have a different type of toxic effect on the pest.*

ered along with the chemical, cost, residual activity, environmental impact and effectiveness in controlling the pest.

Pesticides have three major routes of entry into the body: through the mouth (oral), through the eyes or skin (dermal), or through the lungs (inhalation).

Information on the relative toxicity of a pesticide product is provided on the product's label which must contain one of the following signal

words: "Danger" (highly toxic orally, dermally or by inhalation), "Warning" (moderately toxic) or "Caution" (slightly toxic).

A comparison of the dermal toxicity of insecticides and miticides commonly used in landscape management is provided in Figure 1.

Insecticidal soap and products containing the bacteria *Bacillus thuringiensis* (e.g., Bactospeine, Biotrol, Dipel, Thuricide) are not included in Figure 1 because they are generally considered to be non-toxic to humans.

**Reducing exposure**

To prevent oral exposure, do not eat, drink, smoke or chew tobacco when handling or applying chemicals and wash your hands immediately after use.

Dermal exposure can be reduced by wearing adequate protective clothing and equipment during mixing and application. The product label usually contains specific protective clothing requirements. However, the minimum protective clothing that should be worn when using any insecticide or miticide are a long-sleeved shirt, long pants, and rubber or neoprene gloves.

Rubber gloves can reduce dermal exposure to pesticides by more than 95 percent. Exposure by inhalation can be prevented by wearing a respirator when applying chemicals and by avoiding treated areas immediately after an insecticide or miticide is applied unless wearing proper protective equipment. **LM**



James R. Baker (above) is professor of extension entomology at North Carolina State University. Stephen J. Toth, Jr. is an extension specialist in pesticide impact assessment at North Carolina State University.