

us to pass is yours


No one can accuse John Deere of rushing products to the marketplace—especially not the new 3215 and 3235 Turf System Mowers.

Three years and 8,000 hours of field testing have both proven and improved The System. It's mowed over 30 different golf courses on bentgrass, rye, bermuda, zoysia, and more.

In fact, there's nothing left for us to do except to give you our Golf & Turf Promise that you'll like what you see. For the name of your nearest distributor, or free literature, call 1-800-544-2122. Or write John Deere, Dept. 956, Moline, IL 61265. We've done our homework, now it's time for you to benefit from its results.

THE JOHN DEERE GOLF & TURF PROMISE

If for any reason you are not completely satisfied with your purchase, simply return it to your distributor within 30 days or the first 100 hours (whichever comes first) for a full refund.





PRODUCT

PRODUCTS from page 88

FA76D:

- moderately-priced four-cycle engine with 1.7 hp and horizontal power output shaft;
- recoil starter, splash lubrication, electronic ignition and mechanical governor;
- a low-oil shut-off system prevents engine damage.

FA130D:

- 3.1 hp, with a single-cylinder, fourstroke, air-cooled engine;
- horizontal shaft design, with recoil starter, splash type lubrication, electronic ignition and mechanical governor.

FA210D and FA210V:

- both are 207cc air-cooled, 5.2 hp engines;
- the FA210D has a horizontal power output shaft, the FA210V a vertical;

Kawasaki says these two are ideal for new equipment or as replacements.

Circle No. 194 on Reader Inquiry Card

Engine series features carburetor enhancement

Kohler Co.'s Command Pro Series of 11, 12.5 and 14 hp horizontal and vertical shaft engines are ideal power sources for commercial turf, construction and indus-

NOUS U.S.

trial equipment.

These engines feature Kohler's Smart-Choke system for one-pull starts.

Smart-Choke is a self-relieving choke carburetor that assures faster starts, smooth acceleration and instant response to load variations, while eliminating over-

choking.

A high-inertia flywheel also adds to quicker starts, smoother idling and provides greater rotational force for superior torque.

Kohler says further refinements of it's automatic compression release also means easy starting.

Kohler Command engines have hydraulic valve lifters, the only engine to do so, says the company.

This reduces valve train noice and eliminates the need

for valve adjustment. A mechanical governor maintains contant RPM.

Circle No. 195 on Reader Inquiry Card

Spray system/trailer match saves you time and money


Rich Manufacturing of Indianapolis offers a new concept for the full-service lawn care company.


The R1600DX integrates a custom spray system onto a custom trailer to provide an all-in-one solution to increase productivity and lower overhead.

The combination gives you the power to apply chemical applications at the same time routine mowing is being performed.



The advantage of being able to apply weed and insect controls at all times also reduces costly service calls and adds to





Fertilizer Blends formulated with pesticides from an extended list of turf labels.

Plus...

Mini Size homogeneous fertilizer products for the golf course.

When your grass is on the line call:



1-800-558-5667

1-800-329-2203

11111

RODUCT REVIEW

customer satisfaction.

Each tank can be operated independently so that different products can be carried at the same time, Rich Manufacturing notes.

The location of the spray tanks provides plenty of space for mowing equipment (up to 72-inch wide decks).

More storage is available in the front tray for trimmers, power blowers, gas cans or tools.

Circle No. 196 on Reader Inquiry Card

Improved efficacy claims for herbicides used with performance enhancer

Terra International, Inc. has added Riverside AMS Plus to its Riverside product line-up.

AMS Plus enhances herbicide, defoliant and desiccant performance by modifying factors such as pH and hard water. It is a liquid ammonium sulfate activator with phosphate ester of poly-glycolethers, a blend of ammonium salts, and formulation aids

AMS is recommended for use with:

- Diquat,
- Endothal
- Gramoxone, MSMA
 - Jury.
- Roundup, Roundup RT, and
- others requiring an ammonium sulfate activator.

Circle No. 197 on Reader Inquiry Card

Utility vehicle carries 1000 lbs., handles rough terrain

Haul Master's utility vehicle is powered by a 4-cycle, 16-hp Briggs & Stratton

vers easily in tight spaces and narow areas.

Equipped with a heavy-duty trans-axle with full differential and differential lock, the Haul Master handles rough terrain

> while its heavy-duty housing seals out sand, dirt, salt water and other corrosives.

> Its wide, low-pressure tires provide good traction and will not damage turf.

> The vehicle seats two and hits a top speed of 20 mph.

> Tilting dump box is more than 48 inches wide and 40 inches long.

Circle No. 199 on **Reader Inquiry Card**



engine.

The UV has a 100-lb. load capacity and delivers the power needed for industrial jobs, landscape management, farm work and recreation.

The unit is good for transporting cargo or supplies, or reaching offsite locales.

The mult-purpose vehicle has a short turning radius, and maneu-




Compact spray system for lawn work

Dethmers Manufacturing Company of Boyden, Ia. makes a "Spray

Team" for all lawn and garden spraying equiopment. Sprayers come in a variety of

> sizes; from five to 150 gallons.



The rear mounted sprayer can be used for larger jobs.

A large selection of application pumps is available.

Circle No. 198 on **Reader Inquiry Card**

Go anywhere, do anything with rugged utility vehicles

The Cushman Turf-Truckster is still rolling after 30 years in the green indus-

Standard features include:

- turf chassis with pin disconnect
- heavy-duty carbon steel channel fram boxed in critical areas;

Other optional and standard implements and attachments are available to the green industry professional to increase the versatility of the vehicle, such as top dressers, sprayers, Core Harvester, flatbed, short box and carrier set

The Turf Truckster is rated at 2,600 lbs., including payload, bed and driver.

Circle No. 200 on Reader Inquiry Card



SHOWCASE

REVIEW

This makes light hauling jobs easy

The G-11 Yamahauler is Yamaha Golf Cars' rugged utility vehicle designed to handle almost any light hauling job.

The company calls the Yamahauler G-11 one of the most versatile and reliable vehicles on the market.

The drop-side utility box permits almost immediate removal of both its sides and tailgate for flat-bed hauling.

The vehicle has a 4-by-4 foot bed, 13.4 cu. ft. of space and a 500-lb. capacity.



A frame mounted trailer hitch with a towing capacity of 150 lbs. is optional.

The Yamahauler is powered by a Yamaha 8.6 hp, four-stroke, overhead valve engine. Maintenance-free, transistor-controlled ignition ensures reliable operation. Bench seats raise to provide easy access to the engine.

Circle No. 201 on Reader Inquiry Card

These vehicles can't 'take it easy'

The Kawasaki Mule utility vehicles are well named. They refuse to quit when pushed to the limit.

The Mule 500, shown above right, is powered by a 286cc four-stroke gasoline engine.

The sturdy steel frame encloses a 36-by-44-inch cargo bed.

The Mule 500 has a 660-lb. vehicle load capacity. An additional 900-lb. towing capacity can be tapped when the Mule is equipped with an optional trailer hitch. The 500 has a continuously variable belt-driven automatic transmission.

Torque is transmitted through a pair of pulleys connected by a V-belt, which lessens the workload on the driver and maximizes the efficiency of the small-displacement engine.

The Mule 1000, below right, has a tilting cargo bed and a payload capacity of 1000 lbs.

The 1000 is powered by a 454cc liquid-cooled, double overhead camshaft, eight-valve, four-stroke, counterbalanced, twin cylinder gas engine.

Circle No. 202 on Reader Inquiry
Card





Safer fuel storage with newly-certified 5-gal. transporting container

Justrite Manufacturing Company, Des Plaines, Ill., announces its brand new, twoand-a-half gallon transport/dispensing



cans, models 10540/10541.

Testing of the new containers was completed in early November 1993, when the UN certification was granted.

UN approval for the containers means easier handling and more convenient dispensing than is possible when working with a heavier five gallon can.

Justrite believes the design meets the operating and spill-proof requirements needed when a container is being transported to a job, while offering the added protection of a Standard UL listed, FM approved safety can.


Circle No. 203 on Reader Inquiry Card

Utility vehicle has a 2000 lbs. capacity, 20 cu. ft.

Columbia ParCar's Utilitruck EU2000-XB is built for heavy duty material handling, landscaping, agriculture, lawn care, motels, airports and other utility uses.

The EU2000XB has more than 20 cu. ft. of cargo storage space with a payload capacity up to 2000 lbs. The narrow body design provides easy maneuverability in tight areas, and the rear axle is located directly under the payload area for added stability.

Circle No. 204 on Reader Inquiry Card



If you want to use a fungicide in a closed system, here's what you do. Get out your hose, fill your tank, throw in a new BAYLETON* turf and ornamental fungicide water


J. C.

soluble packet and you're ready to go.

You don't need to invest in a special metering and measuring device with lots of gizmos, whizbangs and doodads. Which means you don't have to learn how to operate it, or fix it, or find a place to put it.

Better yet, you don't have to invest in a year's worth of fungicide that comes with those special devices.

Like all closed systems, you reduce worker



If you'd like more information, call us toll-free at 1-800-842-8020. Or if you'd like, write to

us at Miles Inc., Specialty Products, Box 4913, Kansas City, MO 64120.

Pick up the new water soluble packets of BAYLETON. Then use all that money you didn't

spend on a measuring and metering device for something more useful.

Always read and follow label directions. © 1994 Miles Inc. 94S10A0010

SHOWEASE

REVIEW

Lawn and garden series adapts to equipment lines

Put the versatility and maneuverability of your ATV to work by adding a Demco ATV Sprayer, custom-designed to fit Deere, Commuter, Avenger and other ATVs.

You get a 55-gallon polyethylene tank with molded in-sight gauge, and five-inch fillwell with baffle lid:

- anti-vortex outlet:
- single jet agitator
- in-line tank shutoff valve:
- in-line strainer:
- 3-hp Briggs & Stratton engine.
- 3-way boom control with pressure gauge;
- on-off agitation valve and on-off hand gun valve;
 - built-in hose wrap-up
 - adjustable boom height

Circle No. 205 on Reader Inquiry Card

Sprayer line holds up to 100 gallons

Ritchie Bestway Commercial markets a varied line of Tri-way sprayers.

The Tri-way can be fitted with a 30, 50 or 100-gallon sprayer tank, and it can be transported three ways.

The standard package includes a skid mount, or other options:

- a 3-pt. with a standard category one 3-pt;
- LaBarge Attachment Plus fork set;
- a trailer kit that can be installed in minutes.

Every Tri-way sprayer is constructed from heavy steel with a baked-on powdercoated finish.

There are also several attachments available,

including 40-inch, 120-inch and 6mm booms, hose reel, swivel kit and handgun with adjustable tip and swivel.

Circle No. 206 on Reader Inquiry Card



Put a Front-Mount Millcreek Aerator on Your Commercial Mower.

Get more production and profitability from your John Deere, Ford, Kubota or Excel Hustler up-front mowers by attaching a front mount Millcreek core plug aerator.

Millcreek aerators have individually-mounted spoon wheels so you can make gentle turns without tearing turf. And our sturdy protective cage increases safety.

With so many styles and sizes, including 3-point hitch and tow-behind, choosing a Millcreek aerator is almost like designing one for yourself. All this and attractive pricing too. Call today for your free information.



- **42**", 63", 84"
- 3-point hitch & tow-behind models
- Light-duty units also
- Individual spoon wheels
- Safety cage included



1-800-879-6507

2617 Stumptown Rd. Bird-in-Hand, PA 17505

Dealer inquiries invited.

Circle No. 108 on Reader Inquiry Card

Edging units install easily, eliminate trimming work

Innovative Concrete Design Corporation has introduced Select Edge Decorative Concrete Edging Units, an



attractive, economical, easy-to-install landscape edging system.

Natural scale, colors and attractive appearance combine to make this edging product a nice blend with any plan.

Circle No. 207 on Reader Inquiry Card

The Pacific Rim **Pest & Weed Control**

Expo & Conference



Singapore International Convention & Exhibition Centre 14-16 March 1995

Mark your diary

it's the opening of a multi-billion dollar market!

- Only event of its kind in Asia
- Display your products and explain your services to the largest gathering of specifiers, buyers and end-users ever gathered in Asia
- Meet two years worth of sales contacts in just two days
- Largest sales potential in the world is in Asia
- Asia's Governments and private enterprise are committed to US billion dollar pest and weed control programs.
- Get right-up-to-the-minute data on the latest pest & weed control products, applications and services.
- Attend the information-packed conference and hear of new business opportunities and scientific developments in pest & weed control.

Fax to +852 575-4611

I want to know more about Asia's First Expo dedicated to Pest & Weed Control. Please provide information on:

☐ Sponsoring ☐ Exhibiting ☐ Advertising Attending

Corporate Title:

Company:

Advanstar Communications Asia Limited

23rd Floor, Tai Yau Building Tel: +852 832-4998 • Fax: +852 575-4611

REVIE

Skip pathology lab with portable meters

The pH and conductivity meters from ESD can enable turf managers to make on-the-spot turf diagnoses.

The pH meter, Model 57 is digital, and reads to the .1 pH unit.

The conductivity tester, Model 70DS, provides an analog, dual scale, with ranges from zero to 5,000 micromhos as well as zero to 3,500 ppm.

Both meters are guaranteed for two vears. Electrodes are guaranteed for six months. The units include a meter, electrode, buffer solutions of 4, 7 and 10 for pH only, and a 9-volt battery, as well as instructions and solid carrying case.

Circle No. 208 on Reader Inquiry Card



Grass catcher holds up to four bushels of clippings

Grass Packer by Exalted fits virtually every commercial mower and holds up to four bushels of debris in its high-capacity. heavy duty plastic body that is dent resistant and water proof.

Grass Packer uses both an aerodynamically-designed entrance shoot and tapered cylindrical shape to enhance the air flow and ensure clog-free operation. In addition, Grass Packer has large built-in handles and an over-sized cover/hinge assembly for easy carrying and unloading.

The unit is available with a universal mounting bracket. It comes with a oneyear warranty.

Circle No. 209 on Reader Inquiry Card

Power sweepers also offer thatch removal from turf

The Sweepster Power Sweepers not only remove thatch from turf in one pass, but also leaves, pine needles and thatch, Sweepster contends.

The machine can windrow thatch and

debris into piles for easy pick-up with a sweeper that collects thatch in a hopper for dumping later.

Sweepster Power Sweepers have flexible polypropylene bristles. The gentle rotating action of a brush removes debris without damaging the root system. They bend as they pass over uneven surfaces. giving full bristle contact over uneven turf

When used before overseeding, Sweepster notes, the Power Sweeper exposes soil to more sunlight, water and fertilizer. Sweeping turf areas opens the entire area the brush head comes in con-

Circle No. 210 on Reader Inquiry Card

Landscape and irrigation design offered for Windows

Green Thumb Software has a "Windows" version of its landscape design softward, LandDesigner Pro. The computer program enables professional landscape designers to produce comprehensive proposals with full-color plans, plant materials and lists, and detailed cost estimates.

Green Thumb's IrrigatorPro for Windows lets designers quickly produce high-quality irrigation designs, complete with detailed layouts and multiple reporting options.

Circle No. 211 on Reader Inquiry Card

The Bell Canada Enterprises Directory Publishing Group is Compiling

THE MOST COMPLETE SOURCE BOOK FOR THE GOLF INDUSTRY!

- ✓ Over 100 headings with complete listings of manufacturers and suppliers for the golf industry.
- Complete listing of courses and resorts throughout the United States and Canada.
- ✓ Sent free of charge to every golf course superintendent, club manager, and pro throughout the United States and Canada.

For orders or further information call Tom Booher at 1-800-864-2754



REVIEW

This primed seed has its own patented process

Whether your concerns are problem areas or getting a golf course into playable condition faster, RediSeed primed seed from Eco Soil Systems enhances seed performances in several ways.

The Solid Matrix Priming (SMP) process, which is patented, actually primes the seed to a point where they are ready to germinate, then "freezes" that condition for up to a year.

According to Eco Soil Systems, the difference between RediSeed and regular seed is that it begins sprouting hours after planting and watering.

Penncross, Pennlinks, SR1020 and Putter bentgrasses are available, along with Sabre *Poa trivialis*.

Circle No. 212 on Reader Inquiry Card

Finish mowers available in three different models

A new family of high-performance, durable flexwing turf finish mowers designed to meet the challenges of mowing large acreage has been introduced by Woods Equipment Co.

The Turf Batwing Finish Mowers are available in three models: 9144 with a 12-foot cutting swath, 9180 with a 15-foot swath and 9204 with a 17-foot swath.

Each Turf Batwing Finish Mower features three cutting decks with a cutting height ranging from 1.5 to 5 inches.

A positive stop, automatic wing lock-up function enables the operator to remain seated in the tractor while locking or releasing the wings from the transport position.


Circle No. 214 on Reader Inquiry Card

Injection system modifications complete, unit ready

The Toro Company has completed improvements to the InJector Pro Chemical Injection System for the Multi Pro 1100, and the vehicle is available for delivery.

The pesticide application system has gone through a year of significant changes since it was first released a year ago. In addition to calibrated, precision chemical application, the InJector Pronow includes a self-cleansing pressure-washing system for total chemical and rinsate clean-up.

"The exclusive design means the Injector Pro always mixes the exact amount of chemicals and adjusts to the chosen application rate," says Kent Hahn, executive vice president of Hahn, Inc.



Customers can choose from a dual-pumping or single-pumping InJector Pro model, depending on need. Both systems hold water and chemicals in separate tanks until moments before application. The console control then automatically monitors and controls the precise amount of chemical regardless of speed.

A self-cleansing washing system cleans injection tanks, and rinsate can then be dispensed onto the turf.

A cab air-flow system keeps possible drift from lingering in the cab.

Circle No. 213 on Reader Inquiry Card

Microscope/camera has many turf applications

RF Inter-Science has a new portable camera-adaptable microscope. This unit provides magnification of 45x and adapts to most 35mm single-lens reflex cameras by means of a simple camera adaptor called Macromate I.

The microscope weighs less than one pound. RF Inter-Science says it's excellent for field work where wide-field viewing and portability are factors like on-site insect identification.

No slide preparation is necessary. The specimen is simply placed on any flat surface, the Macroscope unit placed over it and focused.

Circle No. 215 on Reader Inquiry Card

Transpiration minimizer holds moisture in plant

Aquatrols introduces its new LeafShield anti-transpirant. When applied to foliage, LeafShield dries to a thin flexible waxy layer that holds moisture in the leaves and reduces transpiration stress when there is insufficuent moisture absorption by plant roots.

LeafShield is recommended when transplanting and transporting plants subject to moisture stress, and as a protectant against desiccating weather conditions.

It comes packaged in 4x1-gallon, 2.5x5-gallon and 5-gallon containers.

Circle No. 216 on Reader Inquiry Card

Athletic field absorbent cuts labor and storage

Rain Check athletic field absorbent absorbs 500 percent more water than clay, says its maker, Pioneer Manufacturing Co. It is also said to cut labor and storage costs up to 80 percent.

Manufactured of all organic materials, Rain Check is completely biodegradable. It goes to work the instant it's applied, and leaves no detectable residue to be cleaned up later.

Rain Check can be applied easily, and spread evenly to cover up all wet areas. You allow it to stand for a few minutes, then rake until level.

Circle No. 217 on Reader Inquiry Card

We're talking about a control program that's very hard on fungus, yet very easy on your turfgrass.

Some things you can do to reduce turf stress,

use less fungicide and still get an excellent level of control.

It starts with



Rubigan controls all five patch diseases, making diagnosis less critical.

cultural practices. Like replanting

disease-prone areas with resistant cultivars. Careful watering. Providing adequate fertilizer.

And removing thatch. They'll make

Just imagine. A a stranglehold on fungu

